

Appendix 8.3: Predicted Noise Levels at Noise Sensitive Receptors

1 Introduction

- 1.1 This appendix provides the predicted noise levels at all identified noise sensitive receptors (NSRs) within the calculation area.
- 1.2 As noted within Chapter 8 (Noise and Vibration) paragraph 8.4.13, the noise levels reported for each scenario show the least beneficial change in noise level. This will result, on occasion, different Do-Minimum Baseline Noise levels being reported for the same property in different scenarios.
- 1.3 Table 1 provides a list of Receptor IDs and property addresses. Table 2 provides a list of Receptor IDs and predicted DMRB noise levels.
- 1.4 The following acronyms have been used in Table 2:
- DMB – Do-Minimum Baseline Year (2022);
 - DMF – Do-Minimum Future Assessment Year (2037);
 - DSB – Do-Something Baseline Year (2022); and
 - DSF – Do-Something Future Assessment Year (2037).

Table 1: Receptor ID and Noise Sensitive Receptor Locations

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|--|
| NV0001 | Elderslie, 5A B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1380 | 1A Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0002 | Castlehill, B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1381 | 1 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0003 | 17 Castlehill Court, Inverness, Highland, IV2 5GS | NV1382 | 2 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0004 | 6 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV1383 | 4 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0005 | Annfield, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV1384 | 5 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0006 | Ashton Farm Farmhouse, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV1385 | 6 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0007 | 43 Cranmore Drive, Inverness, Highland, IV2 7FJ | NV1386 | 7 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0008 | Playpen Nursery, Playpen Nursery, Raigmore Gardens, Inverness, Highland, IV2 3UL | NV1387 | 8 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0009 | Cradlehall Nursery, 1 Cradlehall Court, Inverness, Highland, IV2 5WD | NV1388 | 9 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0010 | Inverness Campus, Land 410M Se Of, Castlehill - Cradlehall, Inverness, Highland, IV2 5NA | NV1389 | 10 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0011 | Inverness Campus, 10 Castlehill - Cradlehall, Inverness, Highland, IV2 5NA | NV1390 | 11 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0012 | Cradlehall Primary School, Cradlehall Primary School, Cradlehall Park, Inverness, Highland, IV2 5DB | NV1391 | 12 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0013 | Smithton Primary School, Smithton Primary School, Smithton Park, Inverness, Highland, IV2 7PD | NV1392 | 14 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0014 | Raigmore Hospital, Raigmore Hospital, Old Perth Road, Inverness, Highland, IV2 3UJ | NV1393 | 15 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0015 | Inshes Dental Centre, 3 Cradlehall Court, Inverness, Highland, IV2 5WD | NV1394 | 16 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0016 | Stoneyfield Dental Surgery, Hazel House, Stoneyfield Dental, Stoneyfield, Inverness, Highland, IV2 7PA | NV1395 | 17 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0017 | Maggie'S Highlands, Old Perth Road, Inverness, Highland, IV2 3FL | NV1396 | 18 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0018 | Raigmore Primary School, Raigmore Primary School, King Duncans Road, Inverness, Highland, IV2 3UG | NV1397 | 19 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0019 | Hazel House, Hazel House Dentists, Stoneyfield, Inverness, Highland, IV2 7PA | NV1398 | 20 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0020 | Millburn Academy, Millburn Academy, Diriebught Road, Inverness, Highland, IV2 3QR | NV1399 | 22 Inshes Brae, Inverness, Highland, IV2 5AX |

A9/A96 Inshes to Smithton

DMRB Stage 3: Environmental Impact Assessment Report

Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0021 | Milton Of Culloden, Mardon, A96T A9T Raigmore Interchange - B9039 Junction, Inverness, Highland, IV2 7NU | NV1400 | 23 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0022 | Seafield Of Raigmore, A96T A9T Raigmore Interchange - B9039 Junction, Inverness, Highland, IV2 7PA | NV1401 | 26 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0023 | Stratton, Firthview, A96T A9T Raigmore Interchange - B9039 Junction, Inverness, Highland, IV2 7NS | NV1402 | 27 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0024 | Stratton, Roseacre, A96T A9T Raigmore Interchange - B9039 Junction, Inverness, Highland, IV2 7NS | NV1403 | 28 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0025 | Stratton, The Brambles, A96T A9T Raigmore Interchange - B9039 Junction, Inverness, Highland, IV2 7NS | NV1404 | 29 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0026 | 32 Alamein Drive, Inverness, Highland, IV2 3YJ | NV1405 | 30 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0027 | 34 Alamein Drive, Inverness, Highland, IV2 3YJ | NV1406 | 31 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0028 | 36 Alamein Drive, Inverness, Highland, IV2 3YJ | NV1407 | 32 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0029 | 38 Alamein Drive, Inverness, Highland, IV2 3YJ | NV1408 | Colvadale, 21 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0030 | 40 Alamein Drive, Inverness, Highland, IV2 3YJ | NV1409 | La Speranza, 25 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0031 | 1 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1410 | Linden, 3 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0032 | 2 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1411 | Rosemount, 13 Inshes Brae, Inverness, Highland, IV2 5AX |
| NV0033 | 3 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1412 | 1 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0034 | 4 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1413 | 2 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0035 | 5 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1414 | 3 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0036 | 6 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1415 | 4 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0037 | 7 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1416 | 5 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0038 | 8 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1417 | 6 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0039 | 9 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1418 | 7 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0040 | 10 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1419 | 8 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0041 | 11 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1420 | 9 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0042 | 12 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1421 | 10 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0043 | 13 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1422 | 11 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0044 | 14 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1423 | 12 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0045 | 15 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1424 | 13 Inshes Court, Inverness, Highland, IV2 5YH |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0046 | 16 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1425 | 14 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0047 | 17 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1426 | 15 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0048 | 18 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1427 | 16 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0049 | 19 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1428 | 17 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0050 | 20 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1429 | 18 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0051 | 21 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1430 | 19 Inshes Court, Inverness, Highland, IV2 5YH |
| NV0052 | 22 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1431 | 7A Inshes View, Inverness, Highland, IV2 5DS |
| NV0053 | 23 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1432 | 2 Inshes View, Inverness, Highland, IV2 5DS |
| NV0054 | 24 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1433 | 3 Inshes View, Inverness, Highland, IV2 5DS |
| NV0055 | 25 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1434 | 4 Inshes View, Inverness, Highland, IV2 5DS |
| NV0056 | 26 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1435 | 5 Inshes View, Inverness, Highland, IV2 5DS |
| NV0057 | 27 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1436 | 6 Inshes View, Inverness, Highland, IV2 5DS |
| NV0058 | 28 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1437 | 7 Inshes View, Inverness, Highland, IV2 5DS |
| NV0059 | 29 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1438 | 8 Inshes View, Inverness, Highland, IV2 5DS |
| NV0060 | 30 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1439 | 9 Inshes View, Inverness, Highland, IV2 5DS |
| NV0061 | 31 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1440 | 12 Inshes View, Inverness, Highland, IV2 5DS |
| NV0062 | 32 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1441 | 13 Inshes View, Inverness, Highland, IV2 5DS |
| NV0063 | 33 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1442 | 14 Inshes View, Inverness, Highland, IV2 5DS |
| NV0064 | 34 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1443 | 15 Inshes View, Inverness, Highland, IV2 5DS |
| NV0065 | 35 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1444 | 16 Inshes View, Inverness, Highland, IV2 5DS |
| NV0066 | 36 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1445 | 17 Inshes View, Inverness, Highland, IV2 5DS |
| NV0067 | 37 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1446 | 18 Inshes View, Inverness, Highland, IV2 5DS |
| NV0068 | 38 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1447 | 19 Inshes View, Inverness, Highland, IV2 5DS |
| NV0069 | 39 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1448 | 20 Inshes View, Inverness, Highland, IV2 5DS |
| NV0070 | 40 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1449 | 21 Inshes View, Inverness, Highland, IV2 5DS |
| NV0071 | 41 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1450 | 22 Inshes View, Inverness, Highland, IV2 5DS |
| NV0072 | 42 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1451 | 23 Inshes View, Inverness, Highland, IV2 5DS |
| NV0073 | 43 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1452 | 24 Inshes View, Inverness, Highland, IV2 5DS |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|--|
| NV0074 | 44 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1453 | 26 Inshes View, Inverness, Highland, IV2 5DS |
| NV0075 | 45 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1454 | Ardachaidh, 10 Inshes View, Inverness, Highland, IV2 5DS |
| NV0076 | 46 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1455 | Montana, 1 Inshes View, Inverness, Highland, IV2 5DS |
| NV0077 | 47 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1456 | Redcroft, 25 Inshes View, Inverness, Highland, IV2 5DS |
| NV0078 | 48 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1457 | 1 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0079 | 49 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1458 | 2 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0080 | 50 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1459 | 3 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0081 | 51 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1460 | 4 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0082 | 52 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1461 | 5 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0083 | 53 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1462 | 6 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0084 | 54 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1463 | 7 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0085 | 55 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1464 | 8 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0086 | 56 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1465 | 9 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0087 | 57 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1466 | 10 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0088 | 58 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1467 | 11 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0089 | 59 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1468 | 12 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0090 | 60 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1469 | 13 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0091 | 61 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1470 | 14 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0092 | 62 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1471 | 15 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0093 | 63 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1472 | 16 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0094 | 64 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1473 | 17 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0095 | 65 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1474 | 18 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0096 | 66 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1475 | 19 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0097 | 67 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1476 | 20 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0098 | 68 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1477 | 21 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0099 | 69 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1478 | 22 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0100 | 70 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1479 | 23 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0101 | 71 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1480 | 24 King Duncans Gardens, Inverness, Highland, IV2 3UH |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0102 | 72 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1481 | 25 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0103 | 73 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1482 | 26 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0104 | 74 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1483 | 27 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0105 | 75 Ashton Crescent, Inverness, Highland, IV2 3UZ | NV1484 | 28 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0106 | 76 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1485 | 29 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0107 | 78 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1486 | 30 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0108 | 80 Ashton Crescent, Inverness, Highland, IV2 3TQ | NV1487 | 31 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0109 | 1 Ashton Road, Inverness, Highland, IV2 3UE | NV1488 | 32 King Duncans Gardens, Inverness, Highland, IV2 3UH |
| NV0110 | 2 Ashton Road, Inverness, Highland, IV2 3UE | NV1489 | 1 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0111 | 3 Ashton Road, Inverness, Highland, IV2 3UE | NV1490 | 2 King Duncans Road, Inverness, Highland, IV2 3TS |
| NV0112 | 4 Ashton Road, Inverness, Highland, IV2 3UE | NV1491 | 3 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0113 | 5 Ashton Road, Inverness, Highland, IV2 3UE | NV1492 | 4 King Duncans Road, Inverness, Highland, IV2 3TS |
| NV0114 | 6 Ashton Road, Inverness, Highland, IV2 3UE | NV1493 | 5 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0115 | 7 Ashton Road, Inverness, Highland, IV2 3UE | NV1494 | 6 King Duncans Road, Inverness, Highland, IV2 3TS |
| NV0116 | 8 Ashton Road, Inverness, Highland, IV2 3UE | NV1495 | 7 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0117 | 9 Ashton Road, Inverness, Highland, IV2 3UE | NV1496 | 8 King Duncans Road, Inverness, Highland, IV2 3TS |
| NV0118 | 10 Ashton Road, Inverness, Highland, IV2 3UE | NV1497 | 9 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0119 | 11 Ashton Road, Inverness, Highland, IV2 3UE | NV1498 | 10 King Duncans Road, Inverness, Highland, IV2 3TS |
| NV0120 | 12 Ashton Road, Inverness, Highland, IV2 3UE | NV1499 | 11 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0121 | 13 Ashton Road, Inverness, Highland, IV2 3UE | NV1500 | 12 King Duncans Road, Inverness, Highland, IV2 3TS |
| NV0122 | 14 Ashton Road, Inverness, Highland, IV2 3UE | NV1501 | 13 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0123 | 15 Ashton Road, Inverness, Highland, IV2 3UE | NV1502 | 14 King Duncans Road, Inverness, Highland, IV2 3TS |
| NV0124 | 16 Ashton Road, Inverness, Highland, IV2 3UE | NV1503 | 15 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0125 | 17 Ashton Road, Inverness, Highland, IV2 3UE | NV1504 | 16 King Duncans Road, Inverness, Highland, IV2 3TS |
| NV0126 | 18 Ashton Road, Inverness, Highland, IV2 3UE | NV1505 | 18 King Duncans Road, Inverness, Highland, IV2 3TS |
| NV0127 | 19 Ashton Road, Inverness, Highland, IV2 3UE | NV1506 | 20 King Duncans Road, Inverness, Highland, IV2 3TS |
| NV0128 | 20 Ashton Road, Inverness, Highland, IV2 3UE | NV1507 | 22 King Duncans Road, Inverness, Highland, IV2 3TS |
| NV0129 | 21 Ashton Road, Inverness, Highland, IV2 3UE | NV1508 | 24 King Duncans Road, Inverness, Highland, IV2 3TS |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|--|
| NV0130 | 22 Ashton Road, Inverness, Highland, IV2 3UE | NV1509 | 26 King Duncans Road, Inverness, Highland, IV2 3TS |
| NV0131 | 23 Ashton Road, Inverness, Highland, IV2 3UE | NV1510 | 28 King Duncans Road, Inverness, Highland, IV2 3TS |
| NV0132 | 24 Ashton Road, Inverness, Highland, IV2 3UE | NV1511 | 30 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0133 | 25 Ashton Road, Inverness, Highland, IV2 3UE | NV1512 | 32 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0134 | 26 Ashton Road, Inverness, Highland, IV2 3UE | NV1513 | 34 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0135 | 27 Ashton Road, Inverness, Highland, IV2 3UE | NV1514 | 36 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0136 | 28 Ashton Road, Inverness, Highland, IV2 3UE | NV1515 | 38 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0137 | 29 Ashton Road, Inverness, Highland, IV2 3UE | NV1516 | 40 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0138 | 30 Ashton Road, Inverness, Highland, IV2 3UE | NV1517 | 42 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0139 | 31 Ashton Road, Inverness, Highland, IV2 3UE | NV1518 | 44 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0140 | 32 Ashton Road, Inverness, Highland, IV2 3UE | NV1519 | 46 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0141 | 33 Ashton Road, Inverness, Highland, IV2 3UY | NV1520 | 48 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0142 | 34 Ashton Road, Inverness, Highland, IV2 3UE | NV1521 | 50 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0143 | 35 Ashton Road, Inverness, Highland, IV2 3UY | NV1522 | 52 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0144 | 36 Ashton Road, Inverness, Highland, IV2 3UE | NV1523 | 54 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0145 | 37 Ashton Road, Inverness, Highland, IV2 3UY | NV1524 | 56 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0146 | 38 Ashton Road, Inverness, Highland, IV2 3UE | NV1525 | 58 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0147 | 39 Ashton Road, Inverness, Highland, IV2 3UY | NV1526 | 60 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0148 | 40 Ashton Road, Inverness, Highland, IV2 3UE | NV1527 | 62 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0149 | 41 Ashton Road, Inverness, Highland, IV2 3UY | NV1528 | 64 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0150 | 42 Ashton Road, Inverness, Highland, IV2 3UE | NV1529 | 66 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0151 | 43 Ashton Road, Inverness, Highland, IV2 3UY | NV1530 | 68 King Duncans Road, Inverness, Highland, IV2 3UF |
| NV0152 | 44 Ashton Road, Inverness, Highland, IV2 3UE | NV1531 | 70 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0153 | 45 Ashton Road, Inverness, Highland, IV2 3UY | NV1532 | 72 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0154 | 46 Ashton Road, Inverness, Highland, IV2 3UE | NV1533 | 74 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0155 | 47 Ashton Road, Inverness, Highland, IV2 3UY | NV1534 | 76 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0156 | 48 Ashton Road, Inverness, Highland, IV2 3UE | NV1535 | 78 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0157 | 49 Ashton Road, Inverness, Highland, IV2 3UY | NV1536 | 80 King Duncans Road, Inverness, Highland, IV2 3UG |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0158 | 50 Ashton Road, Inverness, Highland, IV2 3UE | NV1537 | 82 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0159 | 51 Ashton Road, Inverness, Highland, IV2 3UY | NV1538 | 84 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0160 | 52 Ashton Road, Inverness, Highland, IV2 3UX | NV1539 | 86 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0161 | 53 Ashton Road, Inverness, Highland, IV2 3UY | NV1540 | 88 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0162 | 54 Ashton Road, Inverness, Highland, IV2 3UX | NV1541 | 90 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0163 | 55 Ashton Road, Inverness, Highland, IV2 3UY | NV1542 | 92 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0164 | 56 Ashton Road, Inverness, Highland, IV2 3UX | NV1543 | 94 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0165 | 57 Ashton Road, Inverness, Highland, IV2 3UY | NV1544 | 96 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0166 | 58 Ashton Road, Inverness, Highland, IV2 3UX | NV1545 | 98 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0167 | 59 Ashton Road, Inverness, Highland, IV2 3UY | NV1546 | Janitor'S House, 17 King Duncans Road, Inverness, Highland, IV2 3UG |
| NV0168 | 60 Ashton Road, Inverness, Highland, IV2 3UX | NV1547 | 1 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0169 | 61 Ashton Road, Inverness, Highland, IV2 3UY | NV1548 | 2 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0170 | 62 Ashton Road, Inverness, Highland, IV2 3UX | NV1549 | 3 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0171 | 63 Ashton Road, Inverness, Highland, IV2 3UY | NV1550 | 4 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0172 | 64 Ashton Road, Inverness, Highland, IV2 3UX | NV1551 | 5 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0173 | 65 Ashton Road, Inverness, Highland, IV2 3UY | NV1552 | 6 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0174 | 66 Ashton Road, Inverness, Highland, IV2 3UX | NV1553 | 7 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0175 | 67 Ashton Road, Inverness, Highland, IV2 3UY | NV1554 | 8 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0176 | 68 Ashton Road, Inverness, Highland, IV2 3UX | NV1555 | 9 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0177 | 69 Ashton Road, Inverness, Highland, IV2 3UY | NV1556 | 10 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0178 | 70 Ashton Road, Inverness, Highland, IV2 3UX | NV1557 | 11 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0179 | 71 Ashton Road, Inverness, Highland, IV2 3UY | NV1558 | 12 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0180 | 72 Ashton Road, Inverness, Highland, IV2 3UX | NV1559 | 13 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0181 | 73 Ashton Road, Inverness, Highland, IV2 3UY | NV1560 | 14 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0182 | 74 Ashton Road, Inverness, Highland, IV2 3UX | NV1561 | 15 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0183 | 75 Ashton Road, Inverness, Highland, IV2 3UY | NV1562 | 16 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0184 | 76 Ashton Road, Inverness, Highland, IV2 3UX | NV1563 | 17 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0185 | 77 Ashton Road, Inverness, Highland, IV2 3UY | NV1564 | 18 Mackintosh Place, Inverness, Highland, IV2 3US |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|---|
| NV0186 | 78 Ashton Road, Inverness, Highland, IV2 3UX | NV1565 | 19 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0187 | 79 Ashton Road, Inverness, Highland, IV2 3UY | NV1566 | 20 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0188 | 80 Ashton Road, Inverness, Highland, IV2 3UX | NV1567 | 21 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0189 | 81 Ashton Road, Inverness, Highland, IV2 3UY | NV1568 | 22 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0190 | 82 Ashton Road, Inverness, Highland, IV2 3UX | NV1569 | 23 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0191 | 83 Ashton Road, Inverness, Highland, IV2 3UY | NV1570 | 24 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0192 | 84 Ashton Road, Inverness, Highland, IV2 3UX | NV1571 | 25 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0193 | 85 Ashton Road, Inverness, Highland, IV2 3UY | NV1572 | 26 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0194 | 86 Ashton Road, Inverness, Highland, IV2 3UX | NV1573 | 27 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0195 | 87 Ashton Road, Inverness, Highland, IV2 3UY | NV1574 | 28 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0196 | 88 Ashton Road, Inverness, Highland, IV2 3UX | NV1575 | 29 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0197 | 89 Ashton Road, Inverness, Highland, IV2 3UY | NV1576 | 30 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0198 | 90 Ashton Road, Inverness, Highland, IV2 3UX | NV1577 | 31 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0199 | 91 Ashton Road, Inverness, Highland, IV2 3UY | NV1578 | 32 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0200 | 92 Ashton Road, Inverness, Highland, IV2 3UX | NV1579 | 33 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0201 | 93 Ashton Road, Inverness, Highland, IV2 3UY | NV1580 | 34 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0202 | 94 Ashton Road, Inverness, Highland, IV2 3UX | NV1581 | 35 Mackintosh Place, Inverness, Highland, IV2 3US |
| NV0203 | 95 Ashton Road, Inverness, Highland, IV2 3UY | NV1582 | 1 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0204 | 96 Ashton Road, Inverness, Highland, IV2 3UX | NV1583 | 3 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0205 | 97 Ashton Road, Inverness, Highland, IV2 3UY | NV1584 | 5 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0206 | 98 Ashton Road, Inverness, Highland, IV2 3UX | NV1585 | 6 Mackintosh Road, Inverness, Highland, IV2 3TU |
| NV0207 | 99 Ashton Road, Inverness, Highland, IV2 3UY | NV1586 | 7 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0208 | 100 Ashton Road, Inverness, Highland, IV2 3UX | NV1587 | 8 Mackintosh Road, Inverness, Highland, IV2 3TU |
| NV0209 | 101 Ashton Road, Inverness, Highland, IV2 3UY | NV1588 | 9 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0210 | 102 Ashton Road, Inverness, Highland, IV2 3UX | NV1589 | 10 Mackintosh Road, Inverness, Highland, IV2 3TU |
| NV0211 | 103 Ashton Road, Inverness, Highland, IV2 3UY | NV1590 | 11 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0212 | 104 Ashton Road, Inverness, Highland, IV2 3UX | NV1591 | 12 Mackintosh Road, Inverness, Highland, IV2 3TU |
| NV0213 | 105 Ashton Road, Inverness, Highland, IV2 3UY | NV1592 | 13 Mackintosh Road, Inverness, Highland, IV2 3TX |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|--|
| NV0214 | 106 Ashton Road, Inverness, Highland, IV2 3UX | NV1593 | 14 Mackintosh Road, Inverness, Highland, IV2 3TU |
| NV0215 | 107 Ashton Road, Inverness, Highland, IV2 3UY | NV1594 | 15 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0216 | 108 Ashton Road, Inverness, Highland, IV2 3UX | NV1595 | 16 Mackintosh Road, Inverness, Highland, IV2 3TU |
| NV0217 | 109 Ashton Road, Inverness, Highland, IV2 3UY | NV1596 | 17 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0218 | 110 Ashton Road, Inverness, Highland, IV2 3UX | NV1597 | 18 Mackintosh Road, Inverness, Highland, IV2 3TU |
| NV0219 | 111 Ashton Road, Inverness, Highland, IV2 3UY | NV1598 | 19 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0220 | 112 Ashton Road, Inverness, Highland, IV2 3UX | NV1599 | 20 Mackintosh Road, Inverness, Highland, IV2 3TU |
| NV0221 | 113 Ashton Road, Inverness, Highland, IV2 3UY | NV1600 | 21 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0222 | 114 Ashton Road, Inverness, Highland, IV2 3UX | NV1601 | 22 Mackintosh Road, Inverness, Highland, IV2 3UA |
| NV0223 | 115 Ashton Road, Inverness, Highland, IV2 3UY | NV1602 | 24 Mackintosh Road, Inverness, Highland, IV2 3UA |
| NV0224 | 116 Ashton Road, Inverness, Highland, IV2 3UX | NV1603 | 26 Mackintosh Road, Inverness, Highland, IV2 3UA |
| NV0225 | 117 Ashton Road, Inverness, Highland, IV2 3UY | NV1604 | 27 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0226 | 118 Ashton Road, Inverness, Highland, IV2 3UX | NV1605 | 28 Mackintosh Road, Inverness, Highland, IV2 3UA |
| NV0227 | 119 Ashton Road, Inverness, Highland, IV2 3UY | NV1606 | 29 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0228 | 120 Ashton Road, Inverness, Highland, IV2 3UX | NV1607 | 30 Mackintosh Road, Inverness, Highland, IV2 3UA |
| NV0229 | 121 Ashton Road, Inverness, Highland, IV2 3UY | NV1608 | 31 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0230 | Highland Regional Council, 122 Ashton Road, Inverness, Highland, IV2 3UX | NV1609 | 32 Mackintosh Road, Inverness, Highland, IV2 3UA |
| NV0231 | 123 Ashton Road, Inverness, Highland, IV2 3UY | NV1610 | 33 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0232 | Ardgrianach, B9006 B9177 Junction - Culloden Road, Inverness, Highland, IV2 5BQ | NV1611 | 34 Mackintosh Road, Inverness, Highland, IV2 3UA |
| NV0233 | Muirneag, B9006 B9177 Junction - Culloden Road, Inverness, Highland, IV2 5BQ | NV1612 | 35 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0234 | Benview, 5 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5FF | NV1613 | 36 Mackintosh Road, Inverness, Highland, IV2 3UA |
| NV0235 | Castlehill Cottages, 1 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1614 | 37 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0236 | Castlehill Cottages, 2 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1615 | 38 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0237 | Castlehill Cottages, 3 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1616 | 39 Mackintosh Road, Inverness, Highland, IV2 3TX |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|--|
| NV0238 | Castlehill Cottages, 4 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1617 | 40 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0239 | Castlehill Cottages, 5 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1618 | 41 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0240 | Castlehill Cottages, 6 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1619 | 42 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0241 | Castlehill Cottages, 7 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1620 | 43 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0242 | Castlehill Cottages, Garden Cottage, B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1621 | 44 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0243 | Castlehill House, B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1622 | 45 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0244 | High View, 3A B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1623 | 47 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0245 | Inshes Gate Lodge, B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BG | NV1624 | 49 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0246 | Inshes Holdings, 4 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1625 | 51 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0247 | Inshes Holdings, 6 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1626 | 53 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0248 | Inshes Holdings, 7B B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1627 | 55 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0249 | Inshes Holdings, 7 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1628 | 57 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0250 | Inshes Holdings, Annex To House, 6 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1629 | 59 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0251 | Inshes Holdings, Bernera, 7A B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1630 | 61 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0252 | Inshes Holdings, Caravan, 5A B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1631 | 63 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0253 | Inshes Holdings, Corriemhor, 7A B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1632 | 65 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0254 | Inshes Holdings, Craigendu, 4A B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1633 | 67 Mackintosh Road, Inverness, Highland, IV2 3TX |

A9/A96 Inshes to Smithton

DMRB Stage 3: Environmental Impact Assessment Report

Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0255 | Inshes Holdings, Fernbank, 7A B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1634 | 69 Mackintosh Road, Inverness, Highland, IV2 3TX |
| NV0256 | Inshes Holdings, Hedgevalley, 6A B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1635 | 71 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0257 | Inshes Holdings, Moorcroft, 3A B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1636 | 73 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0258 | Inshes Holdings, New House, B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1637 | 75 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0259 | Inshes Holdings, The Bungalow, 5 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1638 | 77 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0260 | Inshes Holdings, Thistlefield, 4A B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1639 | 79 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0261 | Inshes Holdings, Tor Beag, 5 B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1640 | 81 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0262 | Sealladh Ard, 3A B9006 Inshes Roundabout - B9177 Junction, Inverness, Highland, IV2 5BA | NV1641 | 83 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0263 | 1 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1642 | 85 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0264 | 2 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1643 | 87 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0265 | 3 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1644 | 89 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0266 | 4 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1645 | 91 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0267 | 5 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1646 | 93 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0268 | 6 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1647 | 95 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0269 | 7 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1648 | 97 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0270 | 8 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1649 | 99 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0271 | 9 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1650 | 101 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0272 | 10 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1651 | 103 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0273 | 11 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1652 | 105 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0274 | 12 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1653 | 107 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0275 | 13 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1654 | 109 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0276 | 14 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1655 | 111 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0277 | 15 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1656 | 113 Mackintosh Road, Inverness, Highland, IV2 3TY |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|---|
| NV0278 | 17 Balvonie Avenue, Inverness, Highland, IV2 3RS | NV1657 | 115 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0280 | Stratton Farm Cottage, 1 Barn Church Road, Inverness, Highland, IV2 7NS | NV1658 | 117 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0282 | Stratton Farmhouse, Barn Church Road, Inverness, Highland, IV2 7NS | NV1659 | 119 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0283 | 1 Beechwood Court, Inverness, Highland, IV2 3WA | NV1660 | 121 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0284 | 2 Beechwood Court, Inverness, Highland, IV2 3WA | NV1661 | 123 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0285 | 3 Beechwood Court, Inverness, Highland, IV2 3WA | NV1662 | 125 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0286 | 4 Beechwood Court, Inverness, Highland, IV2 3WA | NV1663 | 127 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0287 | 5 Beechwood Court, Inverness, Highland, IV2 3WA | NV1664 | 129 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0288 | 6 Beechwood Court, Inverness, Highland, IV2 3WA | NV1665 | 131 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0289 | Nevis House, Beechwood Park, Inverness, Highland, IV2 3BW | NV1666 | 133 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0290 | Premier Inn, Premier Inn, Beechwood Park, Inverness, Highland, IV2 3BW | NV1667 | 135 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0291 | Brewers Fayre, Assistant Manager'S Flat, Beechwood Park North, Inverness, Highland, IV2 3BW | NV1668 | 137 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0292 | Brewers Fayre, Manager'S Flat, Beechwood Park North, Inverness, Highland, IV2 3BW | NV1669 | 139 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0293 | Scottish Ambulance Service, Thistle House, Scottish Ambulance Service, Beechwood Park North, Inverness, Highland, IV2 3ED | NV1670 | 141 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0294 | 1 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1671 | 143 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0295 | 2 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1672 | 145 Mackintosh Road, Inverness, Highland, IV2 3TY |
| NV0296 | 3 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1673 | 147 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0297 | 4 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1674 | 149 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0298 | 5 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1675 | 151 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0299 | 6 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1676 | 153 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0300 | 7 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1677 | 155 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0301 | 8 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1678 | 157 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0302 | 9 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1679 | 159 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0303 | 10 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1680 | 161 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0304 | 11 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1681 | 163 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0305 | 12 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1682 | 165 Mackintosh Road, Inverness, Highland, IV2 3TZ |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|---|
| NV0306 | 13 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1683 | 167 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0307 | 14 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1684 | 169 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0308 | 15 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1685 | 171 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0309 | 16 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1686 | 173 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0310 | 17 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1687 | 175 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0311 | 18 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1688 | 177 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0312 | 19 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1689 | 179 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0313 | 20 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1690 | 181 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0314 | 21 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1691 | 183 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0315 | 22 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1692 | 185 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0316 | 23 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1693 | 187 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0317 | 24 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1694 | 189 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0318 | 25 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1695 | 191 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0319 | 26 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1696 | 193 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0320 | 27 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1697 | 195 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0321 | 28 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1698 | 197 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0322 | 29 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1699 | 199 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0323 | 30 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1700 | 201 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0324 | 32 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1701 | 203 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0325 | 34 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1702 | 205 Mackintosh Road, Inverness, Highland, IV2 3TZ |
| NV0326 | 36 Beechwood Road, Inverness, Highland, IV2 3UQ | NV1703 | 207 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0327 | 1 Birchview Court, Inverness, Highland, IV2 5WA | NV1704 | 209 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0328 | 2 Birchview Court, Inverness, Highland, IV2 5WA | NV1705 | 211 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0329 | 3 Birchview Court, Inverness, Highland, IV2 5WA | NV1706 | 213 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0330 | 4 Birchview Court, Inverness, Highland, IV2 5WA | NV1707 | 215 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0331 | 5 Birchview Court, Inverness, Highland, IV2 5WA | NV1708 | 217 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0332 | 6 Birchview Court, Inverness, Highland, IV2 5WA | NV1709 | 219 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0333 | 7 Birchview Court, Inverness, Highland, IV2 5WA | NV1710 | 221 Mackintosh Road, Inverness, Highland, IV2 3UB |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0334 | 8 Birchview Court, Inverness, Highland, IV2 5WA | NV1711 | 223 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0335 | 9 Birchview Court, Inverness, Highland, IV2 5WA | NV1712 | 225 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0336 | 10 Birchview Court, Inverness, Highland, IV2 5WA | NV1713 | 227 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0337 | 11 Birchview Court, Inverness, Highland, IV2 5WA | NV1714 | 229 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0338 | 12 Birchview Court, Inverness, Highland, IV2 5WA | NV1715 | 231 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0339 | 13 Birchview Court, Inverness, Highland, IV2 5WA | NV1716 | 233 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0340 | 14 Birchview Court, Inverness, Highland, IV2 5WA | NV1717 | 235 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0341 | 15 Birchview Court, Inverness, Highland, IV2 5WA | NV1718 | 237 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0342 | 16 Birchview Court, Inverness, Highland, IV2 5WA | NV1719 | 239 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0343 | 17 Birchview Court, Inverness, Highland, IV2 5WA | NV1720 | 241 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0344 | 18 Birchview Court, Inverness, Highland, IV2 5WA | NV1721 | 243 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0345 | 19 Birchview Court, Inverness, Highland, IV2 5WA | NV1722 | 245 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0346 | 20 Birchview Court, Inverness, Highland, IV2 5WA | NV1723 | 247 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0347 | 21 Birchview Court, Inverness, Highland, IV2 5WA | NV1724 | 249 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0348 | 22 Birchview Court, Inverness, Highland, IV2 5WA | NV1725 | 251 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0349 | 23 Birchview Court, Inverness, Highland, IV2 5WA | NV1726 | 253 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0350 | 24 Birchview Court, Inverness, Highland, IV2 5WA | NV1727 | 255 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0351 | 25 Birchview Court, Inverness, Highland, IV2 5WA | NV1728 | 257 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0352 | 26 Birchview Court, Inverness, Highland, IV2 5WA | NV1729 | 259 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0353 | 27 Birchview Court, Inverness, Highland, IV2 5WA | NV1730 | 261 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0354 | 28 Birchview Court, Inverness, Highland, IV2 5WA | NV1731 | 263 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0355 | 29 Birchview Court, Inverness, Highland, IV2 5WA | NV1732 | 265 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0356 | 30 Birchview Court, Inverness, Highland, IV2 5WA | NV1733 | 267 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0357 | 31 Birchview Court, Inverness, Highland, IV2 5WA | NV1734 | 269 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0358 | 32 Birchview Court, Inverness, Highland, IV2 5WA | NV1735 | 271 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0359 | 33 Birchview Court, Inverness, Highland, IV2 5WA | NV1736 | 273 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0360 | 34 Birchview Court, Inverness, Highland, IV2 5WA | NV1737 | 275 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0361 | 35 Birchview Court, Inverness, Highland, IV2 5WA | NV1738 | 277 Mackintosh Road, Inverness, Highland, IV2 3UB |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0362 | 36 Birchview Court, Inverness, Highland, IV2 5WA | NV1739 | 279 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0363 | 37 Birchview Court, Inverness, Highland, IV2 5WA | NV1740 | 281 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0364 | 38 Birchview Court, Inverness, Highland, IV2 5WA | NV1741 | 283 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0365 | 39 Birchview Court, Inverness, Highland, IV2 5WA | NV1742 | 285 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0366 | 40 Birchview Court, Inverness, Highland, IV2 5WA | NV1743 | 287 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0367 | 1 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1744 | 289 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0368 | 2 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1745 | 291 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0369 | 3 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1746 | 293 Mackintosh Road, Inverness, Highland, IV2 3UB |
| NV0370 | 4 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1747 | 1 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0371 | 5 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1748 | 2 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0372 | 6 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1749 | 3 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0373 | 7 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1750 | 4 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0374 | 8 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1751 | 5 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0375 | 9 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1752 | 6 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0376 | 10 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1753 | 7 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0377 | 11 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1754 | 8 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0378 | 12 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1755 | 9 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0379 | 14 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1756 | 10 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0380 | 16 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1757 | 11 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0381 | 18 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1758 | 12 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0382 | 20 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1759 | 13 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0383 | 22 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1760 | 14 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0384 | 24 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1761 | 15 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0385 | 26 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1762 | 16 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0386 | 28 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1763 | 17 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0387 | 30 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1764 | 18 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0388 | 32 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1765 | 19 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0389 | 34 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1766 | 20 Millburn Court, Inverness, Highland, IV2 3PW |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0390 | 36 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1767 | 21 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0391 | 38 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1768 | 22 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0392 | 40 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1769 | 23 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0393 | 42 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1770 | 24 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0394 | 44 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1771 | 25 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0395 | 46 Birchwood Brae, Inverness, Highland, IV2 5AD | NV1772 | 26 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0396 | 1 Birchwood Court, Inverness, Highland, IV2 5AW | NV1773 | 27 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0397 | 2 Birchwood Court, Inverness, Highland, IV2 5AW | NV1774 | 28 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0398 | 3 Birchwood Court, Inverness, Highland, IV2 5AW | NV1775 | 29 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0399 | 4 Birchwood Court, Inverness, Highland, IV2 5AW | NV1776 | 30 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0400 | 5 Birchwood Court, Inverness, Highland, IV2 5AW | NV1777 | 31 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0401 | 6 Birchwood Court, Inverness, Highland, IV2 5AW | NV1778 | 32 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0402 | 7 Birchwood Court, Inverness, Highland, IV2 5AW | NV1779 | 33 Millburn Court, Inverness, Highland, IV2 3PW |
| NV0403 | 8 Birchwood Court, Inverness, Highland, IV2 5AW | NV1780 | 8C Millburn Road, Inverness, Highland, IV2 3PS |
| NV0404 | 9 Birchwood Court, Inverness, Highland, IV2 5AW | NV1781 | 8E Millburn Road, Inverness, Highland, IV2 3PS |
| NV0405 | 10 Birchwood Court, Inverness, Highland, IV2 5AW | NV1782 | 8D Millburn Road, Inverness, Highland, IV2 3PS |
| NV0406 | 11 Birchwood Court, Inverness, Highland, IV2 5AW | NV1783 | 10A Millburn Road, Inverness, Highland, IV2 3PS |
| NV0407 | 13 Birchwood Court, Inverness, Highland, IV2 5AW | NV1784 | 8B Millburn Road, Inverness, Highland, IV2 3PS |
| NV0408 | 1 Birchwood Lane, Inverness, Highland, IV2 5AE | NV1785 | 8A Millburn Road, Inverness, Highland, IV2 3PS |
| NV0409 | 2 Birchwood Lane, Inverness, Highland, IV2 5AE | NV1786 | 8F Millburn Road, Inverness, Highland, IV2 3PS |
| NV0410 | 3 Birchwood Lane, Inverness, Highland, IV2 5AE | NV1787 | 8 Millburn Road, Inverness, Highland, IV2 3PS |
| NV0411 | 4 Birchwood Lane, Inverness, Highland, IV2 5AE | NV1788 | 12 Millburn Road, Inverness, Highland, IV2 3PS |
| NV0412 | 5 Birchwood Lane, Inverness, Highland, IV2 5AE | NV1789 | Beefeater, Assistant Manager'S House, 7 Millburn Road, Inverness, Highland, IV2 3QX |
| NV0413 | 7 Birchwood Lane, Inverness, Highland, IV2 5AE | NV1790 | Beefeater, Duty Manager'S Flat Attic Floor, 7 Millburn Road, Inverness, Highland, IV2 3QX |
| NV0414 | 9 Birchwood Lane, Inverness, Highland, IV2 5AE | NV1791 | Beefeater, The Manager'S House, 7 Millburn Road, Inverness, Highland, IV2 3QX |
| NV0415 | 11 Birchwood Lane, Inverness, Highland, IV2 5AE | NV1792 | Caber Feidh, 6 Millburn Road, Inverness, Highland, IV2 3PS |
| NV0416 | 13 Birchwood Lane, Inverness, Highland, IV2 5AE | NV1793 | Carlton Terrace, First Floor Flat C, 4 Millburn Road, Inverness, Highland, IV2 3QZ |
| NV0417 | 1 Birchwood Place, Inverness, Highland, IV2 5AN | NV1794 | Carlton Terrace, First Floor Flat D, 4 Millburn Road, Inverness, Highland, IV2 3QZ |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|--|
| NV0418 | 2 Birchwood Place, Inverness, Highland, IV2 5AN | NV1795 | Carlton Terrace, First Floor Left, 3 Millburn Road, Inverness, Highland, IV2 3QZ |
| NV0419 | 3 Birchwood Place, Inverness, Highland, IV2 5AN | NV1796 | Carlton Terrace, First Floor Right, 3 Millburn Road, Inverness, Highland, IV2 3QZ |
| NV0420 | 4 Birchwood Place, Inverness, Highland, IV2 5AN | NV1797 | Carlton Terrace, Ground Floor Flat A, 4 Millburn Road, Inverness, Highland, IV2 3QZ |
| NV0421 | 5 Birchwood Place, Inverness, Highland, IV2 5AN | NV1798 | Carlton Terrace, Ground Floor Flat B, 4 Millburn Road, Inverness, Highland, IV2 3QZ |
| NV0422 | 6 Birchwood Place, Inverness, Highland, IV2 5AN | NV1799 | Carlton Terrace, Ground Floor Left, 3 Millburn Road, Inverness, Highland, IV2 3QZ |
| NV0423 | 7 Birchwood Place, Inverness, Highland, IV2 5AN | NV1800 | Carlton Terrace, Ground Floor Right, 3 Millburn Road, Inverness, Highland, IV2 3QZ |
| NV0424 | 8 Birchwood Place, Inverness, Highland, IV2 5AS | NV1801 | Carlton Terrace, Second Floor Flat E, 4 Millburn Road, Inverness, Highland, IV2 3QZ |
| NV0425 | 9 Birchwood Place, Inverness, Highland, IV2 5AS | NV1802 | Carlton Terrace, Second Floor Flat F, 4 Millburn Road, Inverness, Highland, IV2 3QZ |
| NV0426 | 10 Birchwood Place, Inverness, Highland, IV2 5AS | NV1803 | Carlton Terrace, Second Floor Left, 3 Millburn Road, Inverness, Highland, IV2 3QZ |
| NV0427 | 11 Birchwood Place, Inverness, Highland, IV2 5AS | NV1804 | Carlton Terrace, Second Floor Right, 3 Millburn Road, Inverness, Highland, IV2 3QZ |
| NV0428 | 12 Birchwood Place, Inverness, Highland, IV2 5AS | NV1805 | Chieftain Hotel, Chieftain Hotel, 2 Millburn Road, Inverness, Highland, IV2 3PS |
| NV0429 | 13 Birchwood Place, Inverness, Highland, IV2 5AS | NV1806 | Craigellachie, 10 Millburn Road, Inverness, Highland, IV2 3PS |
| NV0430 | 14 Birchwood Place, Inverness, Highland, IV2 5AS | NV1807 | Dulnan Villa, 14 Millburn Road, Inverness, Highland, IV2 3PS |
| NV0431 | 15 Birchwood Place, Inverness, Highland, IV2 5AS | NV1808 | Thistle Inverness Hotel, Inverness Thistle Hotel, 17 Millburn Road, Inverness, Highland, IV2 3TR |
| NV0432 | 16 Birchwood Place, Inverness, Highland, IV2 5AS | NV1809 | Millburn Crossing, Millburn Road, Inverness, Highland, IV2 3TR |
| NV0433 | 17 Birchwood Place, Inverness, Highland, IV2 5AS | NV1810 | Millburn Square, 1 Millburn Road, Inverness, Highland, IV2 3PU |
| NV0434 | 18 Birchwood Place, Inverness, Highland, IV2 5AS | NV1811 | Millburn Square, 2 Millburn Road, Inverness, Highland, IV2 3PU |
| NV0435 | 19 Birchwood Place, Inverness, Highland, IV2 5AS | NV1812 | Millburn Square, 3 Millburn Road, Inverness, Highland, IV2 3PU |
| NV0436 | 20 Birchwood Place, Inverness, Highland, IV2 5AS | NV1813 | Millburn Square, 4 Millburn Road, Inverness, Highland, IV2 3PU |
| NV0437 | 21 Birchwood Place, Inverness, Highland, IV2 5AS | NV1814 | Millburn Square, 5 Millburn Road, Inverness, Highland, IV2 3PU |
| NV0438 | 22 Birchwood Place, Inverness, Highland, IV2 5AS | NV1815 | Millburn Square, 6 Millburn Road, Inverness, Highland, IV2 3PU |
| NV0439 | 23 Birchwood Place, Inverness, Highland, IV2 5AS | NV1816 | Millburn Square, 7 Millburn Road, Inverness, Highland, IV2 3PU |
| NV0440 | 24 Birchwood Place, Inverness, Highland, IV2 5AS | NV1817 | Millburn Square, 8 Millburn Road, Inverness, Highland, IV2 3PU |
| NV0441 | 25 Birchwood Place, Inverness, Highland, IV2 5AS | NV1818 | Palmerston Villa, 4 Millburn Road, Inverness, Highland, IV2 3PS |
| NV0442 | 26 Birchwood Place, Inverness, Highland, IV2 5AS | NV1819 | Premier Inn, Premier Inn, Millburn Road, Inverness, Highland, IV2 3QX |
| NV0443 | 27 Birchwood Place, Inverness, Highland, IV2 5AS | NV1820 | Royston, 16 Millburn Road, Inverness, Highland, IV2 3PS |
| NV0444 | 28 Birchwood Place, Inverness, Highland, IV2 5AS | NV1821 | Royston Guest House, 16 Millburn Road, Inverness, Highland, IV2 3PS |
| NV0445 | 29 Birchwood Place, Inverness, Highland, IV2 5AS | NV1822 | 6 Milton Of Culloden, Inverness, Highland, IV2 7NX |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|---|
| NV0446 | 30 Birchwood Place, Inverness, Highland, IV2 5AS | NV1823 | Bayview, Milton Of Culloden, Inverness, Highland, IV2 7NU |
| NV0447 | 31 Birchwood Place, Inverness, Highland, IV2 5AS | NV1824 | Brambly Hedge, Milton Of Culloden, Inverness, Highland, IV2 7NU |
| NV0448 | 1 Birchwood Road, Inverness, Highland, IV2 5DW | NV1825 | Bridge View, 1 Milton Of Culloden, Inverness, Highland, IV2 7NU |
| NV0449 | 2 Birchwood Road, Inverness, Highland, IV2 5DW | NV1826 | Cairnlaw, Milton Of Culloden, Inverness, Highland, IV2 7NT |
| NV0450 | 3 Birchwood Road, Inverness, Highland, IV2 5DW | NV1827 | Corinium, 1 Milton Of Culloden, Inverness, Highland, IV2 7NU |
| NV0451 | 4 Birchwood Road, Inverness, Highland, IV2 5DW | NV1828 | Endriggs, Milton Of Culloden, Inverness, Highland, IV2 7NU |
| NV0452 | 5 Birchwood Road, Inverness, Highland, IV2 5DW | NV1829 | Faylea, Milton Of Culloden, Inverness, Highland, IV2 7NX |
| NV0453 | 6 Birchwood Road, Inverness, Highland, IV2 5DW | NV1830 | Friars Croft, The Bothy, 2 Milton Of Culloden, Inverness, Highland, IV2 7NU |
| NV0454 | 7 Birchwood Road, Inverness, Highland, IV2 5DW | NV1831 | Grianach, Milton Of Culloden, Inverness, Highland, IV2 7NU |
| NV0455 | 8 Birchwood Road, Inverness, Highland, IV2 5DW | NV1832 | Moravia, Milton Of Culloden, Inverness, Highland, IV2 7NU |
| NV0456 | 9 Birchwood Road, Inverness, Highland, IV2 5DW | NV1833 | Old Farmhouse, Milton Of Culloden, Inverness, Highland, IV2 7NT |
| NV0457 | 10 Birchwood Road, Inverness, Highland, IV2 5DW | NV1834 | Oscraig, Milton Of Culloden, Inverness, Highland, IV2 7NU |
| NV0458 | 11 Birchwood Road, Inverness, Highland, IV2 5DW | NV1835 | Rose Cottage, Milton Of Culloden, Inverness, Highland, IV2 7NT |
| NV0459 | 12 Birchwood Road, Inverness, Highland, IV2 5DW | NV1836 | Sedona House, Milton Of Culloden, Inverness, Highland, IV2 7NU |
| NV0460 | 13 Birchwood Road, Inverness, Highland, IV2 5DW | NV1837 | The Hollies, Milton Of Culloden, Inverness, Highland, IV2 7NU |
| NV0461 | 15 Birchwood Road, Inverness, Highland, IV2 5DW | NV1838 | Balvonie Cottage, Milton Of Leys - Bogbain - Castlehill Road, Inverness, Highland, IV2 5BB |
| NV0462 | 17 Birchwood Road, Inverness, Highland, IV2 5DW | NV1839 | Drumossie Cottage, Milton Of Leys - Bogbain - Castlehill Road, Inverness, Highland, IV2 5BB |
| NV0463 | 19 Birchwood Road, Inverness, Highland, IV2 5DW | NV1840 | Easterfield Of Inshes, Milton Of Leys - Bogbain - Castlehill Road, Inverness, Highland, IV2 5BB |
| NV0464 | 21 Birchwood Road, Inverness, Highland, IV2 5DW | NV1841 | 1 Murray Road, Inverness, Highland, IV2 7LU |
| NV0465 | 23 Birchwood Road, Inverness, Highland, IV2 5DW | NV1842 | 2 Murray Road, Inverness, Highland, IV2 7LU |
| NV0466 | 25 Birchwood Road, Inverness, Highland, IV2 5DW | NV1843 | 3 Murray Road, Inverness, Highland, IV2 7LU |
| NV0467 | 27 Birchwood Road, Inverness, Highland, IV2 5DW | NV1844 | 4 Murray Road, Inverness, Highland, IV2 7LU |
| NV0468 | 29 Birchwood Road, Inverness, Highland, IV2 5DW | NV1845 | 5 Murray Road, Inverness, Highland, IV2 7LU |
| NV0469 | 1 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1846 | 6 Murray Road, Inverness, Highland, IV2 7LU |
| NV0470 | 2 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1847 | 7 Murray Road, Inverness, Highland, IV2 7LU |
| NV0471 | 3 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1848 | 8 Murray Road, Inverness, Highland, IV2 7LU |
| NV0472 | 4 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1849 | 9 Murray Road, Inverness, Highland, IV2 7LU |
| NV0473 | 5 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1850 | 10 Murray Road, Inverness, Highland, IV2 7LU |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0474 | 6 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1851 | 11 Murray Road, Inverness, Highland, IV2 7LU |
| NV0475 | 7 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1852 | 12 Murray Road, Inverness, Highland, IV2 7LU |
| NV0476 | 8 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1853 | 13 Murray Road, Inverness, Highland, IV2 7LU |
| NV0477 | 9 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1854 | 75 Old Perth Road, Inverness, Highland, IV2 3JH |
| NV0478 | 10 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1855 | 73 Old Perth Road, Inverness, Highland, IV2 3JH |
| NV0479 | 11 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1856 | 77 Old Perth Road, Inverness, Highland, IV2 3JH |
| NV0480 | 12 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1857 | 55 Old Perth Road, Inverness, Highland, IV2 3RJ |
| NV0481 | 13 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1858 | 57 Old Perth Road, Inverness, Highland, IV2 3RJ |
| NV0482 | 14 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1859 | 60 Old Perth Road, Inverness, Highland, IV2 3RL |
| NV0483 | 15 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1860 | 63 Old Perth Road, Inverness, Highland, IV2 3RJ |
| NV0484 | 16 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1861 | 64 Old Perth Road, Inverness, Highland, IV2 3RL |
| NV0485 | 17 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1862 | 65 Old Perth Road, Inverness, Highland, IV2 3RJ |
| NV0486 | 18 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1863 | 66 Old Perth Road, Inverness, Highland, IV2 3RL |
| NV0487 | 19 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1864 | 68 Old Perth Road, Inverness, Highland, IV2 3RL |
| NV0488 | 20 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1865 | 70 Old Perth Road, Inverness, Highland, IV2 3RN |
| NV0489 | 21 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1866 | 72 Old Perth Road, Inverness, Highland, IV2 3RN |
| NV0490 | 22 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1867 | 74 Old Perth Road, Inverness, Highland, IV2 3RN |
| NV0491 | 23 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1868 | 76 Old Perth Road, Inverness, Highland, IV2 3RN |
| NV0492 | 24 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1869 | 78 Old Perth Road, Inverness, Highland, IV2 3RN |
| NV0493 | 25 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1870 | 79 Old Perth Road, Inverness, Highland, IV2 3JH |
| NV0494 | 26 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1871 | Crossreach, Beechwood House, 69 - 71 Old Perth Road, Inverness, Highland, IV2 3JH |
| NV0495 | 27 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1872 | Cameron Barracks, Quarters Building 111, Old Perth Road, Inverness, Highland, IV2 3XE |
| NV0496 | 28 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1873 | Cameron Barracks, Quarters Building 18, Old Perth Road, Inverness, Highland, IV2 3XE |
| NV0497 | 29 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1874 | Cameron Barracks, Quarters Building 21, Old Perth Road, Inverness, Highland, IV2 3XE |
| NV0498 | 30 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1875 | Cameron Barracks, Quarters Building 6A1, Old Perth Road, Inverness, Highland, IV2 3XE |
| NV0499 | 31 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1876 | Cameron Barracks, Quarters Building 6A2, Old Perth Road, Inverness, Highland, IV2 3XE |
| NV0500 | 32 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1877 | Cameron Barracks, Quarters Building 6B1, Old Perth Road, Inverness, Highland, IV2 3XE |
| NV0501 | 34 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1878 | Cameron Barracks, Quarters Building 6B2, Old Perth Road, Inverness, Highland, IV2 3XE |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|--|
| NV0502 | 36 Birchwood Terrace, Inverness, Highland, IV2 5DR | NV1879 | Creag-Nan-Eun, 59 Old Perth Road, Inverness, Highland, IV2 3RL |
| NV0503 | 1 Briargrove Crescent, Inverness, Highland, IV2 5AG | NV1880 | Drostan, 62 Old Perth Road, Inverness, Highland, IV2 3RL |
| NV0504 | 2 Briargrove Crescent, Inverness, Highland, IV2 5AG | NV1881 | Fairhaven, 61 Old Perth Road, Inverness, Highland, IV2 3RJ |
| NV0505 | 1 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1882 | Police Scotland, Police Headquarters, Old Perth Road, Inverness, Highland, IV2 3SY |
| NV0506 | 2 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1883 | Quarters Building 10, Old Perth Road, Inverness, Highland, IV2 3XE |
| NV0507 | 3 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1884 | Quarters Building 15, Old Perth Road, Inverness, Highland, IV2 3XE |
| NV0508 | 4 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1885 | Quarters Building 19, Old Perth Road, Inverness, Highland, IV2 3XE |
| NV0509 | 5 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1886 | 1 Orchard Park, Inverness, Highland, IV2 5TP |
| NV0510 | 6 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1887 | 3 Orchard Park, Inverness, Highland, IV2 5TP |
| NV0511 | 7 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1888 | Cradlehall Lodge, 1A Orchard Park, Inverness, Highland, IV2 5TP |
| NV0512 | 8 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1889 | Eriskay, 4 Orchard Park, Inverness, Highland, IV2 5TP |
| NV0513 | 9 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1890 | Ronas, 2 Orchard Park, Inverness, Highland, IV2 5TP |
| NV0514 | 10 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1891 | King Duncan House, Raigmore Gardens, Inverness, Highland, IV2 3UL |
| NV0515 | 11 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1892 | 1 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0516 | 12 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1893 | 2 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0517 | 14 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1894 | 3 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0518 | 15 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1895 | 4 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0519 | 16 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1896 | 5 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0520 | 17 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1897 | 6 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0521 | 18 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1898 | 7 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0522 | 19 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1899 | 8 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0523 | 20 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1900 | 9 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0524 | 21 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1901 | 10 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0525 | 22 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1902 | 11 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0526 | 24 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1903 | 12 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0527 | 26 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1904 | 13 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0528 | 28 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1905 | 14 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0529 | 30 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1906 | 15 Resaurie Gardens, Inverness, Highland, IV2 7JY |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|---|
| NV0530 | 32 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1907 | 16 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0531 | 34 Briargrove Drive, Inverness, Highland, IV2 5AF | NV1908 | 17 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0532 | 1 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1909 | 18 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0533 | 2 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1910 | 19 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0534 | 3 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1911 | 20 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0535 | 4 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1912 | 21 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0536 | 5 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1913 | 22 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0537 | 6 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1914 | 23 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0538 | 7 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1915 | 24 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0539 | 8 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1916 | 25 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0540 | 9 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1917 | 26 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0541 | 10 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1918 | 27 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0542 | 11 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1919 | 28 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0543 | 12 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1920 | 29 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0544 | 15 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1921 | 30 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0545 | 17 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1922 | 31 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0546 | 19 Briargrove Gardens, Inverness, Highland, IV2 5AH | NV1923 | 32 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0547 | 1 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1924 | 33 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0548 | 2 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1925 | 34 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0549 | 3 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1926 | 35 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0550 | 4 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1927 | 36 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0551 | 5 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1928 | 37 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0552 | 6 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1929 | 38 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0553 | 7 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1930 | 39 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0554 | 8 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1931 | 40 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0555 | 9 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1932 | 41 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0556 | 10 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1933 | 42 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0557 | 11 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1934 | 43 Resaurie Gardens, Inverness, Highland, IV2 7JY |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0558 | 12 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1935 | 44 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0559 | 14 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1936 | 45 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0560 | 15 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1937 | 46 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0561 | 16 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1938 | 47 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0562 | 17 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1939 | 48 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0563 | 18 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1940 | 49 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0564 | 19 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1941 | 50 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0565 | 20 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1942 | 51 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0566 | 21 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1943 | 52 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0567 | 22 Briargrove Terrace, Inverness, Highland, IV2 5AB | NV1944 | 53 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0568 | 2 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1945 | 54 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0569 | 13 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1946 | 55 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0570 | 25 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1947 | 56 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0571 | Ardmachree, Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1948 | 57 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0572 | Ballintoy, Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1949 | 58 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0573 | Birchwood, Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1950 | 60 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0574 | Brodwel, 1 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1951 | 62 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0575 | Cairngorm, Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1952 | 64 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0576 | Curr Ness, 5 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1953 | 66 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0577 | Dunmar, 19 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1954 | 68 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0578 | Eilean Dubh, 3 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1955 | 70 Resaurie Gardens, Inverness, Highland, IV2 7JY |
| NV0579 | Glencairn, Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1956 | 1 Rowan Court, Inverness, Highland, IV2 7PH |
| NV0580 | Glendale, 24 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1957 | 2 Rowan Court, Inverness, Highland, IV2 7PH |
| NV0581 | Kerrera, 20 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1958 | 3 Rowan Court, Inverness, Highland, IV2 7PH |
| NV0582 | Lorric, Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1959 | 4 Rowan Court, Inverness, Highland, IV2 7PH |
| NV0583 | Lynfeary, 23 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1960 | 5 Rowan Court, Inverness, Highland, IV2 7PH |
| NV0584 | Mi-Casa, Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1961 | 6 Rowan Court, Inverness, Highland, IV2 7PH |
| NV0585 | Mizpah, Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1962 | 7 Rowan Court, Inverness, Highland, IV2 7PH |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|--|
| NV0586 | Morlich, 17 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1963 | 8 Rowan Court, Inverness, Highland, IV2 7PH |
| NV0587 | Seeblick, Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1964 | 9 Rowan Court, Inverness, Highland, IV2 7PH |
| NV0588 | Sharplaw, 16 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1965 | 10 Rowan Court, Inverness, Highland, IV2 7PH |
| NV0589 | Struan, Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1966 | 11 Rowan Court, Inverness, Highland, IV2 7PH |
| NV0590 | Tarradale, 4 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1967 | 12 Rowan Court, Inverness, Highland, IV2 7PH |
| NV0591 | Taynuilt, Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1968 | 14 Rowan Court, Inverness, Highland, IV2 7PH |
| NV0592 | The Birches, 26 Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1969 | 15 Rowan Court, Inverness, Highland, IV2 7PH |
| NV0593 | The Laurels, Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1970 | 1 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0594 | Trickleburn, Brinckman Terrace, Inverness, Highland, IV2 5BL | NV1971 | 2 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0595 | 1 Cameron Court, Inverness, Highland, IV2 7JU | NV1972 | 3 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0596 | 2 Cameron Court, Inverness, Highland, IV2 7JU | NV1973 | 4 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0597 | 3 Cameron Court, Inverness, Highland, IV2 7JU | NV1974 | 5 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0598 | 4 Cameron Court, Inverness, Highland, IV2 7JU | NV1975 | 6 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0599 | 5 Cameron Court, Inverness, Highland, IV2 7JU | NV1976 | 7 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0600 | 6 Cameron Court, Inverness, Highland, IV2 7JU | NV1977 | 8 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0601 | 7 Cameron Court, Inverness, Highland, IV2 7JU | NV1978 | 9 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0602 | 8 Cameron Court, Inverness, Highland, IV2 7JU | NV1979 | 10 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0603 | 9 Cameron Court, Inverness, Highland, IV2 7JU | NV1980 | 11 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0604 | 10 Cameron Court, Inverness, Highland, IV2 7JU | NV1981 | 12 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0605 | 11 Cameron Court, Inverness, Highland, IV2 7JU | NV1982 | 14 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0606 | 12 Cameron Court, Inverness, Highland, IV2 7JU | NV1983 | 15 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0607 | 13 Cameron Court, Inverness, Highland, IV2 7JU | NV1984 | 16 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0608 | 14 Cameron Court, Inverness, Highland, IV2 7JU | NV1985 | 17 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0609 | Inverness Campus, 7B Castlehill - Cradlehall, Inverness, Highland, IV2 5NA | NV1986 | 18 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0610 | Inverness Campus, 7A Castlehill - Cradlehall, Inverness, Highland, IV2 5NA | NV1987 | 19 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0611 | Inverness Campus, 7A Castlehill - Cradlehall, Inverness, Highland, IV2 5NA | NV1988 | 20 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0612 | 12A Castlehill Court, Inverness, Highland, IV2 5GS | NV1989 | 21 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0613 | 1 Castlehill Court, Inverness, Highland, IV2 5GS | NV1990 | 22 Rowan Grove, Inverness, Highland, IV2 7PG |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|--|
| NV0614 | 2 Castlehill Court, Inverness, Highland, IV2 5GS | NV1991 | 23 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0615 | 3 Castlehill Court, Inverness, Highland, IV2 5GS | NV1992 | 24 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0616 | 4 Castlehill Court, Inverness, Highland, IV2 5GS | NV1993 | 25 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0617 | 5 Castlehill Court, Inverness, Highland, IV2 5GS | NV1994 | 26 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0618 | 6 Castlehill Court, Inverness, Highland, IV2 5GS | NV1995 | 27 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0619 | 7 Castlehill Court, Inverness, Highland, IV2 5GS | NV1996 | 28 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0620 | 8 Castlehill Court, Inverness, Highland, IV2 5GS | NV1997 | 29 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0621 | 9 Castlehill Court, Inverness, Highland, IV2 5GS | NV1998 | 30 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0622 | 10 Castlehill Court, Inverness, Highland, IV2 5GS | NV1999 | 31 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0623 | 11 Castlehill Court, Inverness, Highland, IV2 5GS | NV2000 | 32 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0624 | 12 Castlehill Court, Inverness, Highland, IV2 5GS | NV2001 | 33 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0625 | 14 Castlehill Court, Inverness, Highland, IV2 5GS | NV2002 | 34 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0626 | 15 Castlehill Court, Inverness, Highland, IV2 5GS | NV2003 | 35 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0627 | 16 Castlehill Court, Inverness, Highland, IV2 5GS | NV2004 | 36 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0628 | 18 Castlehill Court, Inverness, Highland, IV2 5GS | NV2005 | 37 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0629 | 1 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2006 | 38 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0630 | 2 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2007 | 39 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0631 | 3 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2008 | 40 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0632 | 4 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2009 | 41 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0633 | 5 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2010 | 42 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0634 | 6 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2011 | 43 Rowan Grove, Inverness, Highland, IV2 7PG |
| NV0635 | 7 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2012 | 1 Rowan Way, Inverness, Highland, IV2 7PL |
| NV0636 | 8 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2013 | 2 Rowan Way, Inverness, Highland, IV2 7PL |
| NV0637 | 9 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2014 | 3 Rowan Way, Inverness, Highland, IV2 7PL |
| NV0638 | 10 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2015 | 4 Rowan Way, Inverness, Highland, IV2 7PL |
| NV0639 | 11 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2016 | 5 Rowan Way, Inverness, Highland, IV2 7PL |
| NV0640 | 12 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2017 | 6 Rowan Way, Inverness, Highland, IV2 7PL |
| NV0641 | 14 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2018 | 7 Rowan Way, Inverness, Highland, IV2 7PL |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|--|
| NV0642 | 15 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2019 | 8 Rowan Way, Inverness, Highland, IV2 7PL |
| NV0643 | 16 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2020 | 1 Scretan Burn Place, Inverness, Highland, IV2 5FA |
| NV0644 | 17 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2021 | 2 Scretan Burn Place, Inverness, Highland, IV2 5FA |
| NV0645 | 18 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2022 | 3 Scretan Burn Place, Inverness, Highland, IV2 5FA |
| NV0646 | 19 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2023 | 4 Scretan Burn Place, Inverness, Highland, IV2 5FA |
| NV0647 | 20 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2024 | 5 Scretan Burn Place, Inverness, Highland, IV2 5FA |
| NV0648 | 21 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2025 | 6 Scretan Burn Place, Inverness, Highland, IV2 5FA |
| NV0649 | 22 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2026 | 7 Scretan Burn Place, Inverness, Highland, IV2 5FA |
| NV0650 | 23 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2027 | 8 Scretan Burn Place, Inverness, Highland, IV2 5FA |
| NV0651 | 24 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2028 | 9 Scretan Burn Place, Inverness, Highland, IV2 5FA |
| NV0652 | 25 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2029 | 10 Scretan Burn Place, Inverness, Highland, IV2 5FA |
| NV0653 | 26 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2030 | 11 Scretan Burn Place, Inverness, Highland, IV2 5FA |
| NV0654 | 27 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2031 | Highlands & Islands Fire Brigade, 64 Seafield Road, Inverness, Highland, IV1 1SG |
| NV0655 | 28 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2032 | 16 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0656 | 29 Castlehill Drive, Inverness, Highland, IV2 5GP | NV2033 | 12 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0657 | 30 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2034 | 1 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0658 | 32 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2035 | 3 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0659 | 34 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2036 | 5 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0660 | 36 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2037 | 6 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0661 | 38 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2038 | 7 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0662 | 40 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2039 | 8 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0663 | 42 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2040 | 9 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0664 | 44 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2041 | 10 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0665 | 46 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2042 | 11 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0666 | 48 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2043 | 13 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0667 | 50 Castlehill Drive, Inverness, Highland, IV2 5GR | NV2044 | 14 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0668 | 1 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2045 | 15 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0669 | 2 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2046 | 18 Sicily Road, Inverness, Highland, IV2 3YL |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|--|
| NV0670 | 3 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2047 | 20 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0671 | 4 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2048 | 22 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0672 | 5 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2049 | 24 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0673 | 6 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2050 | 26 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0674 | 7 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2051 | 28 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0675 | 8 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2052 | 30 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0676 | 9 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2053 | 32 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0677 | 10 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2054 | 34 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0678 | 11 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2055 | 36 Sicily Road, Inverness, Highland, IV2 3YL |
| NV0679 | 12 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2056 | Inshes Church, Inshes Retail Park, Inshes Church, Sir Walter Scott Drive, Inverness, Highland, IV2 3TW |
| NV0680 | 14 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2057 | 86 Smithton Park, Inverness, Highland, IV2 7PB |
| NV0681 | 15 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2058 | 88 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0682 | 16 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2059 | 90 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0683 | 18 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2060 | 92 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0684 | 19 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2061 | 94 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0685 | 20 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2062 | 95 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0686 | 22 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2063 | 96 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0687 | 23 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2064 | 97 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0688 | 24 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2065 | 98 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0689 | 25 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2066 | 99 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0690 | 26 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2067 | 101 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0691 | 27 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2068 | 103 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0692 | 28 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2069 | 105 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0693 | 29 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2070 | 107 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0694 | 30 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2071 | 109 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0695 | 31 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2072 | 111 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0696 | 32 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2073 | 113 Smithton Park, Inverness, Highland, IV2 7PE |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|---|
| NV0697 | 33 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2074 | 114 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0698 | 34 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2075 | 115 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0699 | 35 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2076 | 116 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0700 | 36 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2077 | 117 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0701 | 38 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2078 | 118 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0702 | 39 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2079 | 119 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0703 | 40 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2080 | 120 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0704 | 41 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2081 | 121 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0705 | 42 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2082 | 122 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0706 | 43 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2083 | 123 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0707 | 44 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2084 | 124 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0708 | 45 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2085 | 125 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0709 | 46 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2086 | 126 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0710 | 47 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2087 | 127 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0711 | 48 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2088 | 128 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0712 | 49 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2089 | 129 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0713 | 50 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2090 | 130 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0714 | 51 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2091 | 131 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0715 | 52 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2092 | 132 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0716 | 53 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2093 | 133 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0717 | 54 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2094 | 134 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0718 | 55 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2095 | 135 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0719 | 56 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2096 | 136 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0720 | 57 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2097 | 137 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0721 | 58 Castlehill Gardens, Inverness, Highland, IV2 5DL | NV2098 | 138 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0722 | 59 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2099 | 139 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0723 | 61 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2100 | 140 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0724 | 63 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2101 | 141 Smithton Park, Inverness, Highland, IV2 7PE |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0725 | 65 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2102 | 142 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0726 | 67 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2103 | 143 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0727 | 69 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2104 | 144 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0728 | 71 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2105 | 145 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0729 | 73 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2106 | 146 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0730 | 75 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2107 | 147 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0731 | 77 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2108 | 148 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0732 | 79 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2109 | 149 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0733 | 81 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2110 | 150 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0734 | 83 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2111 | 151 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0735 | Bethany, 37 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2112 | 152 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0736 | Deannach Siul, 21 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2113 | 153 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0737 | Drumrothy, 17 Castlehill Gardens, Inverness, Highland, IV2 5DJ | NV2114 | 154 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0738 | 1 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2115 | 155 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0739 | 2 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2116 | 156 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0740 | 3 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2117 | 157 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0741 | 4 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2118 | 158 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0742 | 5 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2119 | 159 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0743 | 6 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2120 | 160 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0744 | 7 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2121 | 161 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0745 | 8 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2122 | 162 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0746 | 9 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2123 | 163 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0747 | 10 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2124 | 164 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0748 | 11 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2125 | 165 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0749 | 12 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2126 | 166 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0750 | 14 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2127 | 167 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0751 | 15 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2128 | 168 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0752 | 16 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2129 | 169 Smithton Park, Inverness, Highland, IV2 7PE |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0753 | 17 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2130 | 170 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0754 | 18 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2131 | 171 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0755 | 19 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2132 | 172 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0756 | 20 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2133 | 173 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0757 | 21 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2134 | 174 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0758 | 22 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2135 | 175 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0759 | 23 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2136 | 176 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0760 | 24 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2137 | 177 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0761 | 25 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2138 | 178 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0762 | 26 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2139 | 179 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0763 | 27 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2140 | 180 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0764 | 28 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2141 | 181 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0765 | 29 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2142 | 182 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0766 | 30 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2143 | 183 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0767 | 31 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2144 | 184 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0768 | 33 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2145 | 185 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0769 | 35 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2146 | 186 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0770 | 37 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2147 | 187 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0771 | 39 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2148 | 188 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0772 | 41 Castlehill Park, Inverness, Highland, IV2 5GJ | NV2149 | 189 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0773 | 1 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2150 | 190 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0774 | 2 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2151 | 191 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0775 | 3 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2152 | 192 Smithton Park, Inverness, Highland, IV2 7PF |
| NV0776 | 4 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2153 | 193 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0777 | 5 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2154 | 195 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0778 | 6 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2155 | 197 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0779 | 7 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2156 | 199 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0780 | 8 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2157 | 201 Smithton Park, Inverness, Highland, IV2 7PE |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0781 | 9 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2158 | 203 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0782 | 10 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2159 | 205 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0783 | 11 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2160 | 207 Smithton Park, Inverness, Highland, IV2 7PE |
| NV0784 | 12 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2161 | Holiday Inn Express, Holiday Inn Express, Stoneyfield, Inverness, Highland, IV2 7PA |
| NV0785 | 13 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2162 | The Snow Goose, Manager'S Flat, Stoneyfield, Inverness, Highland, IV2 7PA |
| NV0786 | 14 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2163 | Travelodge Hotels Ltd, Travelodge, Stoneyfield, Inverness, Highland, IV2 7PA |
| NV0787 | 15 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2164 | Stratton Lodge, Duallen, Stratton Lodge Road, Inverness, Highland, IV2 7NZ |
| NV0788 | 16 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2165 | Stratton Lodge, Glenbeg, Stratton Lodge Road, Inverness, Highland, IV2 7NZ |
| NV0789 | 18 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2166 | Stratton Lodge, Glericht, Stratton Lodge Road, Inverness, Highland, IV2 7NZ |
| NV0790 | 20 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2167 | Stratton Lodge, Isleview, Stratton Lodge Road, Inverness, Highland, IV2 7NZ |
| NV0791 | 22 Caulfield Avenue, Inverness, Highland, IV2 5GA | NV2168 | 2A Stratton Road, Inverness, Highland, IV2 3XA |
| NV0792 | 1 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2169 | 2C Stratton Road, Inverness, Highland, IV2 3XA |
| NV0793 | 2 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2170 | 2B Stratton Road, Inverness, Highland, IV2 3XA |
| NV0794 | 3 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2171 | 1 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0795 | 4 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2172 | 2 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0796 | 5 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2173 | 3 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0797 | 6 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2174 | 4 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0798 | 7 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2175 | 5 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0799 | 8 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2176 | 6 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0800 | 9 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2177 | 7 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0801 | 10 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2178 | 8 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0802 | 11 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2179 | 9 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0803 | 12 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2180 | 10 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0804 | 13 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2181 | 11 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0805 | 14 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2182 | 12 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0806 | 15 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2183 | 13 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0807 | 16 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2184 | 14 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0808 | 17 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2185 | 15 Stratton Road, Inverness, Highland, IV2 3XA |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|---|
| NV0809 | 18 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2186 | 16 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0810 | 19 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2187 | 17 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0811 | 20 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2188 | 19 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0812 | 21 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2189 | 21 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0813 | 22 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2190 | 23 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0814 | 24 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2191 | 25 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0815 | 26 Caulfield Gardens, Inverness, Highland, IV2 5GE | NV2192 | 27 Stratton Road, Inverness, Highland, IV2 3XA |
| NV0816 | 1 Caulfield Park, Inverness, Highland, IV2 5GB | NV2193 | Bonnie View, Tower Brae North, Inverness, Highland, IV2 5FE |
| NV0817 | 2 Caulfield Park, Inverness, Highland, IV2 5GB | NV2194 | 1 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0818 | 3 Caulfield Park, Inverness, Highland, IV2 5GB | NV2195 | 2 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0819 | 4 Caulfield Park, Inverness, Highland, IV2 5GB | NV2196 | 3 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0820 | 5 Caulfield Park, Inverness, Highland, IV2 5GB | NV2197 | 4 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0821 | 7 Caulfield Park, Inverness, Highland, IV2 5GB | NV2198 | 5 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0822 | 8 Caulfield Park, Inverness, Highland, IV2 5GB | NV2199 | 6 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0823 | 9 Caulfield Park, Inverness, Highland, IV2 5GB | NV2200 | 7 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0824 | 10 Caulfield Park, Inverness, Highland, IV2 5GB | NV2201 | 8 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0825 | 11 Caulfield Park, Inverness, Highland, IV2 5GB | NV2202 | 9 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0826 | 12 Caulfield Park, Inverness, Highland, IV2 5GB | NV2203 | 10 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0827 | 13 Caulfield Park, Inverness, Highland, IV2 5GB | NV2204 | 11 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0828 | 14 Caulfield Park, Inverness, Highland, IV2 5GB | NV2205 | 12 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0829 | 15 Caulfield Park, Inverness, Highland, IV2 5GB | NV2206 | 13 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0830 | 16 Caulfield Park, Inverness, Highland, IV2 5GB | NV2207 | 14 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0831 | 18 Caulfield Park, Inverness, Highland, IV2 5GB | NV2208 | 15 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0832 | Kennethmont, 6 Caulfield Park, Inverness, Highland, IV2 5GB | NV2209 | 16 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0833 | 1 Caulfield Place, Inverness, Highland, IV2 5GF | NV2210 | 17 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0834 | 2 Caulfield Place, Inverness, Highland, IV2 5GF | NV2211 | 18 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0835 | 3 Caulfield Place, Inverness, Highland, IV2 5GF | NV2212 | 19 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0836 | 4 Caulfield Place, Inverness, Highland, IV2 5GF | NV2213 | 20 Towerhill Avenue, Inverness, Highland, IV2 5FB |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|---|
| NV0837 | 5 Caulfield Place, Inverness, Highland, IV2 5GF | NV2214 | 22 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0838 | 6 Caulfield Place, Inverness, Highland, IV2 5GF | NV2215 | 24 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0839 | 7 Caulfield Place, Inverness, Highland, IV2 5GF | NV2216 | 26 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0840 | 8 Caulfield Place, Inverness, Highland, IV2 5GF | NV2217 | 28 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0841 | 9 Caulfield Place, Inverness, Highland, IV2 5GF | NV2218 | 30 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0842 | 10 Caulfield Place, Inverness, Highland, IV2 5GF | NV2219 | 31 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0843 | 11 Caulfield Place, Inverness, Highland, IV2 5GF | NV2220 | 32 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0844 | 12 Caulfield Place, Inverness, Highland, IV2 5GF | NV2221 | 33 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0845 | 13 Caulfield Place, Inverness, Highland, IV2 5GF | NV2222 | 34 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0846 | 14 Caulfield Place, Inverness, Highland, IV2 5GF | NV2223 | 35 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0847 | 15 Caulfield Place, Inverness, Highland, IV2 5GF | NV2224 | 36 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0848 | 16 Caulfield Place, Inverness, Highland, IV2 5GF | NV2225 | 37 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0849 | 17 Caulfield Place, Inverness, Highland, IV2 5GF | NV2226 | 38 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0850 | 18 Caulfield Place, Inverness, Highland, IV2 5GF | NV2227 | 39 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0851 | 19 Caulfield Place, Inverness, Highland, IV2 5GF | NV2228 | 40 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0852 | 20 Caulfield Place, Inverness, Highland, IV2 5GF | NV2229 | 41 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0853 | 2 Caulfield Road, Inverness, Highland, IV2 5DH | NV2230 | 42 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0854 | 4 Caulfield Road, Inverness, Highland, IV2 5DH | NV2231 | 43 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0855 | Brooklands, 1 Caulfield Road, Inverness, Highland, IV2 5DH | NV2232 | 44 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0856 | Stey Gail, 3 Caulfield Road, Inverness, Highland, IV2 5DH | NV2233 | 45 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0857 | 8 Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2234 | 46 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0858 | Armadale, 7 Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2235 | 47 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0859 | Broompark, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2236 | 48 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0860 | Carrickbeag, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2237 | 49 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0861 | Caulfield Lodge, 31 Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2238 | 50 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0862 | Cradlehall Bungalow, Caulfield Road North, Inverness, Highland, IV2 5NG | NV2239 | 51 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0863 | Cradlehall Cottage, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2240 | 52 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0864 | Cradlehall Farm, Caulfield Road North, Inverness, Highland, IV2 5NG | NV2241 | 53 Towerhill Avenue, Inverness, Highland, IV2 5FX |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0865 | Cradlehall House, Caulfield Road North, Inverness, Highland, IV2 5NG | NV2242 | 54 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0866 | Craigewen, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2243 | 55 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0867 | Glenbeag, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2244 | 56 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0868 | Greenvoe, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2245 | 57 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0869 | Homewood, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2246 | 58 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0870 | Middlefield, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2247 | 59 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0871 | Ordview, Caulfield Road North, Inverness, Highland, IV2 5NG | NV2248 | 60 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0872 | Ryecroft, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2249 | 61 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0873 | Sarian, Caulfield Road North, Inverness, Highland, IV2 5NG | NV2250 | 62 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0874 | Taigh-Ur, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2251 | 63 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0875 | The Herbarry, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2252 | 64 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0876 | The Meadows, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2253 | 65 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0877 | Triana, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2254 | 66 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0878 | Tronston House, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2255 | 68 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0879 | Viewfields, Caulfield Road North, Inverness, Highland, IV2 5NQ | NV2256 | 69 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0880 | 3A Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2257 | 70 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0881 | 6 Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2258 | 71 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0882 | 11 Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2259 | 72 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0883 | 12 Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2260 | 73 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0884 | Aira, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2261 | 74 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0885 | Arisaig, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2262 | 75 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0886 | Ashton Farm Cottages, 1 Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2263 | 76 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0887 | Ashville, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2264 | 77 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0888 | Barnview, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2265 | 78 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0889 | Blaven, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2266 | 79 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0890 | Bridge House, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2267 | 80 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0891 | Brookside, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2268 | 81 Towerhill Avenue, Inverness, Highland, IV2 5FX |

A9/A96 Inshes to Smithton

DMRB Stage 3: Environmental Impact Assessment Report

Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0892 | Brookside, Self Catering Unit, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2269 | 82 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0893 | Burnside, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NJ | NV2270 | 83 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0894 | Clonburn, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2271 | 84 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0895 | Cornriggs, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2272 | 85 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0896 | Creagan Cottage, 4 Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2273 | 86 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0897 | Dunara, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2274 | 87 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0898 | Free Church Manse, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2275 | 88 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0899 | Galloway Lodge, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2276 | 89 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0900 | Goodwood, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2277 | 90 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0901 | Kaleyard, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2278 | 92 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0902 | Kiltearn, 3 Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2279 | 93 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0903 | Kytra, 10 Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2280 | 94 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0904 | Lamerick, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2281 | 95 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0905 | Lisemhor, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2282 | 96 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0906 | Lylowen, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2283 | 97 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0907 | Orinsay, 10 Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2284 | 98 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0908 | Resaurie, Cottage No 2 Ashton Farm, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2285 | 99 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0909 | Rockyle, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2286 | 100 Towerhill Avenue, Inverness, Highland, IV2 5FB |
| NV0910 | Sonas, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2287 | 101 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0911 | Spillwood, 10 Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2288 | 103 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0912 | Taigh Airidhe, 9 Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2289 | 105 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0913 | The Birches, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2290 | Glenfinnan, 91 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0914 | The Flat, 12 Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2291 | Lautoka, 67 Towerhill Avenue, Inverness, Highland, IV2 5FX |
| NV0915 | The Limit, 9 Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2292 | 1 Towerhill Close, Inverness, Highland, IV2 5GY |

A9/A96 Inshes to Smithton

DMRB Stage 3: Environmental Impact Assessment Report

Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0916 | The Sheiling, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2293 | 2 Towerhill Close, Inverness, Highland, IV2 5GY |
| NV0917 | The Stables 1- 2, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2294 | 4 Towerhill Close, Inverness, Highland, IV2 5GY |
| NV0918 | Tigh Nan Eisdearan, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2295 | Cheyenne, 3 Towerhill Close, Inverness, Highland, IV2 5GY |
| NV0919 | Willowbank, Caulfield Road North - Smithton Road, Inverness, Highland, IV2 7NH | NV2296 | 21 Towerhill Crescent, Inverness, Highland, IV2 5FZ |
| NV0920 | An Caladh, Caulfield Road South, Inverness, Highland, IV2 5BH | NV2297 | 23 Towerhill Crescent, Inverness, Highland, IV2 5FZ |
| NV0921 | Anashan, Caulfield Road South, Inverness, Highland, IV2 5BH | NV2298 | 25 Towerhill Crescent, Inverness, Highland, IV2 5FZ |
| NV0922 | Arnish, Caulfield Road South, Inverness, Highland, IV2 5BH | NV2299 | 27 Towerhill Crescent, Inverness, Highland, IV2 5FZ |
| NV0923 | Balcraggan, Caulfield Road South, Inverness, Highland, IV2 5BH | NV2300 | 29 Towerhill Crescent, Inverness, Highland, IV2 5FZ |
| NV0924 | Coinnadal, Caulfield Road South, Inverness, Highland, IV2 5BH | NV2301 | 31 Towerhill Crescent, Inverness, Highland, IV2 5FZ |
| NV0925 | Eilean Donan, Caulfield Road South, Inverness, Highland, IV2 5BH | NV2302 | 33 Towerhill Crescent, Inverness, Highland, IV2 5FZ |
| NV0926 | Highfield, Caulfield Road South, Inverness, Highland, IV2 5BH | NV2303 | 35 Towerhill Crescent, Inverness, Highland, IV2 5FZ |
| NV0927 | Merlin, Caulfield Road South, Inverness, Highland, IV2 5BH | NV2304 | 37 Towerhill Crescent, Inverness, Highland, IV2 5FZ |
| NV0928 | Tanglewood, Caulfield Road South, Inverness, Highland, IV2 5BH | NV2305 | 39 Towerhill Crescent, Inverness, Highland, IV2 5FZ |
| NV0929 | The Clachan, Caulfield Road South, Inverness, Highland, IV2 5BH | NV2306 | 41 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0930 | 1 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2307 | 43 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0931 | 2 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2308 | 45 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0932 | 3 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2309 | 47 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0933 | 6 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2310 | 49 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0934 | 7 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2311 | 51 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0935 | 8 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2312 | 53 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0936 | 9 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2313 | 55 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0937 | 10 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2314 | 57 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0938 | 11 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2315 | 59 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0939 | 12 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2316 | 61 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0940 | 13 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2317 | 63 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0941 | 14 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2318 | 65 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0942 | 15 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2319 | 67 Towerhill Crescent, Inverness, Highland, IV2 5GZ |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV0943 | 16 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2320 | 69 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0944 | 17 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2321 | 71 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0945 | 18 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2322 | 73 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0946 | 19 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2323 | 75 Towerhill Crescent, Inverness, Highland, IV2 5GZ |
| NV0947 | 20 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2324 | 1 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0948 | 21 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2325 | 2 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0949 | 22 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2326 | 3 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0950 | 23 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2327 | 4 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0951 | 25 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2328 | 5 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0952 | 27 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2329 | 6 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0953 | 29 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2330 | 7 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0954 | Ceann Na Pairce, 4 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2331 | 8 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0955 | Macbarben, 5 Caulfield Terrace, Inverness, Highland, IV2 5GG | NV2332 | 9 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0956 | 1 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2333 | 10 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0957 | 2 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2334 | 11 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0958 | 3 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2335 | 12 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0959 | 4 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2336 | 13 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0960 | 5 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2337 | 14 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0961 | 6 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2338 | 15 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0962 | 7 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2339 | 17 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0963 | 8 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2340 | 18 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0964 | 9 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2341 | 19 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0965 | 10 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2342 | 20 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0966 | 11 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2343 | 21 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0967 | 12 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2344 | 22 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0968 | 13 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2345 | 23 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0969 | 14 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2346 | 25 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0970 | 15 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2347 | 27 Towerhill Drive, Inverness, Highland, IV2 5FD |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|--|
| NV0971 | 16 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2348 | Jumeirah, 16 Towerhill Drive, Inverness, Highland, IV2 5FD |
| NV0972 | 17 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2349 | 1 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0973 | 19 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2350 | 2 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0974 | 21 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2351 | 3 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0975 | 23 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2352 | 4 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0976 | 25 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2353 | 5 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0977 | 27 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2354 | 6 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0978 | 29 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2355 | 7 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0979 | 31 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2356 | 8 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0980 | 33 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2357 | 9 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0981 | 35 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2358 | 10 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0982 | 37 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2359 | 11 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0983 | 39 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2360 | 12 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0984 | 41 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2361 | 13 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0985 | 43 Chattan Avenue, Inverness, Highland, IV2 3UD | NV2362 | 14 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0986 | 1 Churchill Road, Inverness, Highland, IV2 3XB | NV2363 | 15 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0987 | 2 Churchill Road, Inverness, Highland, IV2 3XB | NV2364 | 16 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0988 | 3 Churchill Road, Inverness, Highland, IV2 3XB | NV2365 | 17 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0989 | 4 Churchill Road, Inverness, Highland, IV2 3XB | NV2366 | 18 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0990 | 10 Cradlehall Court, Inverness, Highland, IV2 5WD | NV2367 | 19 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0991 | 11 Cradlehall Court, Inverness, Highland, IV2 5WD | NV2368 | 20 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0992 | 12 Cradlehall Court, Inverness, Highland, IV2 5WD | NV2369 | 21 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0993 | 13 Cradlehall Court, Inverness, Highland, IV2 5WD | NV2370 | 23 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0994 | 14 Cradlehall Court, Inverness, Highland, IV2 5WD | NV2371 | 24 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0995 | 15 Cradlehall Court, Inverness, Highland, IV2 5WD | NV2372 | 25 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0996 | 16 Cradlehall Court, Inverness, Highland, IV2 5WD | NV2373 | 26 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0997 | 17 Cradlehall Court, Inverness, Highland, IV2 5WD | NV2374 | 27 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV0998 | 18 Cradlehall Court, Inverness, Highland, IV2 5WD | NV2375 | 28 Towerhill Gardens, Inverness, Highland, IV2 5FR |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|---|
| NV0999 | 19 Cradlehall Court, Inverness, Highland, IV2 5WD | NV2376 | 29 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1000 | 20 Cradlehall Court, Inverness, Highland, IV2 5WD | NV2377 | 30 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1001 | 21 Cradlehall Court, Inverness, Highland, IV2 5WD | NV2378 | 31 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1002 | Cradlehall Care Home, Cradlehall Nursing Home, 9 Cradlehall Court, Inverness, Highland, IV2 5WD | NV2379 | 32 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1003 | 2 Cradlehall Farm Drive, Inverness, Highland, IV2 5GQ | NV2380 | 33 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1004 | 4 Cradlehall Farm Drive, Inverness, Highland, IV2 5GQ | NV2381 | 34 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1005 | 6 Cradlehall Farm Drive, Inverness, Highland, IV2 5GQ | NV2382 | 35 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1006 | 8 Cradlehall Farm Drive, Inverness, Highland, IV2 5GQ | NV2383 | 36 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1007 | Maranello, 10 Cradlehall Farm Drive, Inverness, Highland, IV2 5GQ | NV2384 | 37 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1008 | 1 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2385 | 38 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1009 | 2 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2386 | 39 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1010 | 3 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2387 | 40 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1011 | 4 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2388 | 41 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1012 | 5 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2389 | 42 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1013 | 6 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2390 | 43 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1014 | 8 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2391 | 44 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1015 | 9 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2392 | 45 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1016 | 10 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2393 | 47 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1017 | 11 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2394 | 49 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1018 | 12 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2395 | 51 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1019 | 13 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2396 | 53 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1020 | 14 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2397 | Kilrymont, 22 Towerhill Gardens, Inverness, Highland, IV2 5FR |
| NV1021 | 15 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2398 | 1 Towerhill Place, Inverness, Highland, IV2 5FN |
| NV1022 | 16 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2399 | 2 Towerhill Place, Inverness, Highland, IV2 5FN |
| NV1023 | 18 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2400 | 3 Towerhill Place, Inverness, Highland, IV2 5FN |
| NV1024 | 20 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2401 | 5 Towerhill Place, Inverness, Highland, IV2 5FN |
| NV1025 | 24 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2402 | 7 Towerhill Place, Inverness, Highland, IV2 5FN |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|---|
| NV1026 | 26 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2403 | 9 Towerhill Place, Inverness, Highland, IV2 5FN |
| NV1027 | 28 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2404 | 1 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1028 | Cantlin, 1A Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2405 | 2 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1029 | Kintyre, 22 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2406 | 3 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1030 | Tryfan, 7 Cradlehall Gardens, Inverness, Highland, IV2 5FW | NV2407 | 4 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1031 | 1 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2408 | 5 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1032 | 2 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2409 | 6 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1033 | 3 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2410 | 7 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1034 | 4 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2411 | 8 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1035 | 5 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2412 | 10 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1036 | 7 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2413 | 12 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1037 | 9 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2414 | 14 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1038 | 10 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2415 | 16 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1039 | 11 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2416 | 18 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1040 | 12 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2417 | 20 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1041 | 14 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2418 | 22 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1042 | 15 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2419 | 24 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1043 | 16 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2420 | 26 Towerhill Road, Inverness, Highland, IV2 5FH |
| NV1044 | The Whins, 8 Cradlehall Meadows, Inverness, Highland, IV2 5GD | NV2421 | 16 Victoria Drive, Inverness, Highland, IV2 3QE |
| NV1045 | 1 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2422 | 17 Victoria Drive, Inverness, Highland, IV2 3QE |
| NV1046 | 2 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2423 | 18 Victoria Drive, Inverness, Highland, IV2 3QE |
| NV1047 | 3 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2424 | 19 Victoria Drive, Inverness, Highland, IV2 3QE |
| NV1048 | 4 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2425 | 76 Wimberley Way, Inverness, Highland, IV2 3XX |
| NV1049 | 5 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2426 | 78 Wimberley Way, Inverness, Highland, IV2 3XX |
| NV1050 | 6 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2427 | 80 Wimberley Way, Inverness, Highland, IV2 3XX |
| NV1051 | 7 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2428 | 1 Woodgrove Court, Inverness, Highland, IV2 5JA |
| NV1052 | 8 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2429 | 2 Woodgrove Court, Inverness, Highland, IV2 5JA |
| NV1053 | 9 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2430 | 3 Woodgrove Court, Inverness, Highland, IV2 5JA |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV1054 | 10 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2431 | 4 Woodgrove Court, Inverness, Highland, IV2 5JA |
| NV1055 | 11 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2432 | 5 Woodgrove Court, Inverness, Highland, IV2 5JA |
| NV1056 | 12 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2433 | 6 Woodgrove Court, Inverness, Highland, IV2 5JA |
| NV1057 | 13 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2434 | 7 Woodgrove Court, Inverness, Highland, IV2 5JA |
| NV1058 | 14 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2435 | 8 Woodgrove Court, Inverness, Highland, IV2 5JA |
| NV1059 | 15 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2436 | 9 Woodgrove Court, Inverness, Highland, IV2 5JA |
| NV1060 | 16 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2437 | 10 Woodgrove Court, Inverness, Highland, IV2 5JA |
| NV1061 | 17 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2438 | 1 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1062 | 18 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2439 | 2 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1063 | 19 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2440 | 3 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1064 | 20 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2441 | 4 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1065 | 21 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2442 | 5 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1066 | 22 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2443 | 6 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1067 | 23 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2444 | 7 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1068 | 24 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2445 | 8 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1069 | 25 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2446 | 9 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1070 | 26 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2447 | 10 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1071 | 27 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2448 | 11 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1072 | 28 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2449 | 12 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1073 | 29 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2450 | 14 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1074 | 30 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2451 | 15 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1075 | 31 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2452 | 16 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1076 | 32 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2453 | 17 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1077 | 33 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2454 | 19 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1078 | 34 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2455 | 21 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1079 | 35 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2456 | 23 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1080 | 36 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2457 | 25 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1081 | 38 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2458 | 27 Woodgrove Crescent, Inverness, Highland, IV2 5HN |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV1082 | 39 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2459 | 29 Woodgrove Crescent, Inverness, Highland, IV2 5HN |
| NV1083 | 40 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2460 | 1 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1084 | 41 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2461 | 2 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1085 | 42 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2462 | 3 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1086 | 43 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2463 | 4 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1087 | 44 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2464 | 5 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1088 | 45 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2465 | 6 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1089 | 46 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2466 | 7 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1090 | 47 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2467 | 9 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1091 | 48 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2468 | 11 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1092 | 49 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2469 | 15 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1093 | 50 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2470 | 17 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1094 | 51 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2471 | 19 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1095 | 52 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2472 | 21 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1096 | 54 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2473 | 22 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1097 | 55 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2474 | 23 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1098 | 56 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2475 | 24 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1099 | 57 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2476 | 25 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1100 | 58 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2477 | 26 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1101 | 59 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2478 | 27 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1102 | 60 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2479 | 28 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1103 | 61 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2480 | 29 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1104 | 62 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2481 | 30 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1105 | 63 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2482 | 31 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1106 | 64 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2483 | 32 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1107 | 65 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2484 | 33 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1108 | 66 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2485 | 34 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1109 | 67 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2486 | 35 Woodgrove Drive, Inverness, Highland, IV2 5HP |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV1110 | 68 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2487 | 36 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1111 | 69 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2488 | 37 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1112 | 70 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2489 | 38 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1113 | 71 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2490 | 39 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1114 | 72 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2491 | 41 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1115 | 74 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2492 | Room 1, 2 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1116 | 75 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2493 | Room 2, 2 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1117 | 76 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2494 | Room 3, 2 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1118 | 77 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2495 | Room 4, 2 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1119 | 78 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2496 | Room 5, 2 Woodgrove Drive, Inverness, Highland, IV2 5HP |
| NV1120 | 79 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2497 | 1 Woodgrove Gardens, Inverness, Highland, IV2 5HQ |
| NV1121 | 80 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2498 | 2 Woodgrove Gardens, Inverness, Highland, IV2 5HQ |
| NV1122 | 81 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2499 | 3 Woodgrove Gardens, Inverness, Highland, IV2 5HQ |
| NV1123 | 82 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2500 | 4 Woodgrove Gardens, Inverness, Highland, IV2 5HQ |
| NV1124 | 83 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2501 | 5 Woodgrove Gardens, Inverness, Highland, IV2 5HQ |
| NV1125 | 84 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2502 | 6 Woodgrove Gardens, Inverness, Highland, IV2 5HQ |
| NV1126 | 85 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2503 | 7 Woodgrove Gardens, Inverness, Highland, IV2 5HQ |
| NV1127 | 87 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2504 | 8 Woodgrove Gardens, Inverness, Highland, IV2 5HQ |
| NV1128 | 88 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2505 | 9 Woodgrove Gardens, Inverness, Highland, IV2 5HQ |
| NV1129 | 89 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2506 | 11 Woodgrove Gardens, Inverness, Highland, IV2 5HQ |
| NV1130 | 90 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2507 | 15 Woodgrove Gardens, Inverness, Highland, IV2 5HQ |
| NV1131 | 91 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2508 | 17 Woodgrove Gardens, Inverness, Highland, IV2 5HQ |
| NV1132 | 92 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2509 | 1 Woodgrove Place, Inverness, Highland, IV2 5HR |
| NV1133 | 93 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2510 | 2 Woodgrove Place, Inverness, Highland, IV2 5HR |
| NV1134 | 94 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2511 | 3 Woodgrove Place, Inverness, Highland, IV2 5HR |
| NV1135 | 95 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2512 | 4 Woodgrove Place, Inverness, Highland, IV2 5HR |
| NV1136 | 96 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2513 | 5 Woodgrove Place, Inverness, Highland, IV2 5HR |
| NV1137 | 97 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2514 | 6 Woodgrove Place, Inverness, Highland, IV2 5HR |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|--|
| NV1138 | 98 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2515 | 7 Woodgrove Place, Inverness, Highland, IV2 5HR |
| NV1139 | 99 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2516 | 8 Woodgrove Place, Inverness, Highland, IV2 5HR |
| NV1140 | 100 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2517 | 10 Woodgrove Place, Inverness, Highland, IV2 5HR |
| NV1141 | 101 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2518 | 1 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1142 | 102 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2519 | 2 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1143 | 103 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2520 | 3 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1144 | 104 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2521 | 4 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1145 | 105 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2522 | 5 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1146 | 106 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2523 | 6 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1147 | 107 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2524 | 7 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1148 | 108 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2525 | 8 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1149 | 109 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2526 | 9 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1150 | 110 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2527 | 10 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1151 | 111 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2528 | 11 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1152 | 112 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2529 | 12 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1153 | 113 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2530 | 13 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1154 | Artaigh, 53 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2531 | 14 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1155 | Eriskay, 73 Cradlehall Park, Inverness, Highland, IV2 5DA | NV2532 | 15 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1156 | Janitor'S House, Cradlehall Park, Inverness, Highland, IV2 5DB | NV2533 | 16 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1157 | Langburn, Cradlehall Park, Inverness, Highland, IV2 5DB | NV2534 | 17 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1158 | Olrig, 37 Cradlehall Park, Inverness, Highland, IV2 5BZ | NV2535 | 18 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1159 | The Sheiling, 86 Cradlehall Park, Inverness, Highland, IV2 5DB | NV2536 | 19 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1160 | 11 Cranmore Drive, Inverness, Highland, IV2 7FJ | NV2537 | 20 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1161 | 13 Cranmore Drive, Inverness, Highland, IV2 7FJ | NV2538 | 22 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1162 | 15 Cranmore Drive, Inverness, Highland, IV2 7FJ | NV2539 | 24 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1163 | 17 Cranmore Drive, Inverness, Highland, IV2 7FJ | NV2540 | 26 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1164 | 19 Cranmore Drive, Inverness, Highland, IV2 7FJ | NV2541 | 28 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1165 | 21 Cranmore Drive, Inverness, Highland, IV2 7FJ | NV2542 | 30 Woodlands Court, Inverness, Highland, IV2 5AP |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|--|
| NV1166 | 23 Cranmore Drive, Inverness, Highland, IV2 7FJ | NV2543 | 32 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1167 | 25 Cranmore Drive, Inverness, Highland, IV2 7FJ | NV2544 | 34 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1168 | 27 Cranmore Drive, Inverness, Highland, IV2 7FJ | NV2545 | 36 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1169 | 39 Cranmore Drive, Inverness, Highland, IV2 7FJ | NV2546 | 38 Woodlands Court, Inverness, Highland, IV2 5AP |
| NV1170 | 41 Cranmore Drive, Inverness, Highland, IV2 7FJ | NV2547 | 1 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1171 | 2 Culloden Road, Inverness, Highland, IV2 5BJ | NV2548 | 2 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1172 | 3 Culloden Road, Inverness, Highland, IV2 5BJ | NV2549 | 3 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1173 | 4 Culloden Road, Inverness, Highland, IV2 5BJ | NV2550 | 4 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1174 | 5 Culloden Road, Inverness, Highland, IV2 5BJ | NV2551 | 5 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1175 | 6 Culloden Road, Inverness, Highland, IV2 5BJ | NV2552 | 6 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1176 | 7 Culloden Road, Inverness, Highland, IV2 5BJ | NV2553 | 7 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1177 | 8 Culloden Road, Inverness, Highland, IV2 5BJ | NV2554 | 8 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1178 | 9 Culloden Road, Inverness, Highland, IV2 5BJ | NV2555 | 9 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1179 | 10 Culloden Road, Inverness, Highland, IV2 5BJ | NV2556 | 10 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1180 | Arabella, Culloden Road, Inverness, Highland, IV2 5BQ | NV2557 | 11 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1181 | Ardachaidh, 1 Culloden Road, Inverness, Highland, IV2 5BJ | NV2558 | 12 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1182 | Ardania, Culloden Road, Inverness, Highland, IV2 5BJ | NV2559 | 13 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1183 | Ashgrove, Culloden Road, Inverness, Highland, IV2 5BQ | NV2560 | 14 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1184 | Birchwood, Culloden Road, Inverness, Highland, IV2 5BQ | NV2561 | 15 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1185 | Birchwood, Land 50M East Of, Culloden Road, Inverness, Highland, IV2 5BQ | NV2562 | 16 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1186 | Birkenbrae, Culloden Road, Inverness, Highland, IV2 5BJ | NV2563 | 17 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1187 | Corryness, Culloden Road, Inverness, Highland, IV2 5BQ | NV2564 | 18 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1188 | Creston, Culloden Road, Inverness, Highland, IV2 5BQ | NV2565 | 19 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1189 | Dalrannoch, Culloden Road, Inverness, Highland, IV2 5BJ | NV2566 | 20 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1190 | Dunglashan House, Culloden Road, Inverness, Highland, IV2 5BQ | NV2567 | 21 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1191 | Eden, Culloden Road, Inverness, Highland, IV2 5BQ | NV2568 | 22 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1192 | Galewood, Culloden Road, Inverness, Highland, IV2 5BQ | NV2569 | 23 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1193 | Marchwood, 10 Culloden Road, Inverness, Highland, IV2 5BJ | NV2570 | 24 Woodlands Place, Inverness, Highland, IV2 5DT |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|--|
| NV1194 | Orcades, Culloden Road, Inverness, Highland, IV2 5BJ | NV2571 | 25 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1195 | Ruhig, Culloden Road, Inverness, Highland, IV2 5BQ | NV2572 | 26 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1196 | Shuna, Culloden Road, Inverness, Highland, IV2 5BQ | NV2573 | 27 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1197 | The Cuillins, Culloden Road, Inverness, Highland, IV2 5BQ | NV2574 | 28 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1198 | Whinchat, Culloden Road, Inverness, Highland, IV2 5BJ | NV2575 | 29 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1199 | Wyvis View, Culloden Road, Inverness, Highland, IV2 5BQ | NV2576 | 30 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1200 | 27 Cuthbert Road, Inverness, Highland, IV2 3RX | NV2577 | 31 Woodlands Place, Inverness, Highland, IV2 5DT |
| NV1201 | 29 Cuthbert Road, Inverness, Highland, IV2 3RX | NV2578 | 1 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1202 | Caro, Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2579 | 2 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1203 | Caro, First Floor Flat At Rear Of, Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2580 | 3 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1204 | Cockleroi, Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2581 | 4 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1205 | Dell Of Inshes, 2 Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2582 | 5 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1206 | Dell Of Inshes, 3 Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2583 | 6 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1207 | Dell Of Inshes, Ardachy, Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2584 | 7 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1208 | Dell Of Inshes, Dellcroft House, 3 Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2585 | 8 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1209 | Garden Cottage, Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2586 | 9 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1210 | Helen'S Lodge, Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2587 | 10 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1211 | Inshbeag, Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2588 | 11 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1212 | Inshbrook House, Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2589 | 12 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1213 | Inshes House, Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2590 | 13 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1214 | Renlynn, Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2591 | 14 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1215 | The Linn, Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2592 | 15 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1216 | West Park, 1 Dell Of Inshes Road, Inverness, Highland, IV2 5BY | NV2593 | 16 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1217 | West Park, 2 Dell Of Inshes Road, Inverness, Highland, IV2 5BY | NV2594 | 17 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1218 | West Park, 3 Dell Of Inshes Road, Inverness, Highland, IV2 5BY | NV2595 | 19 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1219 | Willowbank, Dell Of Inshes Road, Inverness, Highland, IV2 5BG | NV2596 | 21 Woodlands Terrace, Inverness, Highland, IV2 5DP |
| NV1220 | 1 Dellness Road, Inverness, Highland, IV2 5HA | NV2597 | 1 Woodlands View, Inverness, Highland, IV2 5AQ |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|---|
| NV1221 | 26G Diriebught Road, Inverness, Highland, IV2 3QY | NV2598 | 2 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1222 | 28P Diriebught Road, Inverness, Highland, IV2 3QY | NV2599 | 3 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1223 | 30Q Diriebught Road, Inverness, Highland, IV2 3QY | NV2600 | 4 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1224 | 26A Diriebught Road, Inverness, Highland, IV2 3QY | NV2601 | 5 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1225 | 28H Diriebught Road, Inverness, Highland, IV2 3QY | NV2602 | 6 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1226 | 28L Diriebught Road, Inverness, Highland, IV2 3QY | NV2603 | 7 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1227 | 30H Diriebught Road, Inverness, Highland, IV2 3QY | NV2604 | 8 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1228 | 28G Diriebught Road, Inverness, Highland, IV2 3QY | NV2605 | 9 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1229 | 28K Diriebught Road, Inverness, Highland, IV2 3QY | NV2606 | 10 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1230 | 30M Diriebught Road, Inverness, Highland, IV2 3QY | NV2607 | 11 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1231 | 16D Diriebught Road, Inverness, Highland, IV2 3QY | NV2608 | 12 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1232 | 28R Diriebught Road, Inverness, Highland, IV2 3QY | NV2609 | 13 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1233 | 7A Diriebught Road, Inverness, Highland, IV2 3QW | NV2610 | 14 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1234 | 16F Diriebught Road, Inverness, Highland, IV2 3QY | NV2611 | 15 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1235 | 26B Diriebught Road, Inverness, Highland, IV2 3QY | NV2612 | 16 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1236 | 26D Diriebught Road, Inverness, Highland, IV2 3QY | NV2613 | 17 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1237 | 28F Diriebught Road, Inverness, Highland, IV2 3QY | NV2614 | 18 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1238 | 16G Diriebught Road, Inverness, Highland, IV2 3QY | NV2615 | 19 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1239 | 30C Diriebught Road, Inverness, Highland, IV2 3QY | NV2616 | 20 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1240 | 30P Diriebught Road, Inverness, Highland, IV2 3QY | NV2617 | 21 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1241 | 30L Diriebught Road, Inverness, Highland, IV2 3QY | NV2618 | 22 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1242 | 30D Diriebught Road, Inverness, Highland, IV2 3QY | NV2619 | 23 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1243 | 26H Diriebught Road, Inverness, Highland, IV2 3QY | NV2620 | 24 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1244 | 28C Diriebught Road, Inverness, Highland, IV2 3QY | NV2621 | 25 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1245 | 16C Diriebught Road, Inverness, Highland, IV2 3QY | NV2622 | 26 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1246 | 16A Diriebught Road, Inverness, Highland, IV2 3QY | NV2623 | 27 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1247 | 30F Diriebught Road, Inverness, Highland, IV2 3QY | NV2624 | 28 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1248 | 30R Diriebught Road, Inverness, Highland, IV2 3QY | NV2625 | 29 Woodlands View, Inverness, Highland, IV2 5AQ |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|---|
| NV1249 | 28Q Diriebught Road, Inverness, Highland, IV2 3QY | NV2626 | 30 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1250 | 26C Diriebught Road, Inverness, Highland, IV2 3QY | NV2627 | 31 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1251 | 28N Diriebught Road, Inverness, Highland, IV2 3QY | NV2628 | 32 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1252 | 24E Diriebught Road, Inverness, Highland, IV2 3QY | NV2629 | 33 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1252 | 24E Diriebught Road, Inverness, Highland, IV2 3QY | NV2630 | 34 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1253 | 16B Diriebught Road, Inverness, Highland, IV2 3QY | NV2631 | 35 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1254 | 28D Diriebught Road, Inverness, Highland, IV2 3QY | NV2632 | 36 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1255 | 28S Diriebught Road, Inverness, Highland, IV2 3QY | NV2633 | 37 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1256 | 28B Diriebught Road, Inverness, Highland, IV2 3QY | NV2634 | 38 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1257 | 28M Diriebught Road, Inverness, Highland, IV2 3QY | NV2635 | 39 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1258 | 26E Diriebught Road, Inverness, Highland, IV2 3QY | NV2636 | 40 Woodlands View, Inverness, Highland, IV2 5AQ |
| NV1259 | 30B Diriebught Road, Inverness, Highland, IV2 3QY | NV2637 | Kyle Court, Flat G, Woodside Terrace, Inverness, Highlands, IV2 3YW |
| NV1260 | 28J Diriebught Road, Inverness, Highland, IV2 3QY | NV2638 | Kyle Court, Flat A, Woodside Terrace, Inverness, Highlands, IV2 3YW |
| NV1261 | 30A Diriebught Road, Inverness, Highland, IV2 3QY | NV2639 | Kyle Court, Flat E, Woodside Terrace, Inverness, Highlands, IV2 3YW |
| NV1262 | 18A Diriebught Road, Inverness, Highland, IV2 3QY | NV2640 | Kyle Court, Flat D, Woodside Terrace, Inverness, Highlands, IV2 3YW |
| NV1263 | 16H Diriebught Road, Inverness, Highland, IV2 3QY | NV2641 | Kyle Court, Flat F, Woodside Terrace, Inverness, Highlands, IV2 3YW |
| NV1264 | 26F Diriebught Road, Inverness, Highland, IV2 3QY | NV2642 | Kyle Court, Flat C, Woodside Terrace, Inverness, Highlands, IV2 3YW |
| NV1265 | 16E Diriebught Road, Inverness, Highland, IV2 3QY | NV2643 | Kyle Court, Flat H, Woodside Terrace, Inverness, Highlands, IV2 3YW |
| NV1266 | 28A Diriebught Road, Inverness, Highland, IV2 3QY | NV2644 | Kyle Court, Flat B, Woodside Terrace, Inverness, Highlands, IV2 3YW |
| NV1267 | 28E Diriebught Road, Inverness, Highland, IV2 3QY | NV2645 | 1 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1268 | 30J Diriebught Road, Inverness, Highland, IV2 3QY | NV2646 | 2 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1269 | 24D Diriebught Road, Inverness, Highland, IV2 3QY | NV2647 | 3 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1269 | 24D Diriebught Road, Inverness, Highland, IV2 3QY | NV2648 | 4 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1270 | 30K Diriebught Road, Inverness, Highland, IV2 3QY | NV2649 | 5 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1271 | 30E Diriebught Road, Inverness, Highland, IV2 3QY | NV2650 | 6 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1272 | 30N Diriebught Road, Inverness, Highland, IV2 3QY | NV2651 | 7 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1273 | 30G Diriebught Road, Inverness, Highland, IV2 3QY | NV2652 | 8 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1276 | 2 Diriebught Road, Inverness, Highland, IV2 3QW | NV2653 | 9 Woodside Terrace, Inverness, Highland, IV2 3YW |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|--|
| NV1277 | 4 Diriebught Road, Inverness, Highland, IV2 3QW | NV2654 | 10 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1278 | 8 Diriebught Road, Inverness, Highland, IV2 3QW | NV2655 | 11 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1279 | 9 Diriebught Road, Inverness, Highland, IV2 3JL | NV2656 | 12 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1280 | 11 Diriebught Road, Inverness, Highland, IV2 3JL | NV2657 | 13 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1281 | 12 Diriebught Road, Inverness, Highland, IV2 3QW | NV2658 | 14 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1282 | 15 Diriebught Road, Inverness, Highland, IV2 3JL | NV2659 | 15 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1283 | 16 Diriebught Road, Inverness, Highland, IV2 3QY | NV2660 | 16 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1284 | 17 Diriebught Road, Inverness, Highland, IV2 3JL | NV2661 | 17 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1285 | 18 Diriebught Road, Inverness, Highland, IV2 3QY | NV2662 | 18 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1286 | 19 Diriebught Road, Inverness, Highland, IV2 3JL | NV2663 | 19 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1287 | 21 Diriebught Road, Inverness, Highland, IV2 3JL | NV2664 | 20 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1288 | 23 Diriebught Road, Inverness, Highland, IV2 3JL | NV2665 | 21 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1289 | 25 Diriebught Road, Inverness, Highland, IV2 3JL | NV2666 | 22 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1290 | 26 Diriebught Road, Inverness, Highland, IV2 3QY | NV2667 | 23 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1291 | 27 Diriebught Road, Inverness, Highland, IV2 3JL | NV2668 | 24 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1292 | 28 Diriebught Road, Inverness, Highland, IV2 3QY | NV2669 | 25 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1293 | 29 Diriebught Road, Inverness, Highland, IV2 3JL | NV2670 | 26 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1294 | 30 Diriebught Road, Inverness, Highland, IV2 3QY | NV2671 | 27 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1295 | 31 Diriebught Road, Inverness, Highland, IV2 3JL | NV2672 | 28 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1296 | 33 Diriebught Road, Inverness, Highland, IV2 3JL | NV2673 | 29 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1297 | 35 Diriebught Road, Inverness, Highland, IV2 3JL | NV2674 | 30 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1298 | 37 Diriebught Road, Inverness, Highland, IV2 3JL | NV2675 | 31 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1299 | 39 Diriebught Road, Inverness, Highland, IV2 3JL | NV2676 | 32 Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1300 | 41 Diriebught Road, Inverness, Highland, IV2 3JL | NV2677 | Drum Court, Flat A, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1301 | 43 Diriebught Road, Inverness, Highland, IV2 3JL | NV2678 | Drum Court, Flat B, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1302 | 45 Diriebught Road, Inverness, Highland, IV2 3JL | NV2679 | Drum Court, Flat C, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1303 | Diriebught, 6 Diriebught Road, Inverness, Highland, IV2 3QW | NV2680 | Drum Court, Flat D, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1304 | Midvalley Place, 10 Diriebught Road, Inverness, Highland, IV2 3QW | NV2681 | Drum Court, Flat E, Woodside Terrace, Inverness, Highland, IV2 3TQ |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|--|
| NV1305 | Oakridge, 1 Diriebught Road, Inverness, Highland, IV2 3QW | NV2682 | Drum Court, Flat F, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1306 | Oakridge, 3 Diriebught Road, Inverness, Highland, IV2 3QW | NV2683 | Drum Court, Flat G, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1307 | Oakridge, 5 Diriebught Road, Inverness, Highland, IV2 3QW | NV2684 | Drum Court, Flat H, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1308 | Oakridge, 7 Diriebught Road, Inverness, Highland, IV2 3QW | NV2685 | Drum Court, Flat J, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1309 | St Vincent'S, 12A Diriebught Road, Inverness, Highland, IV2 3QW | NV2686 | Eilan Court, Flat A, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1310 | 1 Drakies Avenue, Inverness, Highland, IV2 3RW | NV2687 | Eilan Court, Flat B, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1311 | 3 Drakies Avenue, Inverness, Highland, IV2 3RW | NV2688 | Eilan Court, Flat C, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1312 | 4 Drakies Avenue, Inverness, Highland, IV2 3RW | NV2689 | Eilan Court, Flat D, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1313 | 5 Drakies Avenue, Inverness, Highland, IV2 3RW | NV2690 | Eilan Court, Flat E, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1314 | 6 Drakies Avenue, Inverness, Highland, IV2 3RW | NV2691 | Eilan Court, Flat F, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1315 | 7 Drakies Avenue, Inverness, Highland, IV2 3RW | NV2692 | Eilan Court, Flat G, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1316 | 8 Drakies Avenue, Inverness, Highland, IV2 3RW | NV2693 | Eilan Court, Flat H, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1317 | 9 Drakies Avenue, Inverness, Highland, IV2 3RW | NV2694 | Firth Court, Flat A, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1318 | 10 Drakies Avenue, Inverness, Highland, IV2 3RW | NV2695 | Firth Court, Flat B, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1319 | 11 Drakies Avenue, Inverness, Highland, IV2 3RW | NV2696 | Firth Court, Flat C, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1320 | 12 Drakies Avenue, Inverness, Highland, IV2 3RP | NV2697 | Firth Court, Flat D, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1321 | 13 Drakies Avenue, Inverness, Highland, IV2 3RP | NV2698 | Firth Court, Flat E, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1322 | Westcroft, 2 Drakies Avenue, Inverness, Highland, IV2 3RW | NV2699 | Firth Court, Flat F, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1323 | 1 Drumossie Avenue, Inverness, Highland, IV2 3SL | NV2700 | Firth Court, Flat G, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1324 | 2 Drumossie Avenue, Inverness, Highland, IV2 3SL | NV2701 | Firth Court, Flat H, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1325 | 3 Drumossie Avenue, Inverness, Highland, IV2 3SL | NV2702 | Fraser Noble Court, Flat A, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1326 | 4 Drumossie Avenue, Inverness, Highland, IV2 3SL | NV2703 | Fraser Noble Court, Flat B, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1327 | 5 Drumossie Avenue, Inverness, Highland, IV2 3SL | NV2704 | Fraser Noble Court, Flat C, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1328 | 6 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2705 | Fraser Noble Court, Flat D, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1329 | 7 Drumossie Avenue, Inverness, Highland, IV2 3SL | NV2706 | Fraser Noble Court, Flat E, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1330 | 8 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2707 | Fraser Noble Court, Flat F, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1331 | 9 Drumossie Avenue, Inverness, Highland, IV2 3SL | NV2708 | Fraser Noble Court, Flat G, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1332 | 10 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2709 | Fraser Noble Court, Flat H, Woodside Terrace, Inverness, Highland, IV2 3TQ |

| Receptor ID | Location | Receptor ID | Location |
|-------------|---|-------------|--|
| NV1333 | 11 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2710 | Fraser Noble Court, Flat I, Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1334 | 12 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2711 | Glen Court, Flat A, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1335 | 13 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2712 | Glen Court, Flat B, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1336 | 14 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2713 | Glen Court, Flat C, Woodside Terrace, Inverness, Highland, IV2 3UL |
| NV1337 | 15 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2714 | Glen Court, Flat D, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1338 | 16 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2715 | Glen Court, Flat E, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1339 | 17 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2716 | Glen Court, Flat F, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1340 | 18 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2717 | Glen Court, Flat G, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1341 | 19 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2718 | Glen Court, Flat H, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1342 | 20 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2719 | Heather Court, Flat A, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1343 | 21 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2720 | Heather Court, Flat B, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1344 | 22 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2721 | Heather Court, Flat C, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1345 | 23 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2722 | Heather Court, Flat D, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1346 | 24 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2723 | Heather Court, Flat E, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1347 | 25 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2724 | Heather Court, Flat F, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1348 | 27 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2725 | Heather Court, Flat G, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1349 | 29 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2726 | Heather Court, Flat H, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1350 | 31 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2727 | Juniper Court, Flat A, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1351 | 33 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2728 | Juniper Court, Flat B, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1352 | 35 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2729 | Juniper Court, Flat C, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1353 | 37 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2730 | Juniper Court, Flat D, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1354 | 39 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2731 | Juniper Court, Flat E, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1355 | 41 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2732 | Juniper Court, Flat F, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1356 | 43 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2733 | Juniper Court, Flat G, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1357 | 45 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2734 | Juniper Court, Flat H, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1358 | 49 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2735 | Loch Court, Flat A, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1359 | 51 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2736 | Loch Court, Flat B, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1360 | 53 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2737 | Loch Court, Flat C, Woodside Terrace, Inverness, Highland, IV2 3YW |

| Receptor ID | Location | Receptor ID | Location |
|-------------|--|-------------|---|
| NV1361 | 55 Drumossie Avenue, Inverness, Highland, IV2 3SH | NV2738 | Loch Court, Flat D, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1362 | 57 Drumossie Avenue, Inverness, Highland, IV2 3SH | NV2739 | Loch Court, Flat E, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1363 | Cozac, 47 Drumossie Avenue, Inverness, Highland, IV2 3SJ | NV2740 | Loch Court, Flat F, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1364 | 1 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2741 | Loch Court, Flat G, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1365 | 2 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2742 | Loch Court, Flat H, Woodside Terrace, Inverness, Highland, IV2 3YW |
| NV1366 | 3 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2743 | Mill Court, 1 Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1367 | 4 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2744 | Mill Court, 2 Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1368 | 5 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2745 | Mill Court, 3 Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1369 | 6 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2746 | Mill Court, 4 Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1370 | 7 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2747 | Mill Court, 5 Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1371 | 8 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2748 | Mill Court, 6 Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1372 | 9 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2749 | Mill Court, 7 Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1373 | 11 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2750 | Mill Court, 8 Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1374 | 13 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2751 | Mill Court, 9 Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1375 | 15 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2752 | Mill Court, 10 Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1376 | 30 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2753 | Mill Court, 11 Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1377 | 32 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2754 | Mill Court, 12 Woodside Terrace, Inverness, Highland, IV2 3TQ |
| NV1378 | 34 Eastfield Avenue, Inverness, Highland, IV2 3RR | NV2755 | Scotia Court Hostel, Woodside Terrace, Inverness, Highland, IV2 3RJ |
| NV1379 | Vue Cinemas, Eastfield Way, Inverness, Highland, IV2 7GD | | |

Table 2: Predicted Noise Levels at all Identified Noise Sensitive Receptors

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0001 | 56.0 | 57.6 | 54.9 | 55.7 | 54.9 | 57.2 | 57.7 | 59.3 | 56.8 | 57.5 | 57.7 | 59.8 |
| NV0002 | 59.2 | 60.7 | 46.8 | 49.7 | 46.8 | 50.7 | 60.9 | 62.4 | 48.7 | 50.9 | 48.7 | 52.0 |
| NV0003 | 51.4 | 53.1 | 46.4 | 48.7 | 46.4 | 49.6 | 52.6 | 54.3 | 48.3 | 50.3 | 48.3 | 51.2 |
| NV0004 | 45.8 | 47.2 | 47.2 | 54.3 | 47.2 | 55.4 | 47.5 | 48.9 | 48.2 | 55.1 | 48.2 | 56.1 |
| NV0005 | 43.7 | 45.1 | 48.5 | 50.3 | 48.5 | 51.4 | 45.7 | 47.0 | 49.2 | 51.0 | 49.2 | 52.1 |
| NV0006 | 47.6 | 48.8 | 47.5 | 53.8 | 47.5 | 55.1 | 48.9 | 50.0 | 48.7 | 55.0 | 48.7 | 56.2 |
| NV0007 | 36.3 | 37.4 | 36.3 | 38.6 | 36.3 | 39.7 | 39.7 | 40.6 | 39.0 | 41.0 | 39.0 | 42.0 |
| NV0008 | 61.9 | 63.9 | 62.3 | 62.1 | 62.1 | 64.0 | 62.0 | 63.9 | 62.0 | 61.8 | 62.0 | 63.8 |
| NV0009 | 52.0 | 53.7 | 47.6 | 47.6 | 47.6 | 48.7 | 56.0 | 57.7 | 49.4 | 49.4 | 49.4 | 50.4 |
| NV0010 | 55.7 | 56.8 | 54.5 | 55.1 | 56.0 | 57.5 | 58.8 | 59.8 | 55.4 | 55.9 | 55.4 | 56.9 |
| NV0011 | 52.2 | 53.4 | 46.0 | 47.8 | 46.0 | 48.8 | 53.0 | 54.2 | 48.0 | 49.2 | 48.0 | 50.2 |
| NV0012 | 44.3 | 46.1 | 49.0 | 49.2 | 49.0 | 50.3 | 46.7 | 48.4 | 51.0 | 51.2 | 50.6 | 51.9 |
| NV0013 | 34.0 | 35.2 | 34.0 | 34.9 | 34.0 | 35.9 | 36.3 | 37.4 | 36.3 | 37.2 | 36.3 | 38.2 |
| NV0014 | 48.5 | 49.9 | 68.1 | 68.2 | 59.0 | 60.1 | 50.6 | 51.9 | 68.1 | 68.2 | 61.4 | 62.5 |
| NV0015 | 60.3 | 62.0 | 55.9 | 54.8 | 55.9 | 55.5 | 58.7 | 60.5 | 57.9 | 56.8 | 57.9 | 57.5 |
| NV0016 | 54.8 | 55.6 | 54.8 | 54.4 | 54.3 | 54.6 | 56.3 | 57.2 | 55.8 | 55.5 | 56.2 | 56.5 |
| NV0017 | 56.4 | 57.6 | 61.7 | 61.8 | 62.4 | 63.5 | 63.5 | 64.6 | 64.2 | 64.3 | 64.2 | 65.4 |
| NV0018 | 48.8 | 50.0 | 46.2 | 45.0 | 46.2 | 45.9 | 50.3 | 51.5 | 48.5 | 47.2 | 48.5 | 48.1 |
| NV0019 | 54.8 | 55.6 | 54.8 | 54.4 | 54.3 | 54.6 | 56.3 | 57.2 | 55.8 | 55.5 | 56.2 | 56.5 |
| NV0020 | 51.5 | 53.1 | 51.8 | 50.0 | 51.8 | 51.1 | 53.0 | 54.6 | 53.2 | 51.3 | 53.0 | 52.2 |
| NV0021 | 63.1 | 63.7 | 63.2 | 63.4 | 63.2 | 63.9 | 64.9 | 65.5 | 53.8 | 54.1 | 53.8 | 54.6 |
| NV0022 | 51.2 | 52.3 | 63.2 | 63.0 | 63.2 | 63.5 | 52.5 | 53.4 | 65.1 | 64.9 | 65.1 | 65.4 |
| NV0023 | 64.7 | 65.4 | 61.8 | 62.0 | 61.8 | 62.9 | 65.6 | 66.4 | 62.8 | 63.0 | 62.8 | 64.1 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0024 | 60.8 | 61.6 | 59.6 | 59.8 | 57.6 | 58.9 | 58.7 | 59.6 | 58.7 | 59.0 | 58.7 | 60.1 |
| NV0025 | 58.0 | 58.8 | 58.0 | 58.2 | 58.0 | 59.2 | 59.1 | 59.9 | 58.9 | 59.1 | 60.1 | 61.3 |
| NV0026 | 56.0 | 57.1 | 56.0 | 54.6 | 56.0 | 55.5 | 57.9 | 59.0 | 57.9 | 56.6 | 57.9 | 57.6 |
| NV0027 | 54.6 | 55.8 | 53.3 | 52.5 | 53.3 | 53.4 | 56.6 | 57.7 | 54.7 | 53.8 | 53.5 | 53.6 |
| NV0028 | 53.7 | 54.8 | 51.1 | 50.1 | 51.1 | 51.1 | 55.4 | 56.5 | 52.8 | 51.9 | 52.8 | 52.9 |
| NV0029 | 51.3 | 52.4 | 49.1 | 48.1 | 49.1 | 49.0 | 52.2 | 53.4 | 51.4 | 50.5 | 51.4 | 51.4 |
| NV0030 | 50.3 | 51.5 | 50.3 | 48.4 | 50.3 | 49.3 | 51.8 | 53.0 | 51.8 | 50.0 | 51.8 | 50.9 |
| NV0031 | 51.6 | 52.6 | 52.7 | 50.6 | 51.6 | 50.3 | 53.6 | 54.6 | 54.8 | 52.7 | 54.8 | 53.5 |
| NV0032 | 52.8 | 53.8 | 52.0 | 50.1 | 52.0 | 50.9 | 54.6 | 55.6 | 53.8 | 51.8 | 53.8 | 52.6 |
| NV0033 | 50.8 | 51.9 | 50.7 | 48.7 | 50.8 | 49.6 | 52.9 | 53.9 | 54.8 | 52.7 | 54.8 | 53.5 |
| NV0034 | 50.0 | 51.2 | 50.4 | 48.4 | 50.4 | 49.2 | 52.3 | 53.4 | 53.7 | 51.7 | 52.0 | 50.8 |
| NV0035 | 49.1 | 50.1 | 52.8 | 50.7 | 49.1 | 47.8 | 51.4 | 52.5 | 54.8 | 52.8 | 54.8 | 53.6 |
| NV0036 | 51.1 | 52.1 | 51.1 | 49.3 | 51.1 | 50.1 | 53.0 | 54.0 | 52.9 | 51.0 | 52.9 | 51.8 |
| NV0037 | 49.7 | 50.8 | 49.4 | 47.4 | 49.7 | 48.5 | 51.9 | 53.0 | 55.1 | 53.0 | 54.9 | 53.6 |
| NV0038 | 49.9 | 51.0 | 49.9 | 47.9 | 49.9 | 48.7 | 51.9 | 53.0 | 50.4 | 48.4 | 51.9 | 50.7 |
| NV0039 | 49.1 | 50.2 | 49.1 | 47.0 | 49.1 | 47.8 | 51.4 | 52.5 | 55.7 | 53.5 | 51.4 | 50.1 |
| NV0040 | 52.2 | 53.1 | 51.5 | 49.6 | 51.5 | 50.4 | 53.7 | 54.7 | 53.3 | 51.4 | 53.3 | 52.2 |
| NV0041 | 49.8 | 50.9 | 49.8 | 47.7 | 49.8 | 48.5 | 51.9 | 53.0 | 52.1 | 50.0 | 51.9 | 50.6 |
| NV0042 | 51.9 | 52.9 | 49.4 | 47.4 | 51.8 | 50.5 | 53.6 | 54.6 | 51.1 | 49.2 | 53.6 | 52.3 |
| NV0043 | 54.4 | 55.3 | 47.8 | 45.9 | 47.8 | 46.5 | 56.1 | 57.0 | 50.5 | 48.5 | 50.5 | 49.2 |
| NV0044 | 51.9 | 52.9 | 49.0 | 47.1 | 51.9 | 50.6 | 53.7 | 54.7 | 50.9 | 49.1 | 50.9 | 49.8 |
| NV0045 | 55.4 | 56.3 | 48.0 | 46.2 | 48.0 | 46.8 | 56.9 | 57.8 | 50.6 | 48.7 | 50.6 | 49.4 |
| NV0046 | 51.9 | 52.9 | 46.5 | 45.0 | 46.5 | 45.8 | 53.7 | 54.7 | 49.0 | 47.5 | 49.0 | 48.4 |
| NV0047 | 55.6 | 56.5 | 48.2 | 46.3 | 48.2 | 47.0 | 56.9 | 57.8 | 50.5 | 48.7 | 50.5 | 49.4 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0048 | 52.0 | 53.0 | 46.6 | 45.0 | 46.6 | 45.9 | 53.6 | 54.6 | 49.1 | 47.5 | 49.1 | 48.4 |
| NV0049 | 55.4 | 56.3 | 48.2 | 46.4 | 48.2 | 47.1 | 56.8 | 57.7 | 50.6 | 48.8 | 50.7 | 49.6 |
| NV0050 | 48.4 | 49.5 | 47.5 | 45.8 | 47.5 | 46.6 | 50.5 | 51.6 | 49.8 | 48.1 | 49.8 | 48.9 |
| NV0051 | 55.5 | 56.4 | 47.5 | 45.8 | 47.5 | 46.6 | 57.1 | 58.0 | 50.2 | 48.4 | 50.2 | 49.2 |
| NV0052 | 48.7 | 49.8 | 47.8 | 46.1 | 48.7 | 47.7 | 53.4 | 54.5 | 50.0 | 48.3 | 50.0 | 49.1 |
| NV0053 | 55.2 | 56.1 | 48.2 | 46.5 | 48.2 | 47.2 | 56.4 | 57.3 | 50.7 | 48.9 | 50.7 | 49.7 |
| NV0054 | 51.7 | 52.7 | 47.8 | 46.1 | 47.8 | 46.8 | 53.3 | 54.4 | 49.9 | 48.2 | 49.9 | 49.0 |
| NV0055 | 48.4 | 49.3 | 48.4 | 46.7 | 48.4 | 47.5 | 50.9 | 51.8 | 50.9 | 49.2 | 50.9 | 50.1 |
| NV0056 | 51.6 | 52.6 | 47.9 | 46.2 | 47.9 | 47.0 | 53.2 | 54.3 | 50.0 | 48.3 | 50.0 | 49.1 |
| NV0057 | 48.6 | 49.5 | 48.6 | 46.9 | 48.6 | 47.7 | 51.1 | 52.0 | 50.9 | 49.3 | 51.1 | 50.3 |
| NV0058 | 48.8 | 50.0 | 48.0 | 46.3 | 49.3 | 48.3 | 51.3 | 52.5 | 50.1 | 48.4 | 50.1 | 49.2 |
| NV0059 | 48.3 | 49.2 | 48.3 | 46.7 | 48.3 | 47.6 | 50.9 | 51.8 | 50.9 | 49.4 | 50.9 | 50.3 |
| NV0060 | 48.8 | 50.1 | 50.9 | 49.0 | 48.8 | 47.8 | 51.3 | 52.5 | 52.7 | 50.8 | 52.7 | 51.6 |
| NV0061 | 50.5 | 51.5 | 49.1 | 47.6 | 49.1 | 48.5 | 52.2 | 53.2 | 51.6 | 50.2 | 51.6 | 51.1 |
| NV0062 | 48.9 | 50.1 | 50.7 | 48.8 | 48.9 | 47.8 | 51.0 | 52.2 | 52.5 | 50.7 | 52.5 | 51.5 |
| NV0063 | 49.6 | 50.6 | 49.6 | 48.1 | 49.6 | 49.0 | 51.9 | 52.9 | 51.9 | 50.5 | 51.5 | 51.1 |
| NV0064 | 49.0 | 50.2 | 51.2 | 49.2 | 51.0 | 49.8 | 50.9 | 52.1 | 52.9 | 51.0 | 52.7 | 51.6 |
| NV0065 | 49.1 | 50.1 | 49.1 | 47.6 | 49.1 | 48.5 | 51.3 | 52.3 | 51.3 | 49.9 | 51.3 | 50.9 |
| NV0066 | 49.2 | 50.4 | 51.4 | 49.4 | 51.3 | 50.1 | 51.1 | 52.3 | 53.0 | 51.1 | 53.0 | 51.8 |
| NV0067 | 52.1 | 53.0 | 48.9 | 47.2 | 48.9 | 48.0 | 53.7 | 54.6 | 51.2 | 49.5 | 51.2 | 50.3 |
| NV0068 | 48.9 | 50.2 | 48.9 | 46.9 | 48.9 | 47.8 | 50.8 | 52.0 | 52.8 | 50.9 | 52.9 | 51.7 |
| NV0069 | 48.9 | 50.0 | 48.2 | 46.6 | 48.2 | 47.3 | 51.0 | 52.1 | 50.4 | 48.7 | 50.4 | 49.5 |
| NV0070 | 48.9 | 50.2 | 51.3 | 49.3 | 49.0 | 47.8 | 50.8 | 52.0 | 52.8 | 50.9 | 52.8 | 51.6 |
| NV0071 | 51.9 | 52.9 | 46.6 | 44.8 | 46.6 | 45.6 | 53.6 | 54.5 | 49.3 | 47.4 | 49.3 | 48.2 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0072 | 49.0 | 50.3 | 49.0 | 47.0 | 49.0 | 47.9 | 50.8 | 52.0 | 53.1 | 51.1 | 52.9 | 51.7 |
| NV0073 | 52.0 | 52.9 | 46.6 | 44.9 | 46.6 | 45.7 | 53.6 | 54.5 | 49.2 | 47.4 | 49.2 | 48.2 |
| NV0074 | 48.9 | 50.1 | 47.3 | 45.6 | 47.3 | 46.3 | 50.6 | 51.8 | 49.4 | 47.7 | 49.4 | 48.5 |
| NV0075 | 52.0 | 52.9 | 46.6 | 44.8 | 46.6 | 45.6 | 53.5 | 54.5 | 49.2 | 47.4 | 49.2 | 48.1 |
| NV0076 | 51.4 | 52.4 | 46.8 | 45.0 | 46.8 | 45.7 | 52.9 | 53.9 | 49.1 | 47.4 | 49.1 | 48.1 |
| NV0077 | 48.6 | 49.8 | 46.9 | 45.1 | 46.9 | 45.9 | 50.5 | 51.7 | 49.2 | 47.5 | 49.3 | 48.3 |
| NV0078 | 50.9 | 51.9 | 46.5 | 44.9 | 46.5 | 45.6 | 52.6 | 53.6 | 48.8 | 47.2 | 48.8 | 48.0 |
| NV0079 | 48.6 | 49.8 | 50.9 | 49.0 | 50.9 | 49.7 | 50.4 | 51.5 | 52.4 | 50.5 | 52.4 | 51.3 |
| NV0080 | 50.9 | 51.9 | 46.7 | 45.1 | 46.7 | 45.8 | 52.5 | 53.5 | 49.0 | 47.4 | 49.0 | 48.2 |
| NV0081 | 48.5 | 49.7 | 50.3 | 48.4 | 50.4 | 49.2 | 50.3 | 51.5 | 52.4 | 50.5 | 52.4 | 51.2 |
| NV0082 | 47.8 | 49.0 | 46.7 | 45.1 | 46.7 | 45.8 | 49.9 | 51.1 | 48.9 | 47.3 | 48.9 | 48.1 |
| NV0083 | 48.7 | 49.9 | 50.3 | 48.2 | 48.7 | 47.5 | 50.4 | 51.6 | 52.2 | 50.2 | 50.4 | 49.3 |
| NV0084 | 47.7 | 48.9 | 50.0 | 48.0 | 48.2 | 47.2 | 49.9 | 51.1 | 51.9 | 50.0 | 50.4 | 49.3 |
| NV0085 | 48.7 | 50.0 | 46.7 | 45.0 | 46.7 | 45.7 | 50.5 | 51.7 | 49.0 | 47.3 | 49.0 | 48.1 |
| NV0086 | 47.9 | 49.2 | 50.4 | 48.6 | 47.9 | 47.0 | 50.0 | 51.2 | 52.1 | 50.4 | 52.1 | 51.2 |
| NV0087 | 48.4 | 49.6 | 49.2 | 47.2 | 48.4 | 47.3 | 51.5 | 52.6 | 51.2 | 49.3 | 51.4 | 50.2 |
| NV0088 | 47.9 | 49.2 | 50.6 | 48.7 | 47.9 | 46.9 | 49.9 | 51.1 | 52.2 | 50.5 | 52.2 | 51.3 |
| NV0089 | 48.2 | 49.4 | 50.1 | 48.0 | 48.2 | 47.0 | 49.9 | 51.1 | 52.0 | 50.1 | 52.0 | 50.8 |
| NV0090 | 48.0 | 49.3 | 50.7 | 48.9 | 45.0 | 44.0 | 49.9 | 51.2 | 52.3 | 50.6 | 52.3 | 51.4 |
| NV0091 | 48.0 | 49.2 | 50.1 | 48.1 | 48.0 | 46.8 | 49.8 | 51.0 | 52.0 | 50.1 | 52.1 | 50.9 |
| NV0092 | 46.9 | 48.1 | 51.2 | 49.6 | 51.2 | 50.5 | 49.6 | 50.8 | 53.2 | 51.8 | 53.2 | 52.7 |
| NV0093 | 48.1 | 49.3 | 46.0 | 44.3 | 46.0 | 45.0 | 49.9 | 51.1 | 48.3 | 46.6 | 48.3 | 47.3 |
| NV0094 | 48.1 | 49.3 | 51.7 | 50.3 | 51.7 | 51.2 | 49.9 | 51.1 | 53.6 | 52.3 | 53.6 | 53.3 |
| NV0095 | 47.2 | 48.4 | 47.1 | 45.7 | 47.1 | 46.5 | 49.9 | 51.0 | 49.2 | 47.7 | 49.2 | 48.5 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0096 | 48.2 | 49.4 | 51.2 | 49.5 | 51.2 | 50.4 | 49.9 | 51.1 | 52.6 | 51.0 | 52.6 | 51.9 |
| NV0097 | 50.6 | 51.5 | 47.0 | 45.5 | 47.1 | 46.3 | 52.3 | 53.2 | 49.3 | 47.7 | 49.3 | 48.5 |
| NV0098 | 48.1 | 49.4 | 47.5 | 46.2 | 47.5 | 47.1 | 49.9 | 51.1 | 49.4 | 48.2 | 49.4 | 49.2 |
| NV0099 | 50.3 | 51.3 | 47.4 | 45.9 | 47.4 | 46.7 | 52.1 | 53.1 | 49.6 | 48.1 | 49.6 | 48.9 |
| NV0100 | 48.2 | 49.3 | 47.2 | 46.0 | 47.2 | 46.9 | 49.1 | 50.3 | 49.1 | 48.0 | 49.1 | 48.9 |
| NV0101 | 50.6 | 51.6 | 48.0 | 46.7 | 48.0 | 47.5 | 52.5 | 53.5 | 51.6 | 50.4 | 51.6 | 51.3 |
| NV0102 | 51.2 | 52.2 | 47.2 | 46.0 | 47.2 | 46.9 | 52.4 | 53.4 | 49.3 | 48.1 | 49.2 | 49.0 |
| NV0103 | 48.0 | 49.2 | 46.7 | 45.1 | 46.7 | 45.9 | 50.0 | 51.2 | 49.0 | 47.4 | 49.0 | 48.2 |
| NV0104 | 51.2 | 52.2 | 47.1 | 45.9 | 47.1 | 46.8 | 52.5 | 53.5 | 49.1 | 47.9 | 49.1 | 48.8 |
| NV0105 | 50.4 | 51.4 | 46.7 | 45.0 | 46.7 | 45.8 | 52.4 | 53.4 | 49.0 | 47.3 | 49.0 | 48.1 |
| NV0106 | 51.1 | 52.1 | 47.1 | 45.9 | 47.1 | 46.8 | 49.7 | 50.7 | 49.1 | 47.9 | 49.1 | 48.8 |
| NV0107 | 46.7 | 47.9 | 47.4 | 46.2 | 47.4 | 47.1 | 48.6 | 49.7 | 49.2 | 48.0 | 49.2 | 48.9 |
| NV0108 | 51.9 | 52.8 | 48.9 | 47.6 | 48.9 | 48.5 | 53.7 | 54.7 | 50.6 | 49.4 | 50.6 | 50.4 |
| NV0109 | 55.0 | 56.4 | 49.8 | 47.8 | 49.8 | 48.7 | 56.1 | 57.6 | 52.2 | 50.1 | 56.1 | 54.9 |
| NV0110 | 53.8 | 55.0 | 53.5 | 51.7 | 53.5 | 52.6 | 55.7 | 56.9 | 55.5 | 53.7 | 55.2 | 54.3 |
| NV0111 | 53.7 | 55.0 | 49.1 | 47.2 | 49.1 | 48.1 | 56.3 | 57.6 | 51.4 | 49.5 | 51.4 | 50.4 |
| NV0112 | 48.0 | 49.2 | 48.0 | 46.2 | 47.9 | 47.0 | 55.2 | 56.4 | 50.5 | 48.6 | 50.5 | 49.5 |
| NV0113 | 53.3 | 54.5 | 49.1 | 47.1 | 49.1 | 48.0 | 55.7 | 57.0 | 51.4 | 49.4 | 51.4 | 50.3 |
| NV0114 | 53.1 | 54.3 | 48.4 | 46.6 | 48.4 | 47.5 | 50.8 | 52.0 | 50.8 | 49.0 | 50.8 | 49.9 |
| NV0115 | 53.0 | 54.2 | 49.1 | 47.2 | 49.1 | 48.1 | 55.3 | 56.5 | 51.9 | 50.0 | 51.4 | 50.3 |
| NV0116 | 52.5 | 53.7 | 48.7 | 46.7 | 48.7 | 47.7 | 54.3 | 55.5 | 53.9 | 51.9 | 53.9 | 52.8 |
| NV0117 | 50.7 | 51.9 | 50.7 | 48.7 | 50.0 | 48.9 | 52.9 | 54.2 | 54.4 | 52.4 | 54.4 | 53.2 |
| NV0118 | 53.1 | 54.3 | 48.4 | 46.6 | 48.4 | 47.5 | 54.7 | 55.9 | 50.6 | 48.8 | 50.6 | 49.7 |
| NV0119 | 52.7 | 53.9 | 52.6 | 50.5 | 52.7 | 51.4 | 54.5 | 55.7 | 54.5 | 52.4 | 54.5 | 53.3 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0120 | 50.8 | 52.1 | 48.5 | 46.7 | 50.0 | 49.0 | 52.5 | 53.8 | 50.5 | 48.7 | 51.8 | 50.8 |
| NV0121 | 53.3 | 54.5 | 52.8 | 50.7 | 52.8 | 51.6 | 55.2 | 56.4 | 51.5 | 49.4 | 55.2 | 53.9 |
| NV0122 | 52.2 | 53.3 | 48.6 | 46.7 | 48.5 | 47.3 | 53.8 | 54.9 | 50.6 | 48.8 | 50.6 | 49.5 |
| NV0123 | 53.4 | 54.7 | 53.4 | 51.3 | 53.4 | 52.2 | 55.3 | 56.6 | 55.3 | 53.2 | 55.3 | 54.1 |
| NV0124 | 52.3 | 53.4 | 48.1 | 46.2 | 48.1 | 46.9 | 53.8 | 55.0 | 50.4 | 48.6 | 50.4 | 49.3 |
| NV0125 | 53.0 | 54.4 | 53.4 | 51.5 | 53.4 | 52.3 | 57.9 | 59.3 | 55.6 | 53.7 | 55.6 | 54.5 |
| NV0126 | 52.4 | 53.6 | 47.6 | 45.8 | 47.7 | 46.6 | 54.4 | 55.6 | 50.1 | 48.3 | 50.1 | 49.1 |
| NV0127 | 52.7 | 54.0 | 52.9 | 50.8 | 52.9 | 51.6 | 55.7 | 57.0 | 54.9 | 52.8 | 54.9 | 53.6 |
| NV0128 | 49.8 | 51.0 | 48.7 | 46.8 | 49.8 | 48.7 | 51.8 | 53.0 | 50.8 | 48.9 | 51.1 | 50.0 |
| NV0129 | 52.5 | 53.8 | 52.5 | 50.4 | 52.5 | 51.2 | 55.6 | 56.8 | 54.5 | 52.5 | 54.6 | 53.4 |
| NV0130 | 52.3 | 53.3 | 48.6 | 46.6 | 52.3 | 51.0 | 53.9 | 55.0 | 50.8 | 48.9 | 53.9 | 52.7 |
| NV0131 | 52.3 | 53.5 | 52.9 | 50.8 | 52.9 | 51.6 | 55.2 | 56.4 | 55.0 | 52.9 | 55.0 | 53.7 |
| NV0132 | 52.2 | 53.3 | 48.3 | 46.4 | 47.9 | 46.7 | 53.9 | 55.0 | 50.6 | 48.7 | 50.3 | 49.2 |
| NV0133 | 51.9 | 53.2 | 51.9 | 49.7 | 51.9 | 50.7 | 55.8 | 57.0 | 55.6 | 53.4 | 54.1 | 52.8 |
| NV0134 | 52.4 | 53.5 | 47.3 | 45.6 | 47.3 | 46.4 | 53.9 | 55.0 | 49.7 | 48.0 | 49.7 | 48.8 |
| NV0135 | 52.9 | 54.1 | 52.9 | 50.7 | 52.9 | 51.6 | 54.8 | 56.0 | 54.8 | 52.7 | 54.8 | 53.5 |
| NV0136 | 49.5 | 50.7 | 48.5 | 46.6 | 48.5 | 47.5 | 51.5 | 52.7 | 51.5 | 49.5 | 50.8 | 49.7 |
| NV0137 | 53.4 | 54.6 | 53.4 | 51.2 | 53.4 | 52.1 | 55.3 | 56.5 | 55.3 | 53.1 | 55.3 | 54.0 |
| NV0138 | 52.8 | 53.9 | 49.0 | 46.9 | 52.8 | 51.4 | 54.6 | 55.7 | 51.2 | 49.2 | 54.4 | 53.1 |
| NV0139 | 53.5 | 54.7 | 53.5 | 51.3 | 53.5 | 52.1 | 55.6 | 56.8 | 55.8 | 53.6 | 56.0 | 54.6 |
| NV0140 | 53.1 | 54.1 | 48.8 | 46.8 | 53.1 | 51.7 | 54.8 | 55.9 | 51.1 | 49.1 | 54.8 | 53.5 |
| NV0141 | 54.0 | 55.0 | 52.1 | 50.3 | 52.1 | 51.1 | 55.8 | 56.8 | 54.3 | 52.4 | 54.3 | 53.2 |
| NV0142 | 52.8 | 53.9 | 51.8 | 49.8 | 51.8 | 50.6 | 54.6 | 55.6 | 50.5 | 48.6 | 53.4 | 52.2 |
| NV0143 | 51.5 | 52.4 | 54.0 | 52.1 | 54.0 | 52.9 | 55.6 | 56.5 | 55.6 | 53.8 | 55.6 | 54.5 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0144 | 48.0 | 49.2 | 48.0 | 46.2 | 48.0 | 47.0 | 54.6 | 55.7 | 50.5 | 48.5 | 50.5 | 49.4 |
| NV0145 | 54.5 | 55.5 | 52.8 | 50.9 | 52.8 | 51.7 | 56.3 | 57.3 | 54.6 | 52.7 | 54.6 | 53.5 |
| NV0146 | 53.4 | 54.5 | 53.2 | 51.1 | 53.4 | 52.1 | 55.0 | 56.1 | 54.8 | 52.8 | 54.8 | 53.6 |
| NV0147 | 54.3 | 55.3 | 54.7 | 52.8 | 54.0 | 52.9 | 55.9 | 56.9 | 56.3 | 54.4 | 55.6 | 54.5 |
| NV0148 | 53.3 | 54.4 | 49.5 | 47.4 | 53.3 | 52.0 | 55.0 | 56.1 | 51.8 | 49.8 | 51.8 | 50.6 |
| NV0149 | 55.9 | 57.0 | 54.7 | 52.8 | 54.7 | 53.6 | 57.7 | 58.8 | 56.4 | 54.5 | 56.4 | 55.3 |
| NV0150 | 53.3 | 54.4 | 53.2 | 51.1 | 53.2 | 51.9 | 54.9 | 56.0 | 51.8 | 49.9 | 52.6 | 51.4 |
| NV0151 | 54.4 | 55.4 | 55.4 | 53.5 | 55.8 | 54.7 | 57.6 | 58.6 | 57.6 | 55.6 | 57.6 | 56.4 |
| NV0152 | 51.6 | 52.7 | 47.5 | 45.8 | 47.5 | 46.5 | 53.3 | 54.3 | 50.9 | 49.0 | 50.9 | 49.8 |
| NV0153 | 56.3 | 57.3 | 55.6 | 53.6 | 55.6 | 54.5 | 58.0 | 59.1 | 57.4 | 55.4 | 57.4 | 56.2 |
| NV0154 | 46.7 | 47.7 | 46.7 | 45.0 | 46.7 | 45.8 | 56.0 | 56.9 | 49.6 | 47.7 | 49.6 | 48.5 |
| NV0155 | 56.7 | 57.7 | 56.7 | 54.7 | 56.3 | 55.2 | 58.6 | 59.6 | 58.6 | 56.5 | 58.6 | 57.4 |
| NV0156 | 54.3 | 55.2 | 46.5 | 44.7 | 46.5 | 45.4 | 55.7 | 56.7 | 50.7 | 48.8 | 50.7 | 49.5 |
| NV0157 | 57.3 | 58.4 | 56.5 | 54.5 | 56.5 | 55.4 | 59.3 | 60.4 | 58.5 | 56.4 | 58.5 | 57.2 |
| NV0158 | 54.3 | 55.3 | 48.1 | 46.1 | 48.1 | 46.8 | 55.6 | 56.6 | 50.7 | 48.7 | 50.7 | 49.4 |
| NV0159 | 55.6 | 56.7 | 57.4 | 55.3 | 57.4 | 56.2 | 59.0 | 60.1 | 59.4 | 57.3 | 59.0 | 57.8 |
| NV0160 | 52.4 | 53.3 | 49.2 | 47.3 | 51.5 | 50.3 | 54.1 | 55.1 | 51.9 | 49.9 | 51.9 | 50.7 |
| NV0161 | 59.8 | 60.8 | 56.9 | 54.8 | 56.9 | 55.6 | 61.9 | 63.1 | 59.0 | 56.8 | 59.0 | 57.7 |
| NV0162 | 56.5 | 57.3 | 50.1 | 47.7 | 50.1 | 48.3 | 57.8 | 58.6 | 52.3 | 50.0 | 57.8 | 56.0 |
| NV0163 | 60.5 | 61.6 | 57.5 | 55.4 | 57.2 | 56.0 | 63.0 | 64.2 | 59.7 | 57.5 | 59.7 | 58.4 |
| NV0164 | 52.3 | 53.2 | 49.1 | 47.2 | 49.1 | 47.9 | 53.5 | 54.4 | 51.7 | 49.7 | 51.7 | 50.5 |
| NV0165 | 61.3 | 62.4 | 58.7 | 56.6 | 57.8 | 56.6 | 64.0 | 65.1 | 60.0 | 57.9 | 60.0 | 58.8 |
| NV0166 | 48.2 | 49.1 | 48.2 | 46.3 | 48.2 | 47.1 | 51.1 | 52.0 | 51.1 | 49.2 | 51.1 | 49.9 |
| NV0167 | 63.5 | 64.7 | 58.7 | 56.6 | 59.1 | 57.8 | 66.0 | 67.2 | 61.7 | 59.4 | 61.7 | 60.3 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0168 | 54.3 | 55.2 | 49.2 | 47.2 | 52.3 | 51.0 | 55.7 | 56.7 | 54.1 | 52.0 | 54.1 | 52.7 |
| NV0169 | 55.5 | 56.4 | 50.8 | 48.8 | 50.8 | 49.6 | 57.1 | 58.1 | 55.8 | 53.7 | 55.8 | 54.5 |
| NV0170 | 53.2 | 54.1 | 48.5 | 46.6 | 48.5 | 47.4 | 54.8 | 55.7 | 51.3 | 49.4 | 51.3 | 50.1 |
| NV0171 | 56.1 | 57.0 | 55.3 | 53.2 | 55.3 | 54.0 | 57.8 | 58.8 | 57.7 | 55.5 | 56.9 | 55.6 |
| NV0172 | 47.2 | 48.1 | 47.2 | 45.2 | 47.2 | 45.9 | 50.2 | 51.1 | 50.2 | 48.1 | 50.2 | 48.8 |
| NV0173 | 56.1 | 57.1 | 56.2 | 54.0 | 56.2 | 54.8 | 57.8 | 58.8 | 53.9 | 51.8 | 57.8 | 56.4 |
| NV0174 | 59.4 | 60.2 | 54.0 | 51.8 | 54.0 | 52.4 | 60.6 | 61.5 | 55.6 | 53.4 | 55.6 | 54.0 |
| NV0175 | 56.6 | 57.6 | 56.1 | 54.2 | 56.1 | 55.0 | 58.3 | 59.3 | 57.8 | 55.8 | 57.8 | 56.7 |
| NV0176 | 57.3 | 58.3 | 48.1 | 45.9 | 48.1 | 46.6 | 58.4 | 59.4 | 50.7 | 48.4 | 50.7 | 49.1 |
| NV0177 | 65.0 | 66.2 | 60.0 | 57.8 | 60.0 | 58.7 | 68.2 | 69.4 | 62.7 | 60.3 | 64.4 | 62.9 |
| NV0178 | 49.5 | 50.5 | 49.5 | 47.3 | 49.5 | 48.1 | 51.0 | 52.0 | 52.0 | 49.7 | 52.0 | 50.5 |
| NV0179 | 61.0 | 62.1 | 59.5 | 57.3 | 59.5 | 58.2 | 61.5 | 62.7 | 61.5 | 59.2 | 61.5 | 60.1 |
| NV0180 | 48.8 | 49.8 | 48.8 | 46.6 | 48.8 | 47.3 | 50.4 | 51.4 | 51.3 | 49.0 | 51.3 | 49.7 |
| NV0181 | 54.0 | 55.2 | 54.0 | 51.6 | 54.0 | 52.6 | 56.5 | 57.7 | 56.5 | 54.1 | 56.5 | 55.0 |
| NV0182 | 49.7 | 50.7 | 53.7 | 51.5 | 49.7 | 48.3 | 52.0 | 52.9 | 55.2 | 53.0 | 55.2 | 53.7 |
| NV0183 | 55.7 | 56.8 | 55.7 | 53.6 | 55.7 | 54.5 | 63.3 | 64.5 | 58.0 | 55.8 | 58.0 | 56.7 |
| NV0184 | 50.2 | 51.1 | 50.2 | 48.0 | 50.2 | 48.8 | 52.4 | 53.3 | 52.4 | 50.2 | 52.4 | 50.9 |
| NV0185 | 60.2 | 61.3 | 55.0 | 52.9 | 55.0 | 53.8 | 62.5 | 63.7 | 57.2 | 55.0 | 57.2 | 55.9 |
| NV0186 | 50.2 | 51.1 | 50.1 | 48.0 | 50.2 | 48.8 | 52.2 | 53.1 | 52.2 | 50.0 | 52.2 | 50.8 |
| NV0187 | 55.0 | 56.1 | 55.0 | 52.9 | 55.0 | 53.8 | 61.2 | 62.3 | 57.2 | 55.0 | 57.2 | 55.9 |
| NV0188 | 48.5 | 49.5 | 48.5 | 46.3 | 48.5 | 47.1 | 50.9 | 51.9 | 50.9 | 48.7 | 50.9 | 49.4 |
| NV0189 | 51.1 | 52.2 | 51.1 | 48.8 | 51.1 | 49.7 | 61.1 | 62.2 | 53.6 | 51.3 | 53.6 | 52.1 |
| NV0190 | 49.4 | 50.4 | 49.4 | 47.4 | 49.4 | 48.2 | 51.8 | 52.7 | 52.4 | 50.2 | 51.8 | 50.4 |
| NV0191 | 58.1 | 59.1 | 54.2 | 52.1 | 54.5 | 53.2 | 59.7 | 60.8 | 56.5 | 54.3 | 56.3 | 55.0 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0192 | 49.6 | 50.5 | 49.6 | 47.6 | 49.6 | 48.3 | 51.9 | 52.8 | 51.9 | 49.7 | 51.9 | 50.5 |
| NV0193 | 53.4 | 54.5 | 53.4 | 51.3 | 53.4 | 52.2 | 59.5 | 60.6 | 55.5 | 53.4 | 55.5 | 54.2 |
| NV0194 | 49.6 | 50.5 | 49.6 | 47.5 | 49.6 | 48.3 | 51.7 | 52.6 | 51.6 | 49.5 | 51.6 | 50.2 |
| NV0195 | 53.8 | 54.9 | 53.8 | 51.7 | 53.8 | 52.6 | 58.6 | 59.6 | 55.8 | 53.7 | 55.8 | 54.5 |
| NV0196 | 49.7 | 50.6 | 49.6 | 47.5 | 49.6 | 48.3 | 51.7 | 52.6 | 51.6 | 49.5 | 51.7 | 50.3 |
| NV0197 | 52.3 | 53.3 | 52.3 | 50.1 | 52.3 | 51.0 | 58.5 | 59.5 | 54.3 | 52.1 | 54.3 | 53.0 |
| NV0198 | 49.8 | 50.7 | 49.2 | 47.7 | 49.2 | 48.5 | 51.8 | 52.7 | 51.5 | 50.0 | 51.5 | 50.8 |
| NV0199 | 55.8 | 56.8 | 53.3 | 51.3 | 55.8 | 54.5 | 57.6 | 58.6 | 55.1 | 53.2 | 55.0 | 53.9 |
| NV0200 | 51.2 | 52.1 | 50.0 | 47.8 | 50.0 | 48.6 | 51.8 | 52.7 | 51.8 | 49.6 | 51.8 | 50.4 |
| NV0201 | 57.8 | 58.7 | 53.5 | 51.4 | 55.3 | 53.9 | 56.5 | 57.6 | 55.3 | 53.3 | 55.4 | 54.1 |
| NV0202 | 46.8 | 47.8 | 49.9 | 47.8 | 49.9 | 48.6 | 51.6 | 52.6 | 51.6 | 49.6 | 51.6 | 50.4 |
| NV0203 | 58.8 | 59.8 | 53.5 | 51.4 | 53.5 | 52.1 | 59.9 | 61.0 | 55.4 | 53.4 | 55.4 | 54.1 |
| NV0204 | 47.1 | 48.2 | 48.1 | 45.9 | 48.1 | 46.7 | 49.5 | 50.5 | 56.6 | 54.4 | 50.3 | 48.8 |
| NV0205 | 60.7 | 61.7 | 56.5 | 54.3 | 56.2 | 54.9 | 63.0 | 64.1 | 58.7 | 56.4 | 58.7 | 57.2 |
| NV0206 | 48.7 | 49.7 | 49.6 | 48.1 | 48.8 | 48.1 | 50.6 | 51.6 | 51.4 | 50.1 | 51.4 | 50.9 |
| NV0207 | 56.7 | 57.8 | 57.0 | 54.8 | 56.7 | 55.4 | 64.1 | 65.2 | 57.3 | 55.0 | 59.3 | 57.8 |
| NV0208 | 53.7 | 54.5 | 48.6 | 46.9 | 48.6 | 47.8 | 51.0 | 52.0 | 51.0 | 49.6 | 51.0 | 50.5 |
| NV0209 | 62.5 | 63.6 | 57.9 | 55.7 | 57.9 | 56.5 | 60.3 | 61.5 | 60.3 | 57.9 | 60.3 | 58.8 |
| NV0210 | 53.5 | 54.3 | 47.7 | 46.0 | 47.7 | 46.8 | 54.8 | 55.6 | 49.9 | 48.2 | 49.9 | 49.0 |
| NV0211 | 58.5 | 59.6 | 58.5 | 56.2 | 58.5 | 57.1 | 61.1 | 62.3 | 61.1 | 58.7 | 61.1 | 59.6 |
| NV0212 | 47.4 | 48.3 | 47.4 | 45.8 | 47.4 | 46.6 | 49.6 | 50.5 | 49.6 | 48.0 | 49.6 | 48.8 |
| NV0213 | 59.2 | 60.4 | 59.2 | 56.9 | 59.2 | 57.8 | 62.5 | 63.8 | 62.5 | 60.0 | 62.5 | 61.0 |
| NV0214 | 52.6 | 53.5 | 47.4 | 45.8 | 47.4 | 46.5 | 49.7 | 50.6 | 49.7 | 48.1 | 49.7 | 48.9 |
| NV0215 | 60.2 | 61.4 | 59.6 | 57.3 | 59.6 | 58.2 | 63.9 | 65.2 | 63.9 | 61.4 | 63.9 | 62.3 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0216 | 46.6 | 47.5 | 46.6 | 45.1 | 46.6 | 45.9 | 49.2 | 50.1 | 49.2 | 47.6 | 49.2 | 48.5 |
| NV0217 | 63.9 | 65.1 | 61.5 | 59.0 | 61.5 | 59.9 | 66.4 | 67.7 | 64.5 | 61.9 | 64.5 | 62.9 |
| NV0218 | 48.6 | 49.5 | 47.4 | 45.8 | 47.4 | 46.6 | 51.6 | 52.5 | 49.8 | 48.2 | 49.8 | 49.1 |
| NV0219 | 60.2 | 61.4 | 60.2 | 57.7 | 60.2 | 58.6 | 63.1 | 64.4 | 63.1 | 60.5 | 63.7 | 62.0 |
| NV0220 | 48.5 | 49.4 | 48.5 | 47.1 | 48.5 | 48.0 | 50.7 | 51.7 | 50.8 | 49.5 | 50.8 | 50.5 |
| NV0221 | 60.5 | 61.6 | 60.5 | 58.0 | 60.5 | 58.8 | 63.2 | 64.5 | 63.2 | 60.6 | 63.2 | 61.5 |
| NV0222 | 45.8 | 46.8 | 48.8 | 47.6 | 48.8 | 48.4 | 50.9 | 51.9 | 51.2 | 50.0 | 51.2 | 51.0 |
| NV0223 | 58.7 | 59.8 | 58.7 | 56.2 | 58.7 | 57.1 | 61.3 | 62.5 | 60.6 | 58.1 | 60.6 | 58.9 |
| NV0224 | 47.8 | 48.7 | 47.8 | 46.7 | 47.8 | 47.6 | 50.5 | 51.5 | 50.5 | 49.5 | 50.5 | 50.4 |
| NV0225 | 57.5 | 58.6 | 57.5 | 55.0 | 57.5 | 55.9 | 59.9 | 61.1 | 59.9 | 57.4 | 59.9 | 58.2 |
| NV0226 | 48.4 | 49.4 | 48.4 | 47.3 | 48.4 | 48.3 | 51.1 | 52.1 | 50.9 | 49.9 | 50.9 | 50.9 |
| NV0227 | 56.9 | 57.9 | 56.6 | 54.2 | 56.6 | 55.0 | 59.0 | 60.1 | 59.0 | 56.5 | 59.0 | 57.3 |
| NV0228 | 51.1 | 52.0 | 48.8 | 47.6 | 48.8 | 48.5 | 51.2 | 52.2 | 51.2 | 50.2 | 51.2 | 51.1 |
| NV0229 | 56.3 | 57.4 | 56.3 | 53.9 | 56.3 | 54.7 | 58.4 | 59.5 | 58.1 | 55.7 | 58.1 | 56.5 |
| NV0230 | 49.2 | 50.2 | 48.2 | 46.8 | 48.2 | 47.6 | 50.0 | 51.0 | 50.5 | 49.1 | 50.5 | 50.0 |
| NV0231 | 55.7 | 56.8 | 55.7 | 53.4 | 55.7 | 54.2 | 57.5 | 58.6 | 57.5 | 55.1 | 57.5 | 55.9 |
| NV0232 | 60.4 | 62.0 | 52.5 | 53.0 | 53.2 | 55.0 | 61.2 | 62.8 | 55.2 | 55.5 | 57.2 | 58.8 |
| NV0233 | 65.5 | 67.1 | 53.6 | 53.7 | 53.6 | 55.1 | 64.5 | 66.1 | 56.6 | 56.6 | 64.5 | 65.9 |
| NV0234 | 55.6 | 57.1 | 55.6 | 56.7 | 55.6 | 58.0 | 59.8 | 61.3 | 57.4 | 58.4 | 57.4 | 59.7 |
| NV0235 | 69.1 | 70.7 | 65.4 | 65.1 | 59.0 | 60.2 | 70.9 | 72.5 | 67.0 | 66.7 | 61.5 | 62.7 |
| NV0236 | 65.2 | 66.7 | 61.4 | 61.1 | 61.8 | 62.9 | 66.2 | 67.8 | 66.2 | 65.9 | 66.2 | 67.3 |
| NV0237 | 59.4 | 61.0 | 59.4 | 59.1 | 59.4 | 60.5 | 60.6 | 62.2 | 60.9 | 60.6 | 60.9 | 62.0 |
| NV0238 | 57.6 | 59.1 | 51.4 | 51.6 | 51.4 | 52.9 | 58.8 | 60.3 | 53.6 | 53.6 | 53.6 | 54.9 |
| NV0239 | 57.0 | 58.5 | 50.3 | 50.9 | 50.3 | 52.1 | 58.3 | 59.8 | 52.0 | 52.4 | 52.0 | 53.6 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0240 | 59.3 | 60.9 | 59.3 | 59.0 | 58.0 | 59.2 | 61.6 | 63.1 | 61.2 | 60.9 | 61.2 | 62.3 |
| NV0241 | 64.6 | 66.2 | 64.6 | 64.3 | 64.6 | 65.7 | 66.5 | 68.1 | 66.5 | 66.2 | 66.5 | 67.6 |
| NV0242 | 60.5 | 62.0 | 56.1 | 55.8 | 56.1 | 57.2 | 61.6 | 63.1 | 56.5 | 56.3 | 56.5 | 57.7 |
| NV0243 | 59.2 | 60.7 | 46.8 | 49.7 | 46.8 | 50.7 | 60.9 | 62.4 | 48.7 | 50.9 | 48.7 | 52.0 |
| NV0244 | 59.1 | 60.8 | 61.4 | 61.3 | 56.2 | 57.6 | 59.9 | 61.6 | 62.6 | 62.5 | 57.8 | 59.2 |
| NV0245 | 73.1 | 74.7 | 60.5 | 60.3 | 60.5 | 61.7 | 73.0 | 74.6 | 67.7 | 67.4 | 67.7 | 68.8 |
| NV0246 | 68.7 | 70.3 | 66.7 | 66.4 | 68.7 | 69.8 | 70.2 | 71.8 | 69.9 | 69.6 | 70.2 | 71.3 |
| NV0247 | 66.3 | 67.7 | 65.3 | 65.2 | 65.3 | 66.5 | 66.5 | 67.9 | 66.5 | 66.4 | 66.5 | 67.7 |
| NV0248 | 59.2 | 60.5 | 59.2 | 59.5 | 59.2 | 60.6 | 60.8 | 62.1 | 60.8 | 61.0 | 60.8 | 62.1 |
| NV0249 | 63.0 | 64.5 | 63.0 | 61.8 | 63.0 | 63.2 | 67.6 | 69.0 | 63.9 | 63.0 | 63.9 | 64.4 |
| NV0250 | 66.3 | 67.7 | 65.3 | 65.2 | 65.3 | 66.5 | 66.5 | 67.9 | 66.5 | 66.4 | 66.5 | 67.7 |
| NV0251 | 62.4 | 63.8 | 61.2 | 61.7 | 62.4 | 64.0 | 64.0 | 65.4 | 64.0 | 64.4 | 64.0 | 65.6 |
| NV0252 | 56.0 | 57.6 | 54.9 | 55.7 | 54.9 | 57.2 | 57.7 | 59.3 | 56.8 | 57.5 | 57.7 | 59.8 |
| NV0253 | 62.6 | 63.9 | 56.7 | 56.8 | 60.0 | 61.2 | 64.0 | 65.3 | 58.1 | 58.2 | 60.2 | 61.4 |
| NV0254 | 65.6 | 67.2 | 65.6 | 65.4 | 65.6 | 66.8 | 69.1 | 70.7 | 64.7 | 64.5 | 69.2 | 70.3 |
| NV0255 | 58.3 | 59.6 | 63.6 | 63.8 | 55.1 | 56.4 | 59.6 | 61.0 | 64.9 | 65.1 | 59.6 | 60.8 |
| NV0256 | 73.7 | 75.2 | 70.4 | 70.2 | 70.4 | 71.5 | 74.3 | 75.7 | 70.9 | 70.7 | 70.9 | 72.1 |
| NV0257 | 66.2 | 67.8 | 66.2 | 65.9 | 66.2 | 67.3 | 67.1 | 68.7 | 67.1 | 66.8 | 67.1 | 68.2 |
| NV0258 | 66.3 | 67.7 | 65.3 | 65.2 | 65.3 | 66.5 | 66.5 | 67.9 | 66.5 | 66.4 | 66.5 | 67.7 |
| NV0259 | 67.5 | 69.1 | 58.0 | 58.4 | 58.0 | 59.8 | 68.6 | 70.2 | 59.8 | 60.2 | 62.9 | 64.6 |
| NV0260 | 57.2 | 58.7 | 60.5 | 60.4 | 60.7 | 61.9 | 59.2 | 60.7 | 61.7 | 61.6 | 61.7 | 62.9 |
| NV0261 | 58.9 | 60.4 | 56.7 | 56.6 | 58.9 | 60.1 | 60.2 | 61.7 | 60.2 | 60.1 | 60.4 | 61.6 |
| NV0262 | 70.4 | 72.0 | 62.8 | 62.6 | 69.8 | 70.9 | 71.0 | 72.6 | 69.7 | 69.4 | 71.0 | 72.1 |
| NV0263 | 53.1 | 54.2 | 52.1 | 51.9 | 46.4 | 47.3 | 51.4 | 52.6 | 53.5 | 53.3 | 54.4 | 55.2 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0264 | 50.7 | 51.8 | 50.7 | 50.5 | 50.7 | 51.6 | 52.5 | 53.6 | 52.5 | 52.3 | 52.5 | 53.4 |
| NV0265 | 47.8 | 49.0 | 48.7 | 48.7 | 48.7 | 49.7 | 50.5 | 51.6 | 50.5 | 50.4 | 50.5 | 51.5 |
| NV0266 | 51.3 | 52.4 | 51.3 | 51.2 | 51.3 | 52.2 | 53.0 | 54.1 | 53.0 | 52.8 | 53.0 | 53.9 |
| NV0267 | 51.0 | 52.1 | 49.4 | 49.4 | 49.4 | 50.5 | 52.4 | 53.5 | 51.0 | 50.9 | 51.0 | 52.0 |
| NV0268 | 51.5 | 52.7 | 51.5 | 51.5 | 51.6 | 52.6 | 53.1 | 54.2 | 53.1 | 53.0 | 53.0 | 54.0 |
| NV0269 | 50.8 | 52.0 | 50.8 | 50.9 | 51.6 | 52.8 | 52.3 | 53.5 | 53.0 | 53.0 | 53.0 | 54.1 |
| NV0270 | 52.4 | 53.5 | 52.4 | 52.3 | 51.8 | 52.8 | 53.4 | 54.5 | 53.4 | 53.3 | 53.1 | 54.1 |
| NV0271 | 54.5 | 55.7 | 52.2 | 52.3 | 52.2 | 53.4 | 54.4 | 55.6 | 54.4 | 54.4 | 54.4 | 55.5 |
| NV0272 | 53.1 | 54.2 | 53.1 | 53.1 | 53.1 | 54.2 | 54.3 | 55.5 | 54.3 | 54.3 | 54.3 | 55.4 |
| NV0273 | 52.6 | 53.8 | 52.6 | 52.7 | 52.6 | 53.9 | 53.9 | 55.1 | 53.9 | 54.0 | 53.9 | 55.1 |
| NV0274 | 53.7 | 54.9 | 53.7 | 53.8 | 53.7 | 54.9 | 55.7 | 56.8 | 55.1 | 55.1 | 55.1 | 56.2 |
| NV0275 | 53.6 | 54.8 | 53.6 | 53.7 | 53.6 | 54.8 | 54.8 | 56.0 | 54.8 | 54.9 | 54.8 | 56.0 |
| NV0276 | 56.4 | 57.6 | 56.0 | 56.2 | 56.4 | 57.6 | 57.3 | 58.5 | 57.3 | 57.4 | 57.3 | 58.5 |
| NV0277 | 55.8 | 57.0 | 55.8 | 56.0 | 55.8 | 57.1 | 56.8 | 57.9 | 56.8 | 56.9 | 56.8 | 58.0 |
| NV0278 | 58.4 | 59.6 | 58.2 | 58.4 | 58.4 | 59.7 | 59.1 | 60.3 | 59.1 | 59.2 | 59.1 | 60.4 |
| NV0280 | 59.0 | 59.6 | 55.4 | 56.0 | 59.0 | 60.3 | 60.4 | 60.9 | 57.0 | 57.6 | 60.2 | 61.6 |
| NV0282 | 63.2 | 64.0 | 63.2 | 63.8 | 63.2 | 64.6 | 66.0 | 66.7 | 64.4 | 65.0 | 64.9 | 66.3 |
| NV0283 | 49.5 | 50.8 | 50.4 | 48.5 | 50.4 | 49.4 | 52.2 | 53.4 | 48.9 | 47.1 | 52.2 | 51.1 |
| NV0284 | 49.4 | 50.6 | 49.1 | 47.2 | 48.6 | 47.6 | 51.4 | 52.6 | 51.3 | 49.4 | 51.3 | 50.2 |
| NV0285 | 48.2 | 49.4 | 46.2 | 44.8 | 46.2 | 45.7 | 50.3 | 51.5 | 48.5 | 47.1 | 48.5 | 48.0 |
| NV0286 | 49.8 | 51.0 | 46.0 | 44.6 | 46.0 | 45.4 | 51.8 | 52.9 | 48.3 | 46.9 | 48.3 | 47.7 |
| NV0287 | 49.4 | 50.7 | 45.2 | 43.6 | 45.2 | 44.4 | 51.5 | 52.7 | 48.4 | 46.7 | 48.2 | 47.3 |
| NV0288 | 50.9 | 52.1 | 45.2 | 43.5 | 45.2 | 44.3 | 50.1 | 51.3 | 50.8 | 48.9 | 48.0 | 47.0 |
| NV0289 | 65.7 | 66.7 | 65.7 | 65.7 | 65.7 | 66.6 | 66.7 | 67.8 | 66.7 | 66.7 | 66.7 | 67.6 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0290 | 61.5 | 62.4 | 61.5 | 61.6 | 61.5 | 62.5 | 62.5 | 63.4 | 63.4 | 63.4 | 62.5 | 63.4 |
| NV0291 | 66.2 | 66.9 | 65.4 | 65.3 | 65.4 | 65.9 | 75.0 | 75.8 | 67.9 | 67.7 | 66.8 | 67.2 |
| NV0292 | 66.2 | 66.9 | 65.4 | 65.3 | 65.4 | 65.9 | 75.0 | 75.8 | 67.9 | 67.7 | 66.8 | 67.2 |
| NV0293 | 60.7 | 61.4 | 66.1 | 66.0 | 60.7 | 61.3 | 64.4 | 65.1 | 67.2 | 67.1 | 67.2 | 67.7 |
| NV0294 | 51.2 | 52.4 | 49.0 | 48.3 | 49.0 | 49.1 | 52.7 | 53.9 | 50.8 | 50.0 | 50.8 | 50.8 |
| NV0295 | 52.4 | 53.4 | 50.4 | 49.8 | 50.4 | 50.6 | 53.3 | 54.4 | 52.6 | 51.8 | 52.0 | 52.1 |
| NV0296 | 51.3 | 52.4 | 49.5 | 48.9 | 49.5 | 49.7 | 52.8 | 54.0 | 51.4 | 50.6 | 51.4 | 51.4 |
| NV0297 | 50.5 | 51.6 | 52.2 | 51.2 | 50.5 | 50.4 | 50.9 | 52.1 | 53.5 | 52.5 | 53.5 | 53.3 |
| NV0298 | 51.7 | 52.8 | 50.8 | 50.4 | 50.8 | 51.1 | 53.2 | 54.4 | 52.4 | 51.8 | 52.4 | 52.6 |
| NV0299 | 50.3 | 51.5 | 49.3 | 48.5 | 49.3 | 49.3 | 51.8 | 53.0 | 50.8 | 49.8 | 50.8 | 50.7 |
| NV0300 | 53.9 | 55.1 | 51.1 | 50.7 | 51.1 | 51.5 | 53.9 | 55.1 | 52.6 | 52.1 | 52.6 | 52.8 |
| NV0301 | 49.7 | 50.9 | 49.2 | 47.4 | 49.2 | 48.3 | 51.8 | 53.0 | 50.1 | 48.4 | 51.4 | 50.5 |
| NV0302 | 50.5 | 51.7 | 47.6 | 46.7 | 47.6 | 47.5 | 52.3 | 53.5 | 49.9 | 48.9 | 49.9 | 49.7 |
| NV0303 | 47.9 | 49.1 | 47.6 | 46.3 | 47.6 | 47.2 | 51.9 | 53.1 | 49.8 | 48.5 | 49.8 | 49.4 |
| NV0304 | 50.3 | 51.5 | 49.4 | 47.7 | 50.2 | 49.3 | 51.9 | 53.2 | 51.2 | 49.5 | 51.9 | 51.0 |
| NV0305 | 50.8 | 52.1 | 48.8 | 47.1 | 50.0 | 49.0 | 52.3 | 53.5 | 50.5 | 48.9 | 50.5 | 49.7 |
| NV0306 | 49.8 | 51.1 | 49.8 | 48.0 | 49.8 | 48.9 | 51.7 | 53.0 | 50.8 | 49.1 | 51.7 | 50.8 |
| NV0307 | 48.7 | 50.0 | 49.2 | 47.6 | 49.2 | 48.5 | 50.3 | 51.6 | 51.2 | 49.9 | 51.2 | 50.8 |
| NV0308 | 49.7 | 51.0 | 50.1 | 48.4 | 50.1 | 49.3 | 51.7 | 52.9 | 52.9 | 51.2 | 52.1 | 51.3 |
| NV0309 | 51.2 | 52.4 | 51.2 | 49.5 | 51.2 | 50.3 | 52.3 | 53.6 | 50.6 | 49.1 | 50.6 | 49.9 |
| NV0310 | 49.7 | 50.9 | 49.7 | 48.5 | 49.7 | 49.3 | 53.0 | 54.1 | 51.9 | 50.7 | 51.9 | 51.5 |
| NV0311 | 49.6 | 50.8 | 47.7 | 46.6 | 47.7 | 47.5 | 51.4 | 52.6 | 49.9 | 48.7 | 49.9 | 49.6 |
| NV0312 | 51.0 | 52.1 | 50.2 | 49.0 | 50.2 | 49.8 | 52.0 | 53.2 | 52.3 | 51.2 | 52.3 | 52.0 |
| NV0313 | 49.7 | 50.9 | 48.7 | 47.0 | 48.7 | 47.8 | 51.4 | 52.6 | 50.7 | 49.0 | 50.7 | 49.8 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0314 | 50.8 | 51.9 | 50.8 | 49.7 | 50.8 | 50.5 | 52.8 | 53.9 | 53.1 | 52.0 | 53.1 | 52.8 |
| NV0315 | 48.8 | 50.1 | 46.8 | 45.5 | 46.8 | 46.3 | 51.1 | 52.3 | 49.1 | 47.6 | 49.1 | 48.5 |
| NV0316 | 50.2 | 51.5 | 48.8 | 47.0 | 48.8 | 47.9 | 52.1 | 53.4 | 50.3 | 48.6 | 50.8 | 49.9 |
| NV0317 | 49.4 | 50.7 | 48.7 | 46.9 | 48.7 | 47.7 | 51.1 | 52.4 | 50.7 | 48.9 | 50.7 | 49.7 |
| NV0318 | 51.2 | 52.4 | 48.4 | 46.5 | 48.4 | 47.3 | 53.1 | 54.3 | 50.3 | 48.6 | 50.3 | 49.3 |
| NV0319 | 49.0 | 50.3 | 48.9 | 47.0 | 49.5 | 48.4 | 50.7 | 52.0 | 51.1 | 49.2 | 50.8 | 49.7 |
| NV0320 | 50.9 | 52.2 | 50.9 | 48.9 | 50.9 | 49.7 | 52.9 | 54.1 | 50.3 | 48.4 | 52.9 | 51.7 |
| NV0321 | 49.1 | 50.4 | 49.8 | 47.9 | 49.8 | 48.8 | 50.9 | 52.2 | 51.7 | 49.8 | 51.7 | 50.7 |
| NV0322 | 51.0 | 52.3 | 51.0 | 49.0 | 51.0 | 49.8 | 53.2 | 54.4 | 51.4 | 49.5 | 53.4 | 52.2 |
| NV0323 | 49.8 | 51.1 | 49.8 | 47.9 | 49.8 | 48.8 | 51.0 | 52.3 | 51.9 | 50.0 | 52.2 | 51.1 |
| NV0324 | 48.9 | 50.2 | 47.7 | 46.1 | 47.4 | 46.7 | 51.5 | 52.8 | 49.9 | 48.3 | 49.7 | 49.0 |
| NV0325 | 49.6 | 50.9 | 49.0 | 47.2 | 49.6 | 48.6 | 51.5 | 52.8 | 52.1 | 50.2 | 51.5 | 50.5 |
| NV0326 | 49.7 | 50.9 | 49.7 | 47.8 | 50.9 | 49.8 | 51.6 | 52.8 | 52.2 | 50.3 | 52.6 | 51.5 |
| NV0327 | 41.2 | 43.1 | 41.2 | 42.4 | 41.2 | 43.7 | 43.4 | 45.2 | 43.4 | 44.8 | 43.4 | 46.2 |
| NV0328 | 41.2 | 43.1 | 41.2 | 42.4 | 41.2 | 43.7 | 43.4 | 45.2 | 43.4 | 44.8 | 43.4 | 46.2 |
| NV0329 | 38.9 | 40.6 | 48.6 | 48.5 | 38.9 | 40.2 | 42.0 | 43.6 | 50.5 | 50.4 | 42.0 | 43.3 |
| NV0330 | 38.9 | 40.6 | 48.6 | 48.5 | 38.9 | 40.2 | 42.0 | 43.6 | 50.5 | 50.4 | 42.0 | 43.3 |
| NV0331 | 39.5 | 41.1 | 48.4 | 48.4 | 48.4 | 49.7 | 42.3 | 44.0 | 45.7 | 45.7 | 45.7 | 47.1 |
| NV0332 | 39.5 | 41.1 | 48.4 | 48.4 | 48.4 | 49.7 | 42.3 | 44.0 | 45.7 | 45.7 | 45.7 | 47.1 |
| NV0333 | 40.2 | 42.0 | 39.7 | 40.0 | 39.7 | 41.3 | 42.9 | 44.6 | 42.9 | 43.1 | 42.9 | 44.5 |
| NV0334 | 39.5 | 41.2 | 48.5 | 48.6 | 48.5 | 49.9 | 42.2 | 43.9 | 50.3 | 50.3 | 48.7 | 50.1 |
| NV0335 | 40.2 | 42.0 | 39.7 | 40.0 | 39.7 | 41.3 | 42.9 | 44.6 | 42.9 | 43.1 | 42.9 | 44.5 |
| NV0336 | 39.5 | 41.2 | 48.5 | 48.6 | 48.5 | 49.9 | 42.2 | 43.9 | 50.3 | 50.3 | 48.7 | 50.1 |
| NV0337 | 41.9 | 43.6 | 41.9 | 42.1 | 41.9 | 43.4 | 43.8 | 45.4 | 43.8 | 44.1 | 43.8 | 45.4 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0338 | 41.9 | 43.6 | 41.9 | 42.1 | 41.9 | 43.4 | 43.8 | 45.4 | 43.8 | 44.1 | 43.8 | 45.4 |
| NV0339 | 41.9 | 43.6 | 41.9 | 42.1 | 41.9 | 43.4 | 45.2 | 46.7 | 44.6 | 44.8 | 44.6 | 46.1 |
| NV0340 | 41.9 | 43.6 | 41.9 | 42.1 | 41.9 | 43.4 | 45.2 | 46.7 | 44.6 | 44.8 | 44.6 | 46.1 |
| NV0341 | 45.1 | 46.7 | 45.1 | 45.3 | 45.1 | 46.6 | 47.5 | 49.0 | 47.5 | 47.6 | 47.5 | 48.9 |
| NV0342 | 40.8 | 42.7 | 40.8 | 41.5 | 40.8 | 42.9 | 42.9 | 44.7 | 42.9 | 43.7 | 42.9 | 45.1 |
| NV0343 | 45.1 | 46.7 | 45.1 | 45.3 | 45.1 | 46.6 | 47.5 | 49.0 | 47.5 | 47.6 | 47.5 | 48.9 |
| NV0344 | 40.8 | 42.7 | 40.8 | 41.5 | 40.8 | 42.9 | 42.9 | 44.7 | 42.9 | 43.7 | 42.9 | 45.1 |
| NV0345 | 39.8 | 41.5 | 44.1 | 44.1 | 44.1 | 45.5 | 42.0 | 43.7 | 47.1 | 47.0 | 47.1 | 48.4 |
| NV0346 | 39.8 | 41.5 | 44.1 | 44.1 | 44.1 | 45.5 | 42.0 | 43.7 | 47.1 | 47.0 | 47.1 | 48.4 |
| NV0347 | 39.7 | 41.4 | 46.9 | 46.9 | 46.9 | 48.2 | 42.3 | 44.0 | 48.9 | 48.8 | 48.7 | 50.0 |
| NV0348 | 39.7 | 41.4 | 46.9 | 46.9 | 46.9 | 48.2 | 42.3 | 44.0 | 48.9 | 48.8 | 48.7 | 50.0 |
| NV0349 | 40.6 | 42.4 | 40.6 | 40.7 | 40.6 | 42.1 | 42.7 | 44.4 | 42.7 | 42.9 | 42.7 | 44.3 |
| NV0350 | 40.6 | 42.4 | 40.6 | 40.7 | 40.6 | 42.1 | 42.7 | 44.4 | 42.7 | 42.9 | 42.7 | 44.3 |
| NV0351 | 41.1 | 43.0 | 41.1 | 42.0 | 41.1 | 43.4 | 42.9 | 44.7 | 42.9 | 44.1 | 42.9 | 45.5 |
| NV0352 | 41.1 | 43.0 | 41.1 | 42.0 | 41.1 | 43.4 | 42.9 | 44.7 | 42.9 | 44.1 | 42.9 | 45.5 |
| NV0353 | 42.1 | 44.0 | 42.1 | 43.7 | 42.1 | 45.1 | 43.8 | 45.7 | 43.8 | 45.6 | 43.8 | 47.0 |
| NV0354 | 42.1 | 44.0 | 42.1 | 43.7 | 42.1 | 45.1 | 43.8 | 45.7 | 43.8 | 45.6 | 43.8 | 47.0 |
| NV0355 | 48.1 | 49.7 | 48.1 | 48.3 | 48.0 | 49.5 | 42.5 | 44.1 | 50.2 | 50.2 | 50.2 | 51.5 |
| NV0356 | 48.1 | 49.7 | 48.1 | 48.3 | 48.0 | 49.5 | 42.5 | 44.1 | 50.2 | 50.2 | 50.2 | 51.5 |
| NV0357 | 44.4 | 46.1 | 44.4 | 45.2 | 44.4 | 46.5 | 50.2 | 51.7 | 46.8 | 47.5 | 46.8 | 48.7 |
| NV0358 | 44.4 | 46.1 | 44.4 | 45.2 | 44.4 | 46.5 | 50.2 | 51.7 | 46.8 | 47.5 | 46.8 | 48.7 |
| NV0359 | 43.2 | 45.2 | 41.9 | 43.7 | 41.9 | 45.0 | 45.1 | 47.0 | 43.7 | 45.8 | 43.7 | 47.1 |
| NV0360 | 43.2 | 45.2 | 41.9 | 43.7 | 41.9 | 45.0 | 45.1 | 47.0 | 43.7 | 45.8 | 43.7 | 47.1 |
| NV0361 | 39.7 | 41.4 | 39.7 | 40.8 | 39.7 | 42.2 | 42.2 | 43.9 | 42.2 | 43.6 | 42.2 | 44.9 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0362 | 39.7 | 41.4 | 39.7 | 40.8 | 39.7 | 42.2 | 42.2 | 43.9 | 42.2 | 43.6 | 42.2 | 44.9 |
| NV0363 | 39.4 | 41.1 | 48.6 | 48.7 | 48.6 | 50.1 | 42.2 | 43.9 | 50.5 | 50.6 | 50.5 | 51.9 |
| NV0364 | 39.4 | 41.1 | 48.6 | 48.7 | 48.6 | 50.1 | 42.2 | 43.9 | 50.5 | 50.6 | 50.5 | 51.9 |
| NV0365 | 39.2 | 40.9 | 48.6 | 48.6 | 48.6 | 50.0 | 42.2 | 43.9 | 50.2 | 50.3 | 50.2 | 51.6 |
| NV0366 | 39.2 | 40.9 | 48.6 | 48.6 | 48.6 | 50.0 | 42.2 | 43.9 | 50.2 | 50.3 | 50.2 | 51.6 |
| NV0367 | 52.7 | 54.6 | 52.5 | 52.5 | 52.5 | 53.9 | 52.3 | 54.3 | 53.6 | 53.6 | 53.6 | 55.0 |
| NV0368 | 45.1 | 47.1 | 45.1 | 45.3 | 45.1 | 46.7 | 47.0 | 48.8 | 46.7 | 46.9 | 46.7 | 48.2 |
| NV0369 | 52.0 | 54.0 | 49.4 | 49.5 | 49.4 | 50.9 | 53.3 | 55.3 | 53.3 | 53.3 | 53.3 | 54.7 |
| NV0370 | 39.3 | 41.0 | 47.8 | 47.6 | 41.9 | 43.2 | 43.9 | 45.6 | 49.3 | 49.2 | 43.9 | 45.2 |
| NV0371 | 50.6 | 52.6 | 49.1 | 49.3 | 49.1 | 50.7 | 51.8 | 53.8 | 50.5 | 50.7 | 50.5 | 52.1 |
| NV0372 | 41.8 | 43.6 | 41.8 | 42.1 | 41.8 | 43.4 | 44.1 | 45.8 | 44.1 | 44.4 | 44.1 | 45.7 |
| NV0373 | 51.2 | 53.1 | 43.2 | 43.1 | 51.2 | 52.5 | 51.7 | 53.6 | 51.7 | 51.6 | 51.7 | 53.0 |
| NV0374 | 39.0 | 40.7 | 43.1 | 43.0 | 43.1 | 44.4 | 41.9 | 43.6 | 45.3 | 45.2 | 45.3 | 46.6 |
| NV0375 | 48.8 | 50.5 | 48.8 | 48.8 | 48.8 | 50.1 | 50.5 | 52.1 | 50.5 | 50.4 | 43.7 | 45.0 |
| NV0376 | 42.8 | 44.7 | 42.7 | 42.8 | 42.7 | 44.2 | 44.7 | 46.6 | 44.7 | 45.0 | 44.7 | 46.3 |
| NV0377 | 44.2 | 46.2 | 44.2 | 44.8 | 44.2 | 46.2 | 45.7 | 47.7 | 45.7 | 46.3 | 45.7 | 47.7 |
| NV0378 | 43.5 | 45.4 | 43.5 | 43.7 | 43.5 | 45.1 | 45.3 | 47.1 | 45.1 | 45.4 | 45.1 | 46.8 |
| NV0379 | 44.0 | 45.9 | 43.6 | 43.9 | 44.0 | 45.6 | 45.4 | 47.3 | 45.3 | 45.8 | 45.3 | 47.2 |
| NV0380 | 43.9 | 45.9 | 42.8 | 43.4 | 42.8 | 44.8 | 45.3 | 47.2 | 44.4 | 45.2 | 44.4 | 46.6 |
| NV0381 | 42.4 | 44.3 | 42.4 | 43.3 | 42.4 | 44.6 | 44.2 | 46.1 | 44.6 | 45.5 | 44.5 | 46.8 |
| NV0382 | 46.3 | 47.9 | 45.7 | 46.1 | 45.7 | 47.4 | 48.2 | 49.8 | 47.5 | 47.9 | 47.8 | 49.5 |
| NV0383 | 41.2 | 43.0 | 41.2 | 42.1 | 41.2 | 43.5 | 43.2 | 45.0 | 43.2 | 44.3 | 43.2 | 45.6 |
| NV0384 | 41.6 | 43.1 | 41.6 | 41.6 | 41.6 | 43.0 | 43.7 | 45.2 | 43.7 | 43.7 | 43.7 | 45.1 |
| NV0385 | 41.5 | 43.3 | 41.5 | 42.5 | 41.5 | 43.8 | 43.4 | 45.2 | 43.4 | 44.6 | 43.4 | 45.9 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0386 | 48.5 | 50.0 | 41.4 | 41.3 | 40.7 | 42.1 | 43.8 | 45.3 | 43.8 | 43.7 | 43.8 | 45.1 |
| NV0387 | 42.0 | 43.9 | 42.0 | 42.8 | 42.0 | 44.2 | 44.3 | 46.1 | 44.3 | 45.2 | 44.3 | 46.6 |
| NV0388 | 42.8 | 44.7 | 42.8 | 43.6 | 42.8 | 45.0 | 44.7 | 46.6 | 44.7 | 45.8 | 44.7 | 47.1 |
| NV0389 | 42.8 | 44.7 | 42.8 | 43.6 | 42.8 | 45.0 | 44.7 | 46.6 | 44.7 | 45.8 | 44.7 | 47.1 |
| NV0390 | 39.6 | 41.4 | 39.6 | 40.5 | 39.6 | 41.9 | 42.1 | 43.9 | 42.1 | 43.0 | 42.1 | 44.3 |
| NV0391 | 39.6 | 41.4 | 39.6 | 40.5 | 39.6 | 41.9 | 42.1 | 43.9 | 42.1 | 43.0 | 42.1 | 44.3 |
| NV0392 | 45.3 | 47.4 | 45.3 | 46.0 | 45.3 | 47.4 | 46.4 | 48.5 | 46.4 | 47.2 | 46.4 | 48.6 |
| NV0393 | 45.3 | 47.4 | 45.3 | 46.0 | 45.3 | 47.4 | 46.4 | 48.5 | 46.4 | 47.2 | 46.4 | 48.6 |
| NV0394 | 44.7 | 46.8 | 46.6 | 47.4 | 46.6 | 48.8 | 45.8 | 47.8 | 47.8 | 48.7 | 47.8 | 50.0 |
| NV0395 | 44.7 | 46.8 | 46.6 | 47.4 | 46.6 | 48.8 | 45.8 | 47.8 | 47.8 | 48.7 | 47.8 | 50.0 |
| NV0396 | 55.5 | 57.5 | 44.0 | 43.9 | 44.0 | 45.3 | 50.3 | 52.3 | 50.3 | 50.1 | 50.3 | 51.6 |
| NV0397 | 52.7 | 54.8 | 49.0 | 48.9 | 46.1 | 47.5 | 54.4 | 56.5 | 51.6 | 51.5 | 47.8 | 49.2 |
| NV0398 | 57.5 | 59.5 | 46.0 | 45.9 | 46.0 | 47.3 | 58.3 | 60.3 | 47.7 | 47.6 | 47.7 | 49.1 |
| NV0399 | 52.7 | 54.8 | 49.0 | 48.9 | 46.1 | 47.5 | 54.4 | 56.5 | 51.6 | 51.5 | 47.8 | 49.2 |
| NV0400 | 57.5 | 59.5 | 46.0 | 45.9 | 46.0 | 47.3 | 58.3 | 60.3 | 47.7 | 47.6 | 47.7 | 49.1 |
| NV0401 | 56.7 | 58.8 | 57.6 | 57.3 | 56.7 | 57.9 | 58.2 | 60.3 | 59.8 | 59.5 | 58.2 | 59.4 |
| NV0402 | 56.6 | 58.6 | 53.7 | 53.5 | 53.7 | 54.9 | 58.2 | 60.3 | 45.3 | 45.1 | 45.3 | 46.5 |
| NV0403 | 61.6 | 63.7 | 61.6 | 61.3 | 59.1 | 60.3 | 63.3 | 65.4 | 63.3 | 63.0 | 63.3 | 64.5 |
| NV0404 | 56.6 | 58.6 | 53.7 | 53.5 | 53.7 | 54.9 | 58.2 | 60.3 | 45.3 | 45.1 | 45.3 | 46.5 |
| NV0405 | 61.6 | 63.7 | 61.6 | 61.3 | 59.1 | 60.3 | 63.3 | 65.4 | 63.3 | 63.0 | 63.3 | 64.5 |
| NV0406 | 58.5 | 60.6 | 52.4 | 52.2 | 52.4 | 53.6 | 62.1 | 64.1 | 62.0 | 61.7 | 55.3 | 56.5 |
| NV0407 | 58.5 | 60.6 | 52.4 | 52.2 | 52.4 | 53.6 | 62.1 | 64.1 | 62.0 | 61.7 | 55.3 | 56.5 |
| NV0408 | 42.4 | 44.3 | 42.4 | 43.1 | 42.4 | 44.5 | 44.3 | 46.2 | 44.3 | 45.1 | 44.3 | 46.5 |
| NV0409 | 49.7 | 51.4 | 45.2 | 45.2 | 45.2 | 46.6 | 51.3 | 52.9 | 50.4 | 50.4 | 46.7 | 48.1 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0410 | 48.2 | 49.8 | 48.2 | 48.1 | 41.1 | 42.4 | 43.6 | 45.2 | 43.6 | 43.5 | 43.6 | 44.9 |
| NV0411 | 46.3 | 48.3 | 46.3 | 46.4 | 46.3 | 47.8 | 47.7 | 49.6 | 47.7 | 47.9 | 47.7 | 49.3 |
| NV0412 | 42.5 | 44.3 | 42.5 | 42.7 | 42.5 | 44.1 | 44.3 | 46.1 | 44.3 | 44.6 | 44.3 | 46.0 |
| NV0413 | 45.0 | 47.0 | 45.0 | 45.1 | 45.0 | 46.6 | 46.8 | 48.8 | 46.8 | 47.0 | 46.8 | 48.4 |
| NV0414 | 45.0 | 47.0 | 45.0 | 45.1 | 45.0 | 46.6 | 46.8 | 48.8 | 46.8 | 47.0 | 46.8 | 48.4 |
| NV0415 | 46.8 | 48.9 | 46.8 | 47.3 | 46.8 | 48.7 | 48.3 | 50.3 | 48.3 | 48.8 | 48.3 | 50.2 |
| NV0416 | 46.8 | 48.9 | 46.8 | 47.3 | 46.8 | 48.7 | 48.3 | 50.3 | 48.3 | 48.8 | 48.3 | 50.2 |
| NV0417 | 50.5 | 52.6 | 50.5 | 50.4 | 50.5 | 51.9 | 53.0 | 55.1 | 53.0 | 52.9 | 53.0 | 54.3 |
| NV0418 | 59.9 | 62.0 | 60.0 | 59.7 | 58.8 | 60.0 | 59.3 | 61.4 | 60.4 | 60.1 | 57.4 | 58.6 |
| NV0419 | 52.7 | 54.8 | 52.4 | 52.3 | 52.7 | 54.0 | 58.9 | 61.0 | 55.4 | 55.2 | 55.4 | 56.7 |
| NV0420 | 53.3 | 55.4 | 49.0 | 48.9 | 53.3 | 54.6 | 56.7 | 58.8 | 52.2 | 52.1 | 55.3 | 56.6 |
| NV0421 | 52.7 | 54.8 | 52.7 | 52.5 | 52.7 | 54.0 | 60.2 | 62.3 | 55.4 | 55.2 | 55.4 | 56.6 |
| NV0422 | 53.9 | 55.9 | 44.3 | 44.2 | 44.3 | 45.6 | 56.0 | 58.0 | 53.9 | 53.7 | 56.0 | 57.2 |
| NV0423 | 60.8 | 62.9 | 60.8 | 60.5 | 57.2 | 58.4 | 63.4 | 65.5 | 58.3 | 58.1 | 58.3 | 59.5 |
| NV0424 | 56.5 | 58.5 | 44.4 | 44.2 | 44.4 | 45.7 | 58.8 | 60.9 | 46.5 | 46.4 | 46.5 | 47.8 |
| NV0425 | 58.8 | 60.8 | 52.3 | 52.1 | 50.8 | 52.1 | 60.2 | 62.3 | 54.3 | 54.1 | 53.3 | 54.6 |
| NV0426 | 59.1 | 61.1 | 43.1 | 42.9 | 43.1 | 44.4 | 60.9 | 62.9 | 45.5 | 45.3 | 45.5 | 46.8 |
| NV0427 | 60.8 | 62.9 | 52.6 | 52.6 | 52.6 | 54.0 | 57.4 | 59.5 | 57.4 | 57.2 | 55.3 | 56.6 |
| NV0428 | 61.0 | 63.1 | 43.6 | 43.4 | 43.6 | 44.9 | 62.2 | 64.3 | 46.2 | 46.0 | 62.2 | 63.4 |
| NV0429 | 60.6 | 62.7 | 43.1 | 43.0 | 54.5 | 55.8 | 61.8 | 63.9 | 45.5 | 45.4 | 56.5 | 57.8 |
| NV0430 | 45.2 | 47.2 | 45.2 | 45.5 | 45.2 | 46.8 | 48.2 | 50.2 | 48.2 | 48.3 | 48.2 | 49.7 |
| NV0431 | 47.3 | 49.1 | 47.3 | 47.4 | 47.3 | 48.8 | 49.7 | 51.5 | 49.9 | 49.9 | 49.7 | 51.1 |
| NV0432 | 45.2 | 47.1 | 44.7 | 44.8 | 44.7 | 46.2 | 47.0 | 48.9 | 47.0 | 47.1 | 47.0 | 48.5 |
| NV0433 | 48.6 | 50.3 | 47.9 | 47.8 | 47.9 | 49.2 | 50.5 | 52.3 | 44.2 | 44.1 | 50.5 | 51.8 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0434 | 42.9 | 44.8 | 42.9 | 43.1 | 42.9 | 44.5 | 48.5 | 50.3 | 45.5 | 45.6 | 46.0 | 47.4 |
| NV0435 | 49.4 | 51.1 | 41.6 | 41.5 | 41.6 | 42.9 | 50.4 | 52.1 | 43.7 | 43.6 | 43.7 | 45.0 |
| NV0436 | 46.0 | 48.0 | 46.0 | 46.0 | 46.0 | 47.3 | 47.7 | 49.6 | 47.7 | 47.6 | 47.7 | 49.0 |
| NV0437 | 50.4 | 52.3 | 50.4 | 50.3 | 50.4 | 51.7 | 52.4 | 54.3 | 52.4 | 52.3 | 52.4 | 53.7 |
| NV0438 | 51.6 | 53.4 | 41.3 | 41.2 | 41.3 | 42.6 | 53.2 | 55.1 | 53.2 | 53.0 | 53.2 | 54.4 |
| NV0439 | 50.5 | 52.5 | 49.7 | 49.7 | 49.7 | 51.1 | 53.9 | 55.9 | 51.0 | 51.0 | 51.0 | 52.4 |
| NV0440 | 50.5 | 52.5 | 49.7 | 49.7 | 49.7 | 51.1 | 53.9 | 55.9 | 51.0 | 51.0 | 51.0 | 52.4 |
| NV0441 | 50.5 | 52.5 | 49.7 | 49.7 | 49.7 | 51.1 | 53.9 | 55.9 | 51.0 | 51.0 | 51.0 | 52.4 |
| NV0442 | 50.5 | 52.5 | 49.7 | 49.7 | 49.7 | 51.1 | 53.9 | 55.9 | 51.0 | 51.0 | 51.0 | 52.4 |
| NV0443 | 50.5 | 52.5 | 49.7 | 49.7 | 49.7 | 51.1 | 53.9 | 55.9 | 51.0 | 51.0 | 51.0 | 52.4 |
| NV0444 | 50.5 | 52.5 | 49.7 | 49.7 | 49.7 | 51.1 | 53.9 | 55.9 | 51.0 | 51.0 | 51.0 | 52.4 |
| NV0445 | 43.6 | 45.6 | 43.6 | 43.8 | 43.6 | 45.2 | 45.4 | 47.3 | 45.4 | 45.7 | 45.4 | 47.1 |
| NV0446 | 43.8 | 45.8 | 43.8 | 44.0 | 43.8 | 45.4 | 45.6 | 47.5 | 45.6 | 45.9 | 45.6 | 47.3 |
| NV0447 | 43.7 | 45.7 | 43.9 | 44.1 | 43.7 | 45.4 | 45.8 | 47.7 | 45.8 | 46.2 | 45.8 | 47.6 |
| NV0448 | 50.3 | 52.2 | 50.3 | 50.7 | 50.3 | 52.0 | 52.3 | 54.2 | 52.3 | 52.7 | 52.3 | 54.0 |
| NV0449 | 52.3 | 54.4 | 57.5 | 57.4 | 52.3 | 53.6 | 55.6 | 57.7 | 58.7 | 58.6 | 60.1 | 61.3 |
| NV0450 | 49.9 | 51.8 | 49.9 | 50.3 | 49.6 | 51.4 | 51.7 | 53.6 | 51.7 | 52.1 | 51.7 | 53.4 |
| NV0451 | 57.4 | 59.3 | 46.9 | 46.9 | 46.9 | 48.3 | 59.8 | 61.7 | 58.7 | 58.6 | 48.4 | 49.8 |
| NV0452 | 50.0 | 51.9 | 50.0 | 50.4 | 50.0 | 51.7 | 51.5 | 53.5 | 51.5 | 52.1 | 51.5 | 53.4 |
| NV0453 | 51.6 | 53.6 | 46.9 | 46.9 | 46.9 | 48.3 | 53.6 | 55.6 | 48.4 | 48.4 | 48.6 | 50.0 |
| NV0454 | 55.8 | 57.5 | 45.9 | 45.9 | 45.9 | 47.4 | 57.2 | 58.9 | 57.2 | 57.2 | 48.3 | 49.8 |
| NV0455 | 57.6 | 59.6 | 47.3 | 47.3 | 47.3 | 48.7 | 55.1 | 57.1 | 48.8 | 48.8 | 48.8 | 50.2 |
| NV0456 | 56.0 | 57.7 | 54.7 | 54.7 | 45.0 | 46.4 | 57.2 | 58.9 | 57.2 | 57.2 | 48.1 | 49.5 |
| NV0457 | 56.6 | 58.6 | 49.0 | 49.0 | 49.0 | 50.4 | 59.6 | 61.5 | 50.3 | 50.3 | 50.3 | 51.7 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0458 | 47.6 | 49.6 | 47.6 | 48.3 | 47.6 | 49.6 | 49.3 | 51.2 | 49.3 | 50.0 | 49.3 | 51.3 |
| NV0459 | 57.4 | 59.3 | 49.5 | 49.5 | 49.5 | 50.9 | 58.3 | 60.3 | 50.7 | 50.7 | 50.7 | 52.1 |
| NV0460 | 42.8 | 44.4 | 42.8 | 42.9 | 42.8 | 44.2 | 45.8 | 47.4 | 57.2 | 57.2 | 57.3 | 58.7 |
| NV0461 | 43.3 | 45.0 | 43.3 | 43.5 | 43.3 | 44.8 | 46.3 | 47.9 | 46.3 | 46.4 | 46.3 | 47.8 |
| NV0462 | 43.5 | 45.1 | 54.2 | 54.3 | 54.2 | 55.8 | 46.2 | 47.9 | 55.0 | 55.1 | 55.0 | 56.6 |
| NV0463 | 48.3 | 50.2 | 47.9 | 48.5 | 47.9 | 49.8 | 50.2 | 52.1 | 49.8 | 50.3 | 49.8 | 51.7 |
| NV0464 | 47.6 | 49.4 | 47.4 | 48.2 | 47.4 | 49.5 | 49.0 | 50.9 | 49.0 | 49.8 | 49.0 | 51.1 |
| NV0465 | 42.2 | 43.9 | 50.1 | 50.2 | 50.1 | 51.6 | 45.2 | 46.8 | 51.9 | 52.0 | 51.9 | 53.4 |
| NV0466 | 44.9 | 46.8 | 44.9 | 45.4 | 44.9 | 46.7 | 47.1 | 48.9 | 47.1 | 47.5 | 47.1 | 48.9 |
| NV0467 | 46.8 | 48.6 | 46.2 | 47.1 | 46.2 | 48.4 | 48.6 | 50.4 | 47.9 | 48.7 | 47.9 | 50.0 |
| NV0468 | 45.3 | 47.1 | 45.3 | 46.2 | 45.3 | 47.4 | 47.1 | 48.8 | 47.1 | 47.8 | 47.1 | 49.1 |
| NV0469 | 44.1 | 45.9 | 44.1 | 44.9 | 44.1 | 46.1 | 46.2 | 47.9 | 46.2 | 46.8 | 46.2 | 48.1 |
| NV0470 | 47.5 | 49.4 | 47.5 | 48.2 | 47.5 | 49.4 | 49.1 | 51.0 | 49.1 | 49.8 | 49.1 | 51.0 |
| NV0471 | 42.4 | 44.1 | 48.6 | 48.8 | 48.6 | 50.1 | 45.0 | 46.7 | 45.0 | 45.2 | 45.0 | 46.6 |
| NV0472 | 48.4 | 50.4 | 48.4 | 48.7 | 48.4 | 50.0 | 50.2 | 52.2 | 50.2 | 50.6 | 50.2 | 51.9 |
| NV0473 | 43.1 | 44.8 | 43.1 | 43.2 | 47.3 | 48.8 | 45.8 | 47.4 | 45.8 | 45.9 | 45.8 | 47.3 |
| NV0474 | 47.7 | 49.6 | 46.3 | 46.8 | 46.3 | 48.1 | 49.7 | 51.7 | 48.3 | 48.9 | 48.3 | 50.2 |
| NV0475 | 47.5 | 49.0 | 47.5 | 47.5 | 47.5 | 49.0 | 49.3 | 50.8 | 49.4 | 49.4 | 49.3 | 50.8 |
| NV0476 | 52.7 | 54.2 | 46.8 | 46.8 | 46.8 | 48.2 | 54.0 | 55.5 | 48.9 | 48.9 | 48.4 | 49.9 |
| NV0477 | 42.4 | 44.2 | 42.4 | 42.6 | 42.4 | 44.0 | 44.9 | 46.7 | 44.9 | 45.2 | 44.9 | 46.5 |
| NV0478 | 49.4 | 51.0 | 49.4 | 49.7 | 49.4 | 51.1 | 51.4 | 53.0 | 51.4 | 51.8 | 51.4 | 53.1 |
| NV0479 | 43.4 | 45.1 | 43.4 | 43.6 | 47.2 | 48.7 | 45.7 | 47.4 | 45.7 | 45.9 | 48.9 | 50.4 |
| NV0480 | 49.9 | 51.5 | 49.2 | 49.5 | 49.2 | 50.8 | 51.8 | 53.4 | 51.2 | 51.6 | 51.2 | 52.9 |
| NV0481 | 45.9 | 47.5 | 45.9 | 46.0 | 47.9 | 49.4 | 49.3 | 50.8 | 49.3 | 49.4 | 49.3 | 50.8 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0482 | 45.0 | 46.8 | 45.0 | 45.5 | 43.2 | 45.1 | 47.0 | 48.8 | 47.0 | 47.8 | 47.0 | 49.1 |
| NV0483 | 42.1 | 43.8 | 42.1 | 42.3 | 42.1 | 43.7 | 44.6 | 46.3 | 44.6 | 44.9 | 44.6 | 46.2 |
| NV0484 | 45.2 | 47.2 | 43.5 | 44.1 | 43.5 | 45.5 | 47.2 | 49.0 | 46.2 | 46.9 | 46.2 | 48.2 |
| NV0485 | 41.4 | 43.2 | 41.4 | 41.7 | 41.4 | 43.1 | 44.1 | 45.8 | 44.1 | 44.4 | 44.1 | 45.8 |
| NV0486 | 47.4 | 49.4 | 45.4 | 45.4 | 45.4 | 46.8 | 49.6 | 51.6 | 48.9 | 48.9 | 48.9 | 50.3 |
| NV0487 | 41.5 | 43.2 | 41.5 | 41.8 | 41.5 | 43.1 | 44.0 | 45.7 | 44.0 | 44.4 | 44.0 | 45.7 |
| NV0488 | 49.7 | 51.8 | 49.7 | 49.6 | 49.7 | 51.1 | 51.4 | 53.5 | 51.4 | 51.5 | 51.4 | 52.9 |
| NV0489 | 40.7 | 42.4 | 47.9 | 47.8 | 46.8 | 48.2 | 43.5 | 45.1 | 47.0 | 47.0 | 48.4 | 49.8 |
| NV0490 | 50.7 | 52.7 | 51.5 | 51.5 | 51.5 | 52.9 | 51.5 | 53.5 | 51.5 | 51.6 | 51.5 | 53.0 |
| NV0491 | 41.3 | 43.0 | 41.3 | 41.4 | 41.3 | 42.8 | 43.9 | 45.6 | 43.9 | 44.2 | 43.9 | 45.5 |
| NV0492 | 49.5 | 51.6 | 49.2 | 49.3 | 49.5 | 51.0 | 51.1 | 53.2 | 50.8 | 51.0 | 51.1 | 52.7 |
| NV0493 | 42.8 | 44.4 | 48.1 | 48.1 | 48.1 | 49.5 | 45.1 | 46.7 | 48.5 | 48.5 | 48.5 | 49.9 |
| NV0494 | 49.5 | 51.1 | 48.8 | 48.9 | 48.8 | 50.3 | 51.8 | 53.4 | 50.8 | 51.0 | 51.1 | 52.6 |
| NV0495 | 45.0 | 46.6 | 46.3 | 46.3 | 46.0 | 47.5 | 47.8 | 49.3 | 47.8 | 47.8 | 48.1 | 49.5 |
| NV0496 | 49.8 | 51.5 | 49.8 | 49.7 | 42.4 | 43.8 | 52.7 | 54.3 | 45.3 | 45.2 | 45.3 | 46.6 |
| NV0497 | 45.7 | 47.3 | 45.8 | 46.0 | 45.8 | 47.3 | 48.3 | 49.8 | 48.2 | 48.3 | 48.2 | 49.7 |
| NV0498 | 50.7 | 52.5 | 41.5 | 41.7 | 41.5 | 43.1 | 52.4 | 54.1 | 44.3 | 44.6 | 51.6 | 53.2 |
| NV0499 | 43.4 | 45.2 | 41.0 | 41.6 | 41.9 | 43.8 | 44.1 | 45.9 | 44.1 | 44.7 | 44.1 | 46.0 |
| NV0500 | 42.2 | 44.0 | 41.9 | 42.0 | 47.0 | 48.4 | 44.9 | 46.6 | 49.1 | 49.1 | 49.1 | 50.5 |
| NV0501 | 42.5 | 44.3 | 42.5 | 42.6 | 42.5 | 44.0 | 44.9 | 46.7 | 44.9 | 45.1 | 44.9 | 46.5 |
| NV0502 | 42.6 | 44.4 | 42.6 | 42.8 | 42.6 | 44.2 | 45.1 | 46.8 | 45.1 | 45.3 | 45.1 | 46.7 |
| NV0503 | 50.2 | 51.6 | 50.2 | 50.1 | 50.2 | 51.5 | 52.5 | 53.9 | 53.5 | 53.4 | 52.5 | 53.8 |
| NV0504 | 51.6 | 53.0 | 51.6 | 51.7 | 50.9 | 52.4 | 53.7 | 55.1 | 52.9 | 53.0 | 52.9 | 54.4 |
| NV0505 | 57.6 | 59.0 | 56.0 | 56.1 | 54.7 | 56.2 | 58.6 | 60.0 | 53.6 | 53.8 | 53.6 | 55.2 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0506 | 54.1 | 55.4 | 54.1 | 54.1 | 54.1 | 55.4 | 55.7 | 57.0 | 55.7 | 55.6 | 55.7 | 56.9 |
| NV0507 | 57.5 | 58.9 | 57.5 | 57.4 | 57.0 | 58.3 | 58.6 | 60.0 | 58.1 | 58.1 | 58.1 | 59.5 |
| NV0508 | 53.6 | 55.0 | 49.3 | 50.8 | 49.3 | 52.0 | 52.5 | 53.9 | 51.3 | 52.3 | 51.3 | 53.5 |
| NV0509 | 57.9 | 59.3 | 54.0 | 54.5 | 54.0 | 55.8 | 59.1 | 60.5 | 55.2 | 55.6 | 55.2 | 56.8 |
| NV0510 | 53.0 | 54.3 | 50.9 | 50.8 | 50.9 | 52.1 | 54.7 | 56.0 | 52.5 | 52.4 | 54.7 | 55.8 |
| NV0511 | 57.7 | 59.1 | 53.3 | 53.3 | 53.0 | 54.4 | 58.2 | 59.6 | 54.4 | 54.4 | 54.7 | 56.0 |
| NV0512 | 51.8 | 53.2 | 51.8 | 51.7 | 51.8 | 53.1 | 53.7 | 55.1 | 53.7 | 53.6 | 53.7 | 55.0 |
| NV0513 | 58.1 | 59.5 | 57.5 | 57.6 | 57.5 | 58.9 | 59.5 | 60.9 | 58.7 | 58.8 | 58.7 | 60.1 |
| NV0514 | 52.3 | 53.7 | 49.0 | 48.9 | 49.0 | 50.2 | 54.7 | 56.0 | 51.1 | 51.0 | 51.1 | 52.2 |
| NV0515 | 58.3 | 59.7 | 56.8 | 56.8 | 56.8 | 58.2 | 58.8 | 60.2 | 58.2 | 58.2 | 58.8 | 60.1 |
| NV0516 | 51.2 | 52.6 | 51.2 | 51.2 | 51.2 | 52.5 | 53.3 | 54.7 | 53.3 | 53.3 | 53.3 | 54.6 |
| NV0517 | 52.3 | 53.6 | 50.2 | 50.3 | 49.8 | 51.2 | 54.2 | 55.6 | 51.7 | 51.8 | 53.1 | 54.4 |
| NV0518 | 55.9 | 57.3 | 55.9 | 55.9 | 55.9 | 57.3 | 59.2 | 60.6 | 57.4 | 57.4 | 57.4 | 58.8 |
| NV0519 | 51.0 | 52.4 | 51.0 | 51.0 | 51.3 | 52.6 | 54.2 | 55.6 | 54.2 | 54.1 | 53.0 | 54.3 |
| NV0520 | 57.9 | 59.3 | 51.7 | 51.9 | 51.7 | 53.2 | 59.2 | 60.6 | 53.6 | 53.7 | 57.1 | 58.5 |
| NV0521 | 52.2 | 53.6 | 52.2 | 52.2 | 52.2 | 53.5 | 54.0 | 55.4 | 54.2 | 54.1 | 53.7 | 55.0 |
| NV0522 | 57.8 | 59.2 | 53.5 | 53.7 | 53.5 | 55.0 | 59.2 | 60.6 | 55.2 | 55.3 | 53.9 | 55.4 |
| NV0523 | 51.4 | 52.8 | 50.7 | 50.6 | 50.4 | 51.7 | 53.3 | 54.7 | 53.3 | 53.2 | 53.3 | 54.5 |
| NV0524 | 47.2 | 48.6 | 48.4 | 48.3 | 47.2 | 48.5 | 50.0 | 51.4 | 50.5 | 50.4 | 50.0 | 51.3 |
| NV0525 | 49.4 | 50.8 | 49.4 | 49.4 | 49.4 | 50.7 | 51.8 | 53.2 | 51.8 | 51.7 | 49.7 | 51.0 |
| NV0526 | 50.3 | 51.7 | 49.2 | 49.2 | 49.2 | 50.5 | 52.4 | 53.8 | 52.4 | 52.3 | 51.5 | 52.8 |
| NV0527 | 50.3 | 51.7 | 50.3 | 50.2 | 50.3 | 51.5 | 52.8 | 54.2 | 52.8 | 52.7 | 52.8 | 54.0 |
| NV0528 | 52.0 | 53.4 | 51.0 | 51.2 | 51.0 | 52.6 | 53.9 | 55.3 | 53.0 | 53.2 | 53.0 | 54.5 |
| NV0529 | 51.4 | 52.7 | 51.4 | 51.2 | 51.4 | 52.6 | 53.5 | 54.8 | 53.5 | 53.3 | 53.5 | 54.6 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0530 | 52.2 | 53.5 | 50.1 | 49.9 | 50.1 | 51.2 | 54.2 | 55.5 | 52.1 | 52.0 | 52.1 | 53.3 |
| NV0531 | 50.5 | 51.9 | 50.5 | 50.5 | 50.5 | 51.8 | 52.9 | 54.3 | 52.7 | 52.7 | 52.7 | 54.0 |
| NV0532 | 57.5 | 58.9 | 57.5 | 57.5 | 55.8 | 57.2 | 58.9 | 60.3 | 58.9 | 58.9 | 57.3 | 58.7 |
| NV0533 | 52.8 | 54.2 | 49.5 | 49.7 | 50.0 | 51.4 | 54.5 | 55.9 | 52.3 | 52.4 | 52.3 | 53.7 |
| NV0534 | 57.6 | 59.0 | 53.8 | 53.9 | 53.8 | 55.2 | 59.0 | 60.4 | 53.8 | 53.9 | 53.8 | 55.3 |
| NV0535 | 53.3 | 54.7 | 49.8 | 50.0 | 49.8 | 51.2 | 55.8 | 57.2 | 52.0 | 52.1 | 52.0 | 53.4 |
| NV0536 | 57.5 | 58.9 | 56.1 | 56.1 | 54.1 | 55.5 | 58.9 | 60.3 | 55.6 | 55.7 | 54.2 | 55.7 |
| NV0537 | 55.1 | 56.5 | 55.1 | 55.1 | 54.8 | 56.2 | 56.6 | 58.0 | 56.6 | 56.6 | 56.6 | 57.9 |
| NV0538 | 57.6 | 59.0 | 54.3 | 54.3 | 54.0 | 55.4 | 59.0 | 60.4 | 56.6 | 56.6 | 56.6 | 58.0 |
| NV0539 | 52.8 | 54.2 | 52.8 | 52.8 | 52.8 | 54.1 | 54.6 | 56.0 | 54.6 | 54.6 | 54.6 | 55.9 |
| NV0540 | 48.3 | 49.8 | 53.1 | 53.2 | 56.3 | 57.7 | 58.1 | 59.5 | 54.7 | 54.8 | 57.7 | 59.1 |
| NV0541 | 53.4 | 54.8 | 53.4 | 53.3 | 53.4 | 54.7 | 54.8 | 56.2 | 54.8 | 54.7 | 54.8 | 56.1 |
| NV0542 | 57.7 | 59.1 | 56.8 | 56.8 | 56.8 | 58.2 | 59.0 | 60.4 | 57.4 | 57.4 | 57.4 | 58.8 |
| NV0543 | 53.6 | 55.0 | 53.6 | 53.7 | 53.6 | 55.0 | 54.9 | 56.3 | 54.9 | 54.9 | 54.9 | 56.3 |
| NV0544 | 55.0 | 56.4 | 55.0 | 55.0 | 55.0 | 56.4 | 56.2 | 57.6 | 51.1 | 51.1 | 56.3 | 57.6 |
| NV0545 | 54.3 | 55.7 | 50.7 | 50.8 | 50.7 | 52.1 | 55.5 | 56.9 | 55.5 | 55.5 | 55.4 | 56.8 |
| NV0546 | 52.6 | 54.0 | 52.6 | 52.5 | 52.5 | 53.8 | 54.1 | 55.5 | 54.1 | 54.0 | 54.1 | 55.4 |
| NV0547 | 52.8 | 54.2 | 52.8 | 52.7 | 49.7 | 51.0 | 54.4 | 55.8 | 54.4 | 54.3 | 54.4 | 55.6 |
| NV0548 | 53.2 | 54.5 | 53.2 | 53.2 | 53.2 | 54.4 | 54.5 | 55.8 | 54.5 | 54.5 | 54.5 | 55.8 |
| NV0549 | 52.8 | 54.2 | 52.8 | 52.7 | 52.3 | 53.6 | 54.4 | 55.8 | 54.4 | 54.3 | 54.4 | 55.6 |
| NV0550 | 48.4 | 49.8 | 48.4 | 48.3 | 48.4 | 49.6 | 50.7 | 52.1 | 49.8 | 49.7 | 50.7 | 51.9 |
| NV0551 | 51.9 | 53.3 | 51.9 | 51.9 | 51.9 | 53.2 | 53.6 | 55.0 | 53.6 | 53.6 | 53.6 | 54.9 |
| NV0552 | 53.2 | 54.4 | 50.8 | 50.8 | 53.2 | 54.3 | 54.4 | 55.7 | 52.0 | 52.0 | 54.5 | 55.7 |
| NV0553 | 51.0 | 52.4 | 51.0 | 51.0 | 51.0 | 52.3 | 52.9 | 54.3 | 52.9 | 52.9 | 52.9 | 54.2 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0554 | 44.7 | 46.1 | 45.0 | 44.8 | 44.7 | 45.9 | 47.8 | 49.2 | 47.8 | 47.7 | 47.8 | 49.0 |
| NV0555 | 45.8 | 47.2 | 50.9 | 50.9 | 50.9 | 52.2 | 52.7 | 54.1 | 52.7 | 52.8 | 52.7 | 54.1 |
| NV0556 | 50.6 | 51.9 | 50.4 | 50.3 | 50.6 | 51.7 | 52.7 | 54.0 | 52.7 | 52.5 | 52.7 | 53.8 |
| NV0557 | 50.7 | 52.1 | 50.7 | 50.8 | 50.7 | 52.1 | 52.4 | 53.8 | 52.7 | 52.7 | 52.4 | 53.8 |
| NV0558 | 46.9 | 48.3 | 46.9 | 46.8 | 47.0 | 48.2 | 49.6 | 51.0 | 48.6 | 48.5 | 49.6 | 50.8 |
| NV0559 | 50.7 | 52.0 | 50.7 | 50.5 | 50.7 | 51.7 | 52.8 | 54.1 | 52.7 | 52.5 | 52.7 | 53.7 |
| NV0560 | 50.5 | 51.9 | 50.5 | 50.6 | 50.5 | 51.9 | 52.4 | 53.8 | 52.4 | 52.4 | 52.4 | 53.8 |
| NV0561 | 44.2 | 45.6 | 44.2 | 44.1 | 44.2 | 45.4 | 47.1 | 48.4 | 47.1 | 46.9 | 47.1 | 48.2 |
| NV0562 | 50.0 | 51.4 | 50.0 | 49.9 | 50.0 | 51.2 | 51.9 | 53.2 | 51.9 | 51.7 | 51.7 | 52.9 |
| NV0563 | 49.1 | 50.4 | 48.8 | 48.7 | 48.8 | 50.0 | 51.3 | 52.6 | 51.2 | 51.0 | 51.2 | 52.3 |
| NV0564 | 50.0 | 51.4 | 50.0 | 49.9 | 50.0 | 51.2 | 51.9 | 53.2 | 51.9 | 51.7 | 51.7 | 52.9 |
| NV0565 | 49.1 | 50.4 | 48.8 | 48.7 | 48.8 | 50.0 | 51.3 | 52.6 | 51.2 | 51.0 | 51.2 | 52.3 |
| NV0566 | 50.0 | 51.4 | 50.0 | 49.9 | 50.0 | 51.2 | 51.9 | 53.2 | 51.9 | 51.7 | 51.7 | 52.9 |
| NV0567 | 49.1 | 50.4 | 48.8 | 48.7 | 48.8 | 50.0 | 51.3 | 52.6 | 51.2 | 51.0 | 51.2 | 52.3 |
| NV0568 | 62.8 | 64.8 | 44.6 | 44.5 | 44.9 | 46.2 | 64.5 | 66.6 | 64.5 | 64.3 | 47.1 | 48.4 |
| NV0569 | 42.6 | 44.6 | 49.8 | 49.8 | 42.6 | 44.0 | 44.6 | 46.5 | 45.9 | 45.9 | 44.6 | 46.0 |
| NV0570 | 47.0 | 48.9 | 47.0 | 47.1 | 47.0 | 48.5 | 48.4 | 50.3 | 48.4 | 48.7 | 48.4 | 50.0 |
| NV0571 | 54.0 | 56.0 | 51.5 | 51.5 | 50.8 | 52.3 | 53.4 | 55.4 | 53.4 | 53.4 | 52.6 | 54.1 |
| NV0572 | 47.1 | 49.2 | 53.1 | 52.9 | 53.1 | 54.3 | 56.2 | 58.3 | 56.2 | 56.0 | 56.2 | 57.5 |
| NV0573 | 62.5 | 64.7 | 64.4 | 64.1 | 62.5 | 63.8 | 63.1 | 65.3 | 61.4 | 61.2 | 63.1 | 64.4 |
| NV0574 | 62.0 | 64.0 | 45.5 | 45.4 | 59.5 | 60.8 | 64.3 | 66.4 | 47.6 | 47.5 | 59.9 | 61.2 |
| NV0575 | 53.2 | 55.1 | 47.9 | 48.0 | 49.8 | 51.2 | 55.9 | 57.8 | 49.4 | 49.5 | 49.4 | 50.9 |
| NV0576 | 62.5 | 64.5 | 43.8 | 43.7 | 43.8 | 45.1 | 65.0 | 67.1 | 65.0 | 64.8 | 45.6 | 46.9 |
| NV0577 | 51.2 | 53.2 | 47.0 | 47.1 | 51.2 | 52.7 | 52.4 | 54.4 | 48.8 | 49.0 | 52.4 | 53.9 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0578 | 62.0 | 64.0 | 44.7 | 44.6 | 44.7 | 46.0 | 64.8 | 66.8 | 46.6 | 46.5 | 60.0 | 61.3 |
| NV0579 | 58.8 | 61.0 | 50.9 | 50.9 | 55.3 | 56.6 | 59.5 | 61.7 | 58.3 | 58.2 | 59.5 | 60.8 |
| NV0580 | 48.0 | 49.8 | 51.6 | 51.6 | 51.6 | 53.0 | 54.4 | 56.1 | 52.3 | 52.4 | 52.3 | 53.8 |
| NV0581 | 40.8 | 42.8 | 50.3 | 50.3 | 49.7 | 51.2 | 50.2 | 52.1 | 50.2 | 50.4 | 50.2 | 51.8 |
| NV0582 | 50.9 | 52.9 | 50.9 | 50.9 | 49.5 | 50.9 | 51.5 | 53.6 | 51.5 | 51.6 | 51.5 | 53.0 |
| NV0583 | 40.9 | 42.8 | 40.9 | 41.6 | 40.9 | 42.9 | 42.9 | 44.8 | 42.9 | 43.7 | 42.9 | 45.1 |
| NV0584 | 46.8 | 48.8 | 47.4 | 47.5 | 47.4 | 48.9 | 48.1 | 50.1 | 48.1 | 48.4 | 48.1 | 49.8 |
| NV0585 | 53.3 | 55.2 | 44.6 | 45.0 | 44.6 | 46.3 | 54.0 | 55.9 | 46.4 | 46.9 | 46.4 | 48.2 |
| NV0586 | 43.3 | 45.2 | 43.3 | 44.0 | 43.3 | 45.4 | 44.7 | 46.6 | 44.7 | 45.6 | 44.7 | 47.0 |
| NV0587 | 44.6 | 46.6 | 44.6 | 44.9 | 44.6 | 46.3 | 46.1 | 48.1 | 46.1 | 46.5 | 46.1 | 47.9 |
| NV0588 | 41.5 | 43.4 | 42.3 | 42.8 | 41.5 | 43.4 | 45.5 | 47.3 | 44.0 | 44.7 | 44.0 | 46.0 |
| NV0589 | 48.6 | 50.6 | 44.4 | 45.0 | 44.4 | 46.3 | 50.2 | 52.1 | 46.3 | 47.1 | 46.3 | 48.3 |
| NV0590 | 63.0 | 65.0 | 43.9 | 43.8 | 44.1 | 45.4 | 63.9 | 66.0 | 46.1 | 46.0 | 59.0 | 60.3 |
| NV0591 | 55.9 | 58.0 | 48.4 | 48.5 | 48.4 | 49.9 | 56.8 | 58.9 | 49.9 | 49.9 | 56.2 | 57.6 |
| NV0592 | 52.4 | 54.2 | 45.3 | 45.3 | 45.3 | 46.7 | 51.6 | 53.4 | 46.9 | 47.1 | 46.9 | 48.5 |
| NV0593 | 44.0 | 46.0 | 44.0 | 44.3 | 44.0 | 45.7 | 44.8 | 46.8 | 45.4 | 45.8 | 45.1 | 47.0 |
| NV0594 | 42.0 | 44.0 | 47.9 | 48.2 | 47.9 | 49.6 | 43.3 | 45.2 | 49.2 | 49.5 | 49.7 | 51.3 |
| NV0595 | 31.8 | 32.7 | 43.9 | 45.2 | 43.9 | 46.0 | 34.9 | 35.8 | 46.2 | 47.5 | 46.2 | 48.4 |
| NV0596 | 36.0 | 37.4 | 37.6 | 39.5 | 37.6 | 40.5 | 38.0 | 39.3 | 39.3 | 41.6 | 39.3 | 42.7 |
| NV0597 | 31.7 | 32.6 | 37.7 | 40.2 | 37.7 | 41.1 | 34.8 | 35.7 | 40.4 | 42.9 | 40.4 | 43.8 |
| NV0598 | 36.2 | 37.6 | 37.1 | 39.1 | 37.1 | 40.2 | 38.2 | 39.5 | 39.3 | 42.2 | 39.3 | 43.3 |
| NV0599 | 35.9 | 37.3 | 35.9 | 38.9 | 35.9 | 40.0 | 37.9 | 39.2 | 37.9 | 41.4 | 37.9 | 42.5 |
| NV0600 | 35.5 | 36.9 | 35.5 | 37.2 | 35.5 | 38.3 | 37.5 | 38.8 | 37.5 | 39.6 | 37.5 | 40.6 |
| NV0601 | 35.0 | 36.3 | 35.0 | 36.8 | 35.0 | 37.9 | 36.7 | 37.9 | 37.5 | 39.4 | 37.5 | 40.5 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0602 | 42.8 | 43.4 | 43.1 | 44.1 | 43.1 | 44.9 | 46.9 | 47.5 | 45.0 | 46.0 | 45.0 | 46.8 |
| NV0603 | 34.9 | 36.3 | 35.5 | 37.5 | 35.5 | 38.6 | 37.1 | 38.3 | 38.0 | 40.2 | 38.0 | 41.3 |
| NV0604 | 34.9 | 36.3 | 35.5 | 37.5 | 35.5 | 38.6 | 37.1 | 38.3 | 38.0 | 40.2 | 38.0 | 41.3 |
| NV0605 | 35.3 | 36.7 | 35.1 | 36.2 | 35.1 | 37.3 | 37.2 | 38.5 | 37.2 | 38.6 | 37.2 | 39.7 |
| NV0606 | 35.3 | 36.7 | 35.1 | 36.2 | 35.1 | 37.3 | 37.2 | 38.5 | 37.2 | 38.6 | 37.2 | 39.7 |
| NV0607 | 38.7 | 39.8 | 38.7 | 40.1 | 38.7 | 41.1 | 41.9 | 42.8 | 41.9 | 43.5 | 41.9 | 44.4 |
| NV0608 | 38.7 | 39.8 | 38.7 | 40.1 | 38.7 | 41.1 | 41.9 | 42.8 | 41.9 | 43.5 | 41.9 | 44.4 |
| NV0609 | 61.5 | 62.4 | 49.8 | 49.9 | 52.5 | 53.3 | 63.2 | 64.1 | 53.8 | 53.5 | 53.8 | 54.4 |
| NV0610 | 62.1 | 63.0 | 51.7 | 51.4 | 51.7 | 52.1 | 63.7 | 64.6 | 53.3 | 52.8 | 53.3 | 53.5 |
| NV0611 | 63.0 | 63.9 | 52.5 | 52.2 | 52.6 | 53.0 | 62.6 | 63.6 | 54.0 | 53.5 | 54.0 | 54.3 |
| NV0612 | 61.3 | 62.9 | 61.3 | 62.5 | 61.3 | 63.1 | 62.4 | 64.0 | 62.4 | 63.5 | 62.4 | 64.1 |
| NV0613 | 52.0 | 53.7 | 44.6 | 46.4 | 44.6 | 47.4 | 54.1 | 55.7 | 47.1 | 48.6 | 47.1 | 49.6 |
| NV0614 | 52.0 | 53.7 | 44.6 | 46.4 | 44.6 | 47.4 | 54.1 | 55.7 | 47.1 | 48.6 | 47.1 | 49.6 |
| NV0615 | 53.5 | 55.2 | 43.8 | 45.9 | 43.8 | 46.9 | 59.6 | 61.3 | 46.4 | 48.2 | 46.4 | 49.2 |
| NV0616 | 53.5 | 55.2 | 43.8 | 45.9 | 43.8 | 46.9 | 59.6 | 61.3 | 46.4 | 48.2 | 46.4 | 49.2 |
| NV0617 | 60.7 | 62.5 | 43.4 | 45.4 | 43.4 | 46.4 | 61.1 | 62.9 | 45.7 | 47.4 | 45.7 | 48.4 |
| NV0618 | 60.7 | 62.5 | 43.4 | 45.4 | 43.4 | 46.4 | 61.1 | 62.9 | 45.7 | 47.4 | 45.7 | 48.4 |
| NV0619 | 61.0 | 62.7 | 43.7 | 45.4 | 43.7 | 46.4 | 61.7 | 63.4 | 46.0 | 47.5 | 46.0 | 48.5 |
| NV0620 | 61.0 | 62.7 | 43.7 | 45.4 | 43.7 | 46.4 | 61.7 | 63.4 | 46.0 | 47.5 | 46.0 | 48.5 |
| NV0621 | 60.8 | 62.6 | 44.8 | 46.5 | 44.8 | 47.4 | 61.6 | 63.4 | 47.1 | 48.5 | 47.1 | 49.5 |
| NV0622 | 60.8 | 62.6 | 44.8 | 46.5 | 44.8 | 47.4 | 61.6 | 63.4 | 47.1 | 48.5 | 47.1 | 49.5 |
| NV0623 | 59.3 | 61.1 | 61.7 | 62.9 | 61.7 | 63.5 | 60.4 | 62.2 | 62.7 | 63.9 | 62.7 | 64.5 |
| NV0624 | 59.3 | 61.1 | 61.7 | 62.9 | 61.7 | 63.5 | 60.4 | 62.2 | 62.7 | 63.9 | 62.7 | 64.5 |
| NV0625 | 61.3 | 62.9 | 61.3 | 62.5 | 61.3 | 63.1 | 62.4 | 64.0 | 62.4 | 63.5 | 62.4 | 64.1 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0626 | 48.1 | 49.7 | 58.4 | 59.5 | 58.4 | 60.2 | 49.7 | 51.3 | 59.7 | 60.8 | 59.7 | 61.4 |
| NV0627 | 48.1 | 49.7 | 58.4 | 59.5 | 58.4 | 60.2 | 49.7 | 51.3 | 59.7 | 60.8 | 59.7 | 61.4 |
| NV0628 | 51.4 | 53.1 | 46.4 | 48.7 | 46.4 | 49.6 | 52.6 | 54.3 | 48.3 | 50.3 | 48.3 | 51.2 |
| NV0629 | 48.5 | 50.0 | 51.2 | 51.5 | 50.0 | 51.3 | 49.9 | 51.4 | 53.0 | 53.5 | 55.0 | 56.3 |
| NV0630 | 58.8 | 60.4 | 50.6 | 52.1 | 43.9 | 46.2 | 59.9 | 61.5 | 51.8 | 53.2 | 46.6 | 48.8 |
| NV0631 | 48.3 | 49.8 | 45.2 | 47.5 | 45.2 | 48.5 | 49.8 | 51.3 | 47.5 | 50.5 | 47.5 | 51.5 |
| NV0632 | 55.9 | 57.4 | 48.8 | 50.3 | 48.8 | 51.0 | 56.7 | 58.2 | 50.1 | 51.6 | 50.1 | 52.3 |
| NV0633 | 49.1 | 50.6 | 43.5 | 44.6 | 43.5 | 45.6 | 50.7 | 52.1 | 45.8 | 47.1 | 45.8 | 48.1 |
| NV0634 | 47.8 | 49.3 | 44.8 | 46.6 | 44.8 | 47.6 | 56.0 | 57.4 | 46.9 | 48.6 | 46.9 | 49.6 |
| NV0635 | 49.1 | 50.6 | 43.5 | 44.6 | 43.5 | 45.6 | 50.7 | 52.1 | 45.8 | 47.1 | 45.8 | 48.1 |
| NV0636 | 47.5 | 49.0 | 45.2 | 46.9 | 45.2 | 47.8 | 49.7 | 51.1 | 47.3 | 48.8 | 47.3 | 49.8 |
| NV0637 | 42.5 | 43.8 | 44.6 | 46.0 | 44.6 | 47.0 | 45.2 | 46.5 | 45.9 | 47.7 | 45.9 | 48.8 |
| NV0638 | 47.0 | 48.5 | 43.8 | 45.3 | 43.8 | 46.3 | 48.8 | 50.2 | 46.0 | 47.8 | 46.0 | 48.8 |
| NV0639 | 42.5 | 43.8 | 44.6 | 46.0 | 44.6 | 47.0 | 45.2 | 46.5 | 45.9 | 47.7 | 45.9 | 48.8 |
| NV0640 | 42.7 | 44.1 | 51.3 | 51.6 | 42.9 | 44.2 | 45.3 | 46.6 | 52.5 | 52.9 | 45.4 | 46.8 |
| NV0641 | 46.8 | 48.3 | 44.0 | 44.3 | 44.0 | 45.4 | 48.6 | 50.1 | 46.4 | 46.8 | 46.4 | 47.9 |
| NV0642 | 46.1 | 47.3 | 45.5 | 47.9 | 45.5 | 48.9 | 48.2 | 49.4 | 47.4 | 50.4 | 47.4 | 51.4 |
| NV0643 | 49.5 | 51.0 | 53.0 | 53.1 | 49.5 | 50.7 | 51.1 | 52.5 | 54.2 | 54.3 | 54.2 | 55.3 |
| NV0644 | 46.1 | 47.3 | 45.5 | 47.9 | 45.5 | 48.9 | 48.2 | 49.4 | 47.4 | 50.4 | 47.4 | 51.4 |
| NV0645 | 52.2 | 53.5 | 42.6 | 43.3 | 42.6 | 44.3 | 53.5 | 54.8 | 45.5 | 46.1 | 45.5 | 47.1 |
| NV0646 | 45.7 | 47.2 | 50.6 | 51.7 | 50.6 | 52.7 | 47.6 | 49.1 | 51.8 | 53.3 | 51.8 | 54.3 |
| NV0647 | 46.9 | 48.4 | 43.1 | 44.1 | 43.1 | 45.0 | 48.5 | 50.0 | 45.8 | 46.6 | 45.8 | 47.6 |
| NV0648 | 45.7 | 47.2 | 44.9 | 47.4 | 44.9 | 48.3 | 48.8 | 50.2 | 46.6 | 49.7 | 46.6 | 50.7 |
| NV0649 | 49.3 | 50.8 | 43.3 | 45.0 | 43.3 | 46.0 | 50.9 | 52.4 | 45.7 | 47.3 | 45.7 | 48.3 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0650 | 45.8 | 47.3 | 46.5 | 48.3 | 46.5 | 49.3 | 47.8 | 49.3 | 48.0 | 50.2 | 48.0 | 51.2 |
| NV0651 | 48.8 | 50.3 | 44.1 | 45.6 | 44.1 | 46.5 | 50.2 | 51.7 | 46.5 | 47.8 | 46.5 | 48.8 |
| NV0652 | 46.3 | 47.8 | 45.9 | 49.3 | 45.9 | 50.3 | 48.0 | 49.5 | 47.1 | 50.7 | 47.1 | 51.8 |
| NV0653 | 48.1 | 49.6 | 44.9 | 45.8 | 44.9 | 46.7 | 49.7 | 51.2 | 47.5 | 48.3 | 47.5 | 49.3 |
| NV0654 | 46.0 | 47.5 | 47.0 | 50.0 | 47.0 | 51.0 | 47.8 | 49.3 | 48.7 | 51.6 | 48.7 | 52.7 |
| NV0655 | 47.9 | 49.4 | 44.5 | 45.3 | 44.5 | 46.2 | 49.5 | 51.0 | 46.5 | 47.3 | 46.5 | 48.3 |
| NV0656 | 46.8 | 48.3 | 46.6 | 49.6 | 46.6 | 50.6 | 48.7 | 50.1 | 47.7 | 50.9 | 47.7 | 51.9 |
| NV0657 | 46.2 | 47.7 | 45.7 | 46.7 | 45.7 | 47.7 | 47.4 | 48.9 | 47.6 | 48.7 | 47.6 | 49.7 |
| NV0658 | 47.8 | 49.3 | 48.8 | 49.4 | 48.8 | 50.4 | 49.7 | 51.2 | 50.7 | 51.3 | 50.8 | 52.3 |
| NV0659 | 43.7 | 45.1 | 48.5 | 48.9 | 48.5 | 49.9 | 46.0 | 47.3 | 50.5 | 50.9 | 50.5 | 52.0 |
| NV0660 | 46.1 | 47.6 | 43.6 | 44.1 | 43.6 | 45.1 | 48.3 | 49.7 | 46.4 | 46.9 | 45.9 | 47.5 |
| NV0661 | 46.1 | 47.6 | 43.6 | 44.1 | 43.6 | 45.1 | 48.3 | 49.7 | 46.4 | 46.9 | 45.9 | 47.5 |
| NV0662 | 43.4 | 44.8 | 44.1 | 45.4 | 44.1 | 46.3 | 45.6 | 46.8 | 46.0 | 47.1 | 46.0 | 48.1 |
| NV0663 | 43.4 | 44.8 | 44.1 | 45.4 | 44.1 | 46.3 | 45.6 | 46.8 | 46.0 | 47.1 | 46.0 | 48.1 |
| NV0664 | 47.1 | 48.6 | 48.3 | 48.9 | 48.2 | 49.9 | 48.9 | 50.3 | 50.2 | 50.7 | 50.2 | 51.8 |
| NV0665 | 47.0 | 48.5 | 43.3 | 45.0 | 43.3 | 46.0 | 48.7 | 50.2 | 45.4 | 47.0 | 45.4 | 48.0 |
| NV0666 | 47.0 | 48.5 | 46.1 | 47.4 | 46.1 | 48.4 | 48.8 | 50.2 | 48.0 | 49.1 | 48.0 | 50.1 |
| NV0667 | 47.0 | 48.5 | 45.8 | 47.5 | 45.8 | 48.5 | 48.7 | 50.2 | 47.2 | 48.9 | 47.2 | 50.0 |
| NV0668 | 60.2 | 61.9 | 54.3 | 54.9 | 54.3 | 56.3 | 58.8 | 60.5 | 57.1 | 57.8 | 57.1 | 59.2 |
| NV0669 | 58.9 | 60.6 | 54.9 | 55.8 | 54.9 | 56.5 | 60.2 | 61.9 | 57.3 | 58.0 | 56.5 | 58.0 |
| NV0670 | 53.8 | 55.3 | 53.1 | 54.2 | 53.1 | 55.2 | 55.9 | 57.5 | 56.2 | 57.3 | 56.2 | 58.3 |
| NV0671 | 53.7 | 55.3 | 54.1 | 54.7 | 54.1 | 55.4 | 55.7 | 57.3 | 55.8 | 56.2 | 55.8 | 57.0 |
| NV0672 | 52.2 | 53.7 | 51.6 | 52.2 | 51.6 | 53.7 | 54.5 | 56.0 | 56.4 | 57.1 | 56.4 | 58.5 |
| NV0673 | 51.5 | 53.1 | 52.8 | 53.2 | 52.8 | 54.0 | 53.8 | 55.3 | 54.8 | 55.0 | 53.8 | 54.9 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0674 | 50.8 | 52.3 | 50.9 | 51.9 | 50.9 | 53.2 | 53.2 | 54.7 | 53.7 | 54.7 | 53.7 | 56.0 |
| NV0675 | 51.5 | 53.0 | 48.0 | 49.1 | 48.0 | 50.1 | 53.4 | 54.9 | 50.5 | 51.5 | 50.5 | 52.6 |
| NV0676 | 55.3 | 56.7 | 55.3 | 55.7 | 55.3 | 57.1 | 57.9 | 59.3 | 58.2 | 58.6 | 56.2 | 58.1 |
| NV0677 | 51.3 | 52.7 | 51.3 | 51.8 | 51.3 | 52.6 | 52.6 | 54.1 | 53.3 | 53.7 | 53.3 | 54.6 |
| NV0678 | 54.8 | 56.2 | 51.8 | 52.7 | 51.8 | 54.2 | 56.6 | 58.0 | 54.2 | 55.1 | 54.2 | 56.6 |
| NV0679 | 50.9 | 52.4 | 46.8 | 47.8 | 46.8 | 48.9 | 52.8 | 54.3 | 49.0 | 50.0 | 49.0 | 51.1 |
| NV0680 | 51.7 | 53.1 | 51.7 | 51.6 | 51.7 | 53.0 | 53.2 | 54.7 | 53.2 | 53.2 | 53.2 | 54.5 |
| NV0681 | 52.5 | 54.0 | 54.7 | 55.2 | 54.7 | 56.6 | 56.5 | 57.9 | 56.5 | 57.0 | 56.5 | 58.5 |
| NV0682 | 53.0 | 54.5 | 49.0 | 49.4 | 49.0 | 50.6 | 54.6 | 56.1 | 50.9 | 51.3 | 50.9 | 52.5 |
| NV0683 | 52.9 | 54.4 | 48.9 | 48.9 | 52.9 | 54.2 | 54.7 | 56.2 | 51.2 | 51.2 | 54.7 | 56.0 |
| NV0684 | 53.3 | 54.7 | 53.6 | 54.0 | 53.6 | 55.5 | 55.3 | 56.7 | 55.3 | 55.7 | 55.3 | 57.2 |
| NV0685 | 51.5 | 53.0 | 46.0 | 46.8 | 46.0 | 47.9 | 53.2 | 54.6 | 48.5 | 49.2 | 48.5 | 50.3 |
| NV0686 | 46.2 | 47.6 | 46.3 | 47.1 | 46.3 | 48.1 | 54.8 | 56.1 | 48.6 | 49.3 | 48.6 | 50.4 |
| NV0687 | 54.9 | 56.4 | 54.7 | 54.9 | 54.7 | 56.4 | 56.2 | 57.7 | 56.2 | 56.4 | 56.2 | 57.9 |
| NV0688 | 50.2 | 51.7 | 46.0 | 46.9 | 46.0 | 48.0 | 51.9 | 53.4 | 48.4 | 49.2 | 48.4 | 50.2 |
| NV0689 | 54.8 | 56.3 | 48.9 | 49.6 | 50.7 | 52.7 | 56.5 | 58.1 | 52.7 | 53.2 | 52.7 | 54.6 |
| NV0690 | 53.9 | 55.2 | 45.9 | 46.7 | 45.9 | 47.8 | 55.3 | 56.6 | 48.2 | 49.0 | 48.2 | 50.0 |
| NV0691 | 54.9 | 56.5 | 54.9 | 55.1 | 54.9 | 56.6 | 56.8 | 58.4 | 56.8 | 57.0 | 56.8 | 58.5 |
| NV0692 | 47.0 | 48.6 | 47.2 | 47.4 | 48.1 | 49.4 | 50.0 | 51.5 | 49.5 | 49.7 | 50.0 | 51.3 |
| NV0693 | 55.3 | 56.8 | 49.1 | 49.6 | 49.1 | 50.9 | 57.3 | 58.8 | 51.6 | 51.9 | 56.9 | 58.7 |
| NV0694 | 47.4 | 49.0 | 47.2 | 48.1 | 47.2 | 49.0 | 50.9 | 52.4 | 49.4 | 50.2 | 49.4 | 51.1 |
| NV0695 | 56.8 | 58.4 | 56.8 | 56.9 | 55.6 | 57.3 | 59.8 | 61.3 | 57.7 | 57.8 | 57.7 | 59.4 |
| NV0696 | 49.5 | 51.0 | 46.6 | 47.4 | 46.6 | 48.4 | 51.4 | 52.9 | 48.9 | 49.7 | 48.9 | 50.7 |
| NV0697 | 64.3 | 65.9 | 65.4 | 65.2 | 64.3 | 65.6 | 67.5 | 69.0 | 67.5 | 67.3 | 67.5 | 68.8 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0698 | 49.4 | 51.0 | 48.5 | 49.2 | 48.5 | 50.1 | 51.0 | 52.6 | 50.6 | 51.3 | 50.6 | 52.2 |
| NV0699 | 68.2 | 69.8 | 68.2 | 68.0 | 68.2 | 69.5 | 70.3 | 71.9 | 70.3 | 70.1 | 68.4 | 69.8 |
| NV0700 | 55.7 | 57.4 | 55.7 | 56.6 | 55.7 | 57.2 | 57.3 | 59.1 | 57.3 | 58.2 | 57.3 | 58.8 |
| NV0701 | 56.7 | 58.4 | 56.7 | 57.6 | 52.0 | 53.8 | 58.1 | 59.9 | 58.1 | 59.1 | 53.6 | 55.3 |
| NV0702 | 59.7 | 61.3 | 59.7 | 59.9 | 58.8 | 60.9 | 59.9 | 61.6 | 59.9 | 60.2 | 59.9 | 62.0 |
| NV0703 | 53.9 | 55.6 | 55.8 | 56.6 | 55.8 | 57.2 | 55.5 | 57.2 | 57.2 | 57.9 | 57.2 | 58.6 |
| NV0704 | 60.2 | 61.8 | 60.0 | 60.1 | 60.0 | 61.8 | 61.8 | 63.4 | 61.5 | 61.6 | 61.8 | 63.5 |
| NV0705 | 55.7 | 57.3 | 52.1 | 53.1 | 52.1 | 53.9 | 57.1 | 58.7 | 55.3 | 56.2 | 54.1 | 55.8 |
| NV0706 | 57.3 | 58.8 | 48.5 | 48.6 | 49.4 | 50.7 | 59.3 | 60.8 | 51.1 | 51.1 | 51.1 | 52.4 |
| NV0707 | 54.1 | 55.8 | 54.1 | 54.9 | 55.1 | 56.5 | 55.9 | 57.6 | 56.6 | 57.3 | 56.6 | 58.0 |
| NV0708 | 54.8 | 56.3 | 54.8 | 54.6 | 54.6 | 55.8 | 57.6 | 59.1 | 56.5 | 56.3 | 56.7 | 57.8 |
| NV0709 | 54.7 | 56.2 | 51.6 | 52.6 | 51.6 | 53.6 | 56.2 | 57.7 | 53.4 | 54.3 | 53.4 | 55.3 |
| NV0710 | 54.4 | 55.9 | 49.0 | 49.0 | 54.4 | 55.6 | 56.4 | 57.9 | 51.4 | 51.3 | 56.4 | 57.6 |
| NV0711 | 49.5 | 51.2 | 52.9 | 54.0 | 53.0 | 54.7 | 53.0 | 54.7 | 54.5 | 55.5 | 54.5 | 56.2 |
| NV0712 | 52.8 | 54.3 | 48.0 | 48.4 | 48.0 | 49.7 | 54.6 | 56.1 | 50.2 | 50.6 | 50.2 | 51.9 |
| NV0713 | 52.7 | 54.2 | 52.7 | 53.9 | 52.1 | 54.1 | 54.4 | 55.9 | 54.4 | 55.4 | 54.4 | 56.1 |
| NV0714 | 53.4 | 54.8 | 48.2 | 49.2 | 48.2 | 50.4 | 55.2 | 56.6 | 50.2 | 51.0 | 50.2 | 52.3 |
| NV0715 | 48.4 | 49.9 | 48.1 | 49.3 | 48.1 | 50.1 | 52.8 | 54.2 | 50.3 | 51.2 | 50.3 | 52.1 |
| NV0716 | 52.5 | 54.0 | 48.0 | 49.1 | 48.0 | 50.3 | 54.1 | 55.5 | 50.1 | 51.0 | 50.1 | 52.2 |
| NV0717 | 49.9 | 51.6 | 51.4 | 52.7 | 51.4 | 53.5 | 51.8 | 53.5 | 53.1 | 54.2 | 53.1 | 55.0 |
| NV0718 | 52.4 | 53.9 | 51.8 | 52.0 | 51.3 | 52.7 | 54.1 | 55.5 | 53.5 | 53.6 | 54.1 | 55.3 |
| NV0719 | 49.3 | 50.8 | 50.7 | 51.5 | 50.6 | 52.4 | 51.1 | 52.6 | 51.9 | 52.7 | 51.9 | 53.6 |
| NV0720 | 52.8 | 54.3 | 47.3 | 47.7 | 47.3 | 48.8 | 54.3 | 55.8 | 49.7 | 49.9 | 50.4 | 51.7 |
| NV0721 | 56.2 | 57.5 | 51.0 | 51.7 | 51.0 | 52.5 | 57.1 | 58.4 | 52.2 | 52.8 | 52.2 | 53.7 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0722 | 53.2 | 54.7 | 53.6 | 53.4 | 53.2 | 54.4 | 54.8 | 56.3 | 55.0 | 54.8 | 54.8 | 56.0 |
| NV0723 | 55.9 | 57.5 | 55.9 | 55.9 | 55.9 | 57.4 | 57.5 | 59.1 | 57.5 | 57.5 | 57.5 | 59.1 |
| NV0724 | 57.7 | 59.2 | 57.7 | 57.5 | 57.7 | 58.9 | 59.9 | 61.4 | 59.9 | 59.6 | 59.9 | 61.0 |
| NV0725 | 64.8 | 66.4 | 61.2 | 61.1 | 59.4 | 60.9 | 67.0 | 68.6 | 61.5 | 61.4 | 61.5 | 63.0 |
| NV0726 | 66.8 | 68.4 | 66.8 | 66.5 | 66.8 | 68.0 | 68.5 | 70.1 | 68.5 | 68.2 | 67.7 | 68.9 |
| NV0727 | 61.6 | 63.2 | 51.7 | 51.7 | 51.7 | 53.1 | 65.0 | 66.6 | 53.8 | 53.8 | 53.8 | 55.2 |
| NV0728 | 62.5 | 64.0 | 50.3 | 50.8 | 50.3 | 52.0 | 64.0 | 65.5 | 52.4 | 52.8 | 52.4 | 54.1 |
| NV0729 | 57.4 | 58.9 | 56.5 | 56.3 | 53.2 | 54.4 | 59.2 | 60.7 | 54.9 | 54.7 | 54.9 | 56.1 |
| NV0730 | 52.7 | 54.1 | 52.9 | 52.7 | 52.7 | 53.9 | 54.3 | 55.8 | 54.3 | 54.2 | 54.3 | 55.6 |
| NV0731 | 51.5 | 53.0 | 51.5 | 51.4 | 51.5 | 52.7 | 52.9 | 54.4 | 52.9 | 52.8 | 53.4 | 54.6 |
| NV0732 | 50.8 | 52.3 | 55.7 | 55.6 | 50.8 | 52.1 | 52.5 | 54.0 | 52.7 | 52.6 | 52.5 | 53.8 |
| NV0733 | 48.8 | 50.3 | 48.9 | 48.8 | 48.9 | 50.1 | 57.5 | 58.9 | 51.2 | 51.1 | 51.2 | 52.4 |
| NV0734 | 49.2 | 50.7 | 49.5 | 49.6 | 49.5 | 50.9 | 51.6 | 53.1 | 51.6 | 51.8 | 51.6 | 53.1 |
| NV0735 | 68.7 | 70.3 | 61.0 | 61.1 | 61.0 | 62.8 | 62.0 | 63.7 | 62.0 | 62.1 | 62.0 | 63.9 |
| NV0736 | 54.7 | 56.2 | 48.0 | 48.8 | 48.0 | 50.2 | 56.3 | 57.7 | 50.2 | 50.9 | 50.2 | 52.2 |
| NV0737 | 54.4 | 55.8 | 51.4 | 52.2 | 51.4 | 53.6 | 56.1 | 57.5 | 53.4 | 54.2 | 53.4 | 55.6 |
| NV0738 | 46.6 | 48.1 | 44.1 | 44.7 | 44.1 | 45.6 | 48.4 | 49.9 | 46.7 | 47.4 | 46.7 | 48.4 |
| NV0739 | 44.6 | 46.1 | 45.2 | 46.7 | 45.2 | 47.6 | 47.3 | 48.7 | 47.1 | 48.5 | 47.1 | 49.4 |
| NV0740 | 47.7 | 49.2 | 44.6 | 45.1 | 47.9 | 49.4 | 49.5 | 51.0 | 46.8 | 47.5 | 46.8 | 48.5 |
| NV0741 | 47.6 | 49.1 | 44.6 | 45.1 | 44.6 | 46.1 | 48.5 | 50.0 | 46.7 | 47.3 | 46.7 | 48.3 |
| NV0742 | 48.2 | 49.7 | 44.0 | 44.9 | 44.0 | 45.8 | 50.1 | 51.6 | 46.5 | 47.5 | 46.5 | 48.4 |
| NV0743 | 47.4 | 48.9 | 45.4 | 46.1 | 45.4 | 47.1 | 48.7 | 50.2 | 47.4 | 48.2 | 47.4 | 49.2 |
| NV0744 | 48.1 | 49.6 | 46.7 | 47.0 | 46.7 | 48.2 | 49.7 | 51.3 | 49.0 | 49.3 | 49.0 | 50.4 |
| NV0745 | 48.0 | 49.6 | 45.7 | 46.1 | 45.7 | 47.1 | 49.8 | 51.3 | 47.6 | 48.1 | 47.6 | 49.1 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0746 | 48.0 | 49.6 | 44.1 | 45.3 | 44.1 | 46.2 | 49.7 | 51.2 | 46.3 | 47.4 | 46.3 | 48.4 |
| NV0747 | 49.1 | 50.6 | 46.4 | 47.6 | 46.4 | 48.5 | 50.9 | 52.5 | 48.5 | 49.8 | 48.5 | 50.7 |
| NV0748 | 45.7 | 47.4 | 46.9 | 47.9 | 46.9 | 48.9 | 47.5 | 49.2 | 48.3 | 49.3 | 48.3 | 50.3 |
| NV0749 | 49.1 | 50.7 | 45.6 | 47.0 | 45.6 | 47.9 | 50.9 | 52.5 | 48.0 | 49.6 | 48.0 | 50.5 |
| NV0750 | 49.0 | 50.6 | 49.3 | 49.7 | 49.3 | 50.6 | 50.7 | 52.3 | 51.9 | 52.3 | 51.9 | 53.2 |
| NV0751 | 47.1 | 48.7 | 46.7 | 47.8 | 46.7 | 48.6 | 48.7 | 50.3 | 48.0 | 48.9 | 48.0 | 49.8 |
| NV0752 | 49.8 | 51.4 | 46.6 | 48.0 | 46.6 | 48.9 | 52.1 | 53.6 | 48.9 | 50.8 | 48.9 | 51.7 |
| NV0753 | 49.1 | 50.6 | 46.8 | 46.8 | 46.8 | 47.7 | 50.6 | 52.1 | 49.0 | 48.9 | 49.0 | 49.9 |
| NV0754 | 48.8 | 50.3 | 46.6 | 48.2 | 46.6 | 49.1 | 50.9 | 52.4 | 49.0 | 51.1 | 49.0 | 52.0 |
| NV0755 | 49.1 | 50.7 | 46.8 | 47.4 | 46.8 | 48.5 | 51.0 | 52.5 | 48.7 | 49.3 | 48.7 | 50.4 |
| NV0756 | 46.4 | 48.1 | 53.1 | 54.0 | 53.1 | 54.6 | 48.8 | 50.5 | 54.2 | 55.3 | 54.2 | 56.0 |
| NV0757 | 46.0 | 47.6 | 50.0 | 50.2 | 50.0 | 51.2 | 51.0 | 52.6 | 51.7 | 51.9 | 51.7 | 52.9 |
| NV0758 | 45.9 | 47.6 | 58.0 | 58.6 | 58.0 | 59.3 | 58.2 | 59.8 | 59.3 | 60.0 | 59.3 | 60.7 |
| NV0759 | 45.7 | 47.2 | 49.3 | 49.5 | 49.3 | 50.5 | 47.6 | 49.0 | 47.5 | 47.8 | 47.5 | 48.8 |
| NV0760 | 53.4 | 55.0 | 57.9 | 58.4 | 57.9 | 59.2 | 59.7 | 61.3 | 59.7 | 60.4 | 59.7 | 61.1 |
| NV0761 | 48.8 | 50.4 | 49.0 | 49.3 | 49.2 | 50.5 | 50.6 | 52.1 | 50.9 | 51.1 | 51.0 | 52.2 |
| NV0762 | 56.5 | 58.2 | 54.9 | 55.6 | 54.9 | 56.4 | 58.2 | 59.9 | 59.9 | 60.5 | 56.8 | 58.2 |
| NV0763 | 50.8 | 52.4 | 46.7 | 47.1 | 46.7 | 48.0 | 52.5 | 54.1 | 49.2 | 49.5 | 50.5 | 51.7 |
| NV0764 | 57.1 | 58.7 | 44.1 | 44.6 | 44.1 | 45.5 | 58.7 | 60.3 | 55.2 | 55.7 | 55.2 | 56.6 |
| NV0765 | 51.1 | 52.7 | 45.4 | 45.9 | 45.4 | 46.8 | 52.6 | 54.2 | 47.7 | 48.3 | 47.7 | 49.2 |
| NV0766 | 53.6 | 55.3 | 44.3 | 44.8 | 44.3 | 45.7 | 55.3 | 57.0 | 55.3 | 55.7 | 47.1 | 48.4 |
| NV0767 | 51.3 | 52.9 | 45.1 | 46.2 | 45.1 | 47.1 | 52.8 | 54.4 | 47.4 | 48.5 | 47.4 | 49.4 |
| NV0768 | 51.6 | 53.2 | 47.4 | 47.8 | 47.4 | 48.8 | 53.2 | 54.8 | 49.5 | 49.9 | 49.5 | 50.9 |
| NV0769 | 51.5 | 53.2 | 48.4 | 48.5 | 48.4 | 49.6 | 53.1 | 54.7 | 50.3 | 50.4 | 50.3 | 51.5 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0770 | 50.9 | 52.6 | 50.1 | 50.2 | 50.1 | 51.2 | 53.4 | 55.0 | 51.6 | 51.8 | 51.6 | 52.8 |
| NV0771 | 51.1 | 52.8 | 49.5 | 49.8 | 49.5 | 50.7 | 53.7 | 55.4 | 51.5 | 51.7 | 51.5 | 52.7 |
| NV0772 | 53.5 | 55.2 | 49.2 | 49.9 | 52.5 | 54.0 | 55.5 | 57.2 | 54.2 | 54.9 | 54.2 | 55.7 |
| NV0773 | 43.3 | 45.3 | 41.8 | 42.1 | 47.2 | 48.4 | 44.5 | 46.5 | 44.1 | 44.5 | 44.1 | 45.4 |
| NV0774 | 40.4 | 41.8 | 44.1 | 44.2 | 44.1 | 45.0 | 42.6 | 44.0 | 46.5 | 46.6 | 46.5 | 47.5 |
| NV0775 | 41.9 | 43.8 | 40.3 | 40.9 | 40.3 | 41.8 | 43.5 | 45.4 | 42.9 | 43.6 | 42.9 | 44.5 |
| NV0776 | 43.2 | 44.7 | 46.7 | 46.6 | 46.7 | 47.7 | 45.7 | 47.2 | 48.5 | 48.5 | 48.5 | 49.5 |
| NV0777 | 40.9 | 42.7 | 39.2 | 39.7 | 39.2 | 40.6 | 43.0 | 44.7 | 41.9 | 42.4 | 44.4 | 45.8 |
| NV0778 | 41.8 | 43.5 | 45.4 | 45.2 | 45.4 | 46.3 | 43.8 | 45.5 | 47.6 | 47.5 | 47.6 | 48.5 |
| NV0779 | 40.5 | 42.2 | 39.6 | 40.0 | 41.5 | 42.9 | 43.7 | 45.3 | 42.4 | 42.9 | 42.4 | 43.8 |
| NV0780 | 43.2 | 45.1 | 43.7 | 43.7 | 45.8 | 46.8 | 44.3 | 46.2 | 46.0 | 46.2 | 46.0 | 47.1 |
| NV0781 | 41.4 | 43.0 | 42.1 | 42.2 | 40.4 | 41.8 | 43.2 | 44.8 | 44.6 | 44.8 | 42.9 | 44.2 |
| NV0782 | 44.8 | 46.6 | 46.1 | 46.2 | 46.1 | 47.4 | 46.6 | 48.2 | 48.1 | 48.3 | 48.1 | 49.4 |
| NV0783 | 40.8 | 42.5 | 41.8 | 41.8 | 41.1 | 42.3 | 42.6 | 44.2 | 44.4 | 44.5 | 43.4 | 44.6 |
| NV0784 | 43.9 | 45.5 | 44.9 | 45.1 | 44.9 | 46.2 | 45.5 | 47.1 | 47.0 | 47.3 | 47.0 | 48.3 |
| NV0785 | 41.9 | 43.5 | 41.3 | 41.7 | 41.9 | 43.4 | 43.5 | 45.1 | 43.9 | 44.5 | 43.9 | 45.5 |
| NV0786 | 43.3 | 44.8 | 42.7 | 43.2 | 42.7 | 44.3 | 44.8 | 46.4 | 45.2 | 45.8 | 45.2 | 46.8 |
| NV0787 | 43.2 | 44.9 | 41.3 | 41.6 | 41.3 | 42.8 | 45.6 | 47.3 | 43.6 | 44.1 | 43.6 | 45.1 |
| NV0788 | 40.6 | 42.2 | 42.6 | 42.5 | 38.5 | 39.4 | 42.9 | 44.5 | 45.0 | 45.2 | 45.0 | 46.0 |
| NV0789 | 42.4 | 44.0 | 41.3 | 41.5 | 41.3 | 42.4 | 44.1 | 45.7 | 44.1 | 44.5 | 44.1 | 45.4 |
| NV0790 | 42.5 | 44.1 | 43.9 | 43.8 | 43.9 | 44.8 | 44.2 | 45.9 | 47.0 | 46.9 | 47.0 | 47.9 |
| NV0791 | 43.7 | 45.3 | 46.5 | 46.1 | 42.6 | 43.3 | 48.9 | 50.4 | 48.6 | 48.2 | 44.1 | 44.8 |
| NV0792 | 40.6 | 42.4 | 46.2 | 46.1 | 43.2 | 44.3 | 43.1 | 44.9 | 45.5 | 45.6 | 45.3 | 46.4 |
| NV0793 | 44.5 | 46.4 | 42.5 | 42.7 | 45.3 | 46.4 | 45.7 | 47.6 | 44.6 | 44.9 | 47.1 | 48.3 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0794 | 42.6 | 44.3 | 42.1 | 42.7 | 42.1 | 43.6 | 44.4 | 46.1 | 44.8 | 45.5 | 44.8 | 46.4 |
| NV0795 | 45.6 | 47.4 | 42.9 | 43.0 | 45.5 | 46.7 | 46.8 | 48.6 | 44.7 | 44.9 | 46.7 | 47.9 |
| NV0796 | 42.2 | 43.9 | 44.0 | 44.2 | 44.4 | 45.7 | 44.2 | 45.9 | 46.4 | 46.8 | 46.4 | 47.9 |
| NV0797 | 45.7 | 47.6 | 45.7 | 45.5 | 45.7 | 46.9 | 47.0 | 48.8 | 47.2 | 47.1 | 47.2 | 48.4 |
| NV0798 | 44.3 | 46.0 | 42.6 | 42.5 | 44.3 | 45.5 | 46.0 | 47.7 | 45.6 | 45.6 | 46.0 | 47.1 |
| NV0799 | 45.6 | 47.5 | 45.6 | 45.4 | 45.6 | 46.8 | 47.0 | 48.9 | 43.8 | 43.7 | 47.0 | 48.2 |
| NV0800 | 43.9 | 45.6 | 45.4 | 45.4 | 43.4 | 44.6 | 45.7 | 47.4 | 47.5 | 47.6 | 47.5 | 48.7 |
| NV0801 | 45.5 | 47.5 | 45.6 | 45.5 | 45.6 | 46.8 | 47.0 | 48.9 | 47.4 | 47.3 | 47.4 | 48.6 |
| NV0802 | 45.1 | 46.9 | 43.3 | 43.2 | 45.1 | 46.2 | 46.4 | 48.2 | 45.8 | 45.8 | 46.4 | 47.6 |
| NV0803 | 45.2 | 47.2 | 42.3 | 42.2 | 45.4 | 46.6 | 46.9 | 48.8 | 44.3 | 44.2 | 46.8 | 48.0 |
| NV0804 | 44.5 | 46.2 | 46.8 | 47.3 | 46.8 | 48.4 | 46.2 | 47.9 | 48.5 | 48.9 | 48.5 | 50.0 |
| NV0805 | 45.3 | 47.3 | 48.0 | 48.0 | 48.0 | 49.2 | 46.9 | 48.8 | 49.5 | 49.4 | 47.2 | 48.3 |
| NV0806 | 40.4 | 42.2 | 45.0 | 46.1 | 45.0 | 47.0 | 43.1 | 44.8 | 46.6 | 47.5 | 46.6 | 48.5 |
| NV0807 | 44.9 | 47.0 | 42.7 | 42.9 | 45.5 | 46.6 | 46.7 | 48.7 | 44.3 | 44.6 | 44.3 | 45.5 |
| NV0808 | 40.4 | 42.2 | 45.0 | 46.1 | 45.0 | 47.0 | 43.1 | 44.8 | 46.6 | 47.5 | 46.6 | 48.5 |
| NV0809 | 44.9 | 47.0 | 42.7 | 42.9 | 45.5 | 46.6 | 46.7 | 48.7 | 44.3 | 44.6 | 44.3 | 45.5 |
| NV0810 | 38.5 | 40.2 | 49.6 | 49.8 | 49.8 | 50.9 | 41.9 | 43.6 | 51.0 | 51.1 | 51.0 | 52.1 |
| NV0811 | 48.7 | 50.3 | 41.8 | 41.9 | 46.3 | 47.4 | 49.8 | 51.4 | 44.2 | 44.4 | 48.0 | 49.1 |
| NV0812 | 38.5 | 40.2 | 49.6 | 49.8 | 49.8 | 50.9 | 41.9 | 43.6 | 51.0 | 51.1 | 51.0 | 52.1 |
| NV0813 | 48.7 | 50.3 | 41.8 | 41.9 | 46.3 | 47.4 | 49.8 | 51.4 | 44.2 | 44.4 | 48.0 | 49.1 |
| NV0814 | 47.0 | 48.9 | 50.0 | 49.9 | 47.0 | 48.2 | 48.2 | 50.1 | 51.2 | 51.1 | 48.2 | 49.4 |
| NV0815 | 50.2 | 51.6 | 42.3 | 42.7 | 42.3 | 43.6 | 51.3 | 52.7 | 44.5 | 44.9 | 44.5 | 45.9 |
| NV0816 | 41.8 | 43.3 | 45.2 | 45.1 | 44.1 | 45.1 | 44.1 | 45.6 | 47.2 | 47.2 | 47.2 | 48.2 |
| NV0817 | 51.0 | 52.5 | 45.2 | 44.8 | 45.2 | 45.8 | 53.0 | 54.5 | 47.1 | 46.7 | 47.1 | 47.7 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0818 | 41.4 | 43.0 | 46.1 | 46.1 | 46.1 | 46.9 | 43.6 | 45.1 | 48.0 | 48.1 | 48.0 | 49.0 |
| NV0819 | 62.6 | 64.2 | 45.9 | 44.7 | 45.9 | 45.8 | 62.1 | 63.7 | 48.7 | 47.3 | 48.7 | 48.3 |
| NV0820 | 42.3 | 43.9 | 45.6 | 45.8 | 45.6 | 46.8 | 44.1 | 45.7 | 47.7 | 48.1 | 47.7 | 49.1 |
| NV0821 | 43.7 | 45.1 | 45.1 | 45.1 | 45.1 | 46.1 | 45.6 | 47.0 | 47.2 | 47.3 | 47.2 | 48.3 |
| NV0822 | 55.9 | 57.5 | 44.4 | 43.8 | 44.4 | 44.9 | 61.4 | 63.0 | 46.3 | 45.7 | 46.3 | 46.8 |
| NV0823 | 39.5 | 41.1 | 45.5 | 45.7 | 45.5 | 46.6 | 42.2 | 43.7 | 47.8 | 48.1 | 47.8 | 49.0 |
| NV0824 | 49.6 | 51.2 | 45.0 | 44.6 | 45.0 | 45.6 | 54.7 | 56.2 | 46.9 | 46.6 | 46.9 | 47.6 |
| NV0825 | 39.3 | 40.9 | 42.5 | 42.8 | 42.5 | 43.6 | 41.9 | 43.4 | 45.0 | 45.3 | 45.0 | 46.2 |
| NV0826 | 44.0 | 45.3 | 47.6 | 47.2 | 47.6 | 48.1 | 51.1 | 52.4 | 44.9 | 44.6 | 49.4 | 50.0 |
| NV0827 | 41.2 | 42.7 | 44.5 | 44.1 | 44.5 | 44.9 | 43.3 | 44.8 | 46.6 | 46.4 | 46.6 | 47.3 |
| NV0828 | 43.0 | 44.5 | 45.4 | 45.0 | 43.0 | 43.6 | 44.7 | 46.2 | 47.6 | 47.2 | 44.7 | 45.4 |
| NV0829 | 49.6 | 51.0 | 41.4 | 41.2 | 41.4 | 42.4 | 49.8 | 51.3 | 45.3 | 45.0 | 44.0 | 44.9 |
| NV0830 | 52.3 | 53.8 | 46.4 | 45.8 | 42.9 | 43.5 | 54.8 | 56.3 | 48.5 | 48.1 | 45.0 | 45.6 |
| NV0831 | 47.1 | 48.7 | 43.3 | 42.8 | 43.3 | 43.9 | 54.2 | 55.7 | 45.3 | 44.8 | 45.3 | 45.9 |
| NV0832 | 58.1 | 59.7 | 43.9 | 43.3 | 43.9 | 44.5 | 62.2 | 63.8 | 45.8 | 45.2 | 45.8 | 46.3 |
| NV0833 | 43.2 | 44.7 | 41.9 | 42.2 | 41.9 | 43.1 | 44.9 | 46.4 | 45.0 | 45.6 | 45.0 | 46.5 |
| NV0834 | 42.4 | 43.9 | 42.1 | 42.3 | 43.6 | 44.7 | 44.2 | 45.7 | 44.6 | 44.9 | 44.6 | 45.8 |
| NV0835 | 39.3 | 40.9 | 42.6 | 42.8 | 43.0 | 44.1 | 45.0 | 46.5 | 45.6 | 46.1 | 45.6 | 47.0 |
| NV0836 | 42.2 | 43.8 | 44.1 | 44.3 | 44.1 | 45.3 | 44.3 | 45.8 | 46.4 | 46.6 | 46.4 | 47.6 |
| NV0837 | 43.3 | 44.9 | 44.8 | 44.9 | 44.8 | 45.9 | 45.1 | 46.6 | 47.7 | 48.2 | 47.7 | 49.1 |
| NV0838 | 41.2 | 42.8 | 43.4 | 43.5 | 43.4 | 44.4 | 43.8 | 45.4 | 45.7 | 46.0 | 45.7 | 46.9 |
| NV0839 | 43.1 | 44.6 | 45.7 | 45.8 | 45.7 | 46.7 | 45.0 | 46.5 | 47.7 | 48.3 | 47.7 | 49.2 |
| NV0840 | 40.8 | 42.4 | 46.5 | 46.5 | 46.5 | 47.5 | 44.3 | 45.8 | 48.3 | 48.3 | 48.3 | 49.3 |
| NV0841 | 43.9 | 45.5 | 46.8 | 46.7 | 43.9 | 45.0 | 45.4 | 47.0 | 48.5 | 49.1 | 48.5 | 50.0 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0842 | 45.1 | 46.6 | 45.7 | 45.8 | 45.1 | 46.1 | 46.4 | 47.9 | 47.2 | 47.6 | 47.2 | 48.4 |
| NV0843 | 44.2 | 45.8 | 47.8 | 47.8 | 43.8 | 44.9 | 45.9 | 47.4 | 49.2 | 49.5 | 49.2 | 50.4 |
| NV0844 | 45.1 | 46.6 | 45.7 | 45.8 | 45.1 | 46.1 | 46.4 | 47.9 | 47.2 | 47.6 | 47.2 | 48.4 |
| NV0845 | 40.7 | 42.3 | 48.1 | 48.1 | 48.1 | 48.9 | 42.9 | 44.5 | 49.6 | 49.9 | 49.6 | 50.8 |
| NV0846 | 45.9 | 47.4 | 43.5 | 44.5 | 43.5 | 45.4 | 47.4 | 48.8 | 45.7 | 46.6 | 45.7 | 47.6 |
| NV0847 | 40.7 | 42.3 | 48.1 | 48.1 | 48.1 | 48.9 | 42.9 | 44.5 | 49.6 | 49.9 | 49.6 | 50.8 |
| NV0848 | 45.9 | 47.4 | 43.5 | 44.5 | 43.5 | 45.4 | 47.4 | 48.8 | 45.7 | 46.6 | 45.7 | 47.6 |
| NV0849 | 40.6 | 42.3 | 49.4 | 49.2 | 42.9 | 43.9 | 42.8 | 44.4 | 52.1 | 52.1 | 52.1 | 53.0 |
| NV0850 | 42.5 | 44.2 | 46.4 | 46.9 | 46.4 | 47.7 | 44.2 | 45.9 | 48.1 | 48.6 | 47.9 | 49.3 |
| NV0851 | 40.6 | 42.3 | 49.4 | 49.2 | 42.9 | 43.9 | 42.8 | 44.4 | 52.1 | 52.1 | 52.1 | 53.0 |
| NV0852 | 47.8 | 49.1 | 49.9 | 50.0 | 49.9 | 51.0 | 49.1 | 50.4 | 48.5 | 48.8 | 51.1 | 52.2 |
| NV0853 | 54.0 | 55.7 | 46.6 | 46.2 | 46.6 | 47.2 | 59.5 | 61.1 | 48.4 | 47.9 | 48.4 | 48.9 |
| NV0854 | 50.7 | 52.6 | 50.7 | 49.3 | 46.1 | 45.7 | 51.6 | 53.5 | 51.6 | 50.3 | 51.6 | 51.1 |
| NV0855 | 60.8 | 62.5 | 48.1 | 47.4 | 48.1 | 48.3 | 61.9 | 63.6 | 50.0 | 49.2 | 50.0 | 50.1 |
| NV0856 | 56.6 | 58.2 | 52.0 | 51.0 | 51.4 | 51.3 | 57.7 | 59.2 | 52.6 | 51.7 | 53.0 | 52.9 |
| NV0857 | 44.2 | 45.8 | 45.3 | 49.1 | 45.3 | 50.2 | 47.0 | 48.5 | 46.5 | 50.2 | 46.5 | 51.2 |
| NV0858 | 45.8 | 47.3 | 46.4 | 49.6 | 46.4 | 50.6 | 47.1 | 48.6 | 47.3 | 50.6 | 47.3 | 51.6 |
| NV0859 | 48.8 | 50.6 | 45.5 | 46.9 | 45.5 | 47.9 | 48.9 | 50.7 | 48.7 | 50.3 | 48.7 | 51.3 |
| NV0860 | 44.8 | 46.4 | 48.6 | 49.7 | 47.4 | 49.4 | 46.5 | 48.1 | 48.3 | 50.1 | 48.3 | 51.0 |
| NV0861 | 44.1 | 45.7 | 48.4 | 50.8 | 48.4 | 51.8 | 46.1 | 47.6 | 49.0 | 51.7 | 49.0 | 52.6 |
| NV0862 | 42.1 | 43.7 | 46.7 | 49.1 | 46.7 | 50.0 | 47.0 | 48.5 | 47.8 | 50.1 | 47.8 | 51.1 |
| NV0863 | 45.5 | 46.8 | 47.8 | 49.4 | 47.8 | 50.3 | 46.8 | 48.1 | 49.0 | 50.7 | 49.0 | 51.6 |
| NV0864 | 44.2 | 45.9 | 47.3 | 50.0 | 47.3 | 51.0 | 49.7 | 51.3 | 48.3 | 51.0 | 48.3 | 52.0 |
| NV0865 | 46.0 | 47.5 | 48.0 | 50.7 | 47.9 | 51.7 | 47.4 | 48.8 | 48.7 | 51.4 | 48.8 | 52.5 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0866 | 44.3 | 45.8 | 46.7 | 49.3 | 46.7 | 50.4 | 45.7 | 47.1 | 47.4 | 50.3 | 47.4 | 51.4 |
| NV0867 | 44.2 | 45.7 | 46.1 | 48.6 | 46.1 | 49.6 | 45.9 | 47.3 | 47.0 | 49.5 | 47.0 | 50.6 |
| NV0868 | 43.9 | 45.4 | 47.5 | 49.1 | 47.5 | 50.0 | 45.7 | 47.1 | 48.4 | 50.1 | 48.4 | 51.0 |
| NV0869 | 49.8 | 51.3 | 49.6 | 50.1 | 49.6 | 51.1 | 51.2 | 52.7 | 50.9 | 51.5 | 50.9 | 52.5 |
| NV0870 | 54.4 | 56.0 | 47.7 | 48.8 | 47.7 | 49.7 | 57.6 | 59.3 | 49.1 | 50.2 | 49.1 | 51.2 |
| NV0871 | 40.7 | 42.3 | 46.9 | 49.7 | 46.9 | 50.7 | 45.5 | 47.0 | 47.7 | 50.5 | 47.7 | 51.5 |
| NV0872 | 42.7 | 44.3 | 46.9 | 49.6 | 46.9 | 50.7 | 46.0 | 47.5 | 47.8 | 50.5 | 47.8 | 51.6 |
| NV0873 | 45.6 | 47.1 | 46.5 | 50.2 | 46.5 | 51.3 | 46.9 | 48.4 | 47.3 | 51.0 | 47.3 | 52.1 |
| NV0874 | 64.0 | 65.6 | 49.1 | 49.8 | 49.1 | 50.8 | 63.6 | 65.3 | 50.5 | 51.3 | 50.5 | 52.3 |
| NV0875 | 46.4 | 47.8 | 47.8 | 49.5 | 47.8 | 50.4 | 47.7 | 49.0 | 49.1 | 50.9 | 49.1 | 51.8 |
| NV0876 | 46.2 | 47.8 | 47.6 | 49.5 | 47.6 | 50.4 | 47.4 | 49.0 | 48.4 | 50.3 | 48.7 | 51.5 |
| NV0877 | 44.0 | 45.5 | 47.4 | 49.0 | 47.4 | 50.0 | 45.9 | 47.4 | 49.1 | 50.8 | 48.2 | 50.9 |
| NV0878 | 42.8 | 44.3 | 47.6 | 49.1 | 47.6 | 50.0 | 44.7 | 46.2 | 48.5 | 50.0 | 48.5 | 51.0 |
| NV0879 | 44.4 | 45.8 | 48.6 | 50.5 | 48.6 | 51.5 | 46.3 | 47.6 | 49.2 | 51.2 | 49.2 | 52.2 |
| NV0880 | 43.3 | 44.6 | 48.7 | 49.8 | 48.7 | 50.8 | 44.6 | 45.9 | 49.3 | 50.5 | 48.8 | 51.0 |
| NV0881 | 40.1 | 41.5 | 45.9 | 47.8 | 45.9 | 48.8 | 42.2 | 43.5 | 46.6 | 48.4 | 46.6 | 49.4 |
| NV0882 | 43.0 | 44.4 | 41.2 | 42.5 | 41.2 | 43.4 | 44.3 | 45.7 | 43.3 | 44.6 | 43.3 | 45.5 |
| NV0883 | 44.4 | 45.9 | 48.4 | 49.5 | 48.4 | 50.4 | 45.5 | 47.0 | 49.8 | 51.0 | 49.8 | 51.9 |
| NV0884 | 43.1 | 44.6 | 48.6 | 49.7 | 48.6 | 50.5 | 44.6 | 46.0 | 49.3 | 50.5 | 49.2 | 51.3 |
| NV0885 | 41.5 | 42.9 | 44.9 | 45.3 | 44.9 | 46.4 | 43.1 | 44.5 | 46.3 | 46.9 | 46.3 | 47.9 |
| NV0886 | 47.5 | 48.6 | 47.5 | 57.1 | 47.5 | 58.5 | 48.3 | 49.5 | 48.3 | 58.4 | 48.3 | 59.7 |
| NV0887 | 40.4 | 41.8 | 46.1 | 47.1 | 46.1 | 48.0 | 43.2 | 44.5 | 49.5 | 50.5 | 49.6 | 51.4 |
| NV0888 | 41.2 | 42.6 | 44.5 | 44.9 | 44.5 | 45.7 | 43.1 | 44.4 | 46.4 | 46.9 | 46.4 | 47.7 |
| NV0889 | 38.9 | 40.4 | 39.9 | 40.4 | 39.9 | 41.2 | 40.8 | 42.2 | 42.4 | 42.9 | 42.4 | 43.7 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0890 | 43.3 | 44.8 | 46.4 | 48.4 | 46.4 | 49.4 | 45.1 | 46.5 | 47.3 | 49.3 | 47.3 | 50.3 |
| NV0891 | 37.9 | 39.2 | 45.8 | 47.5 | 45.8 | 48.5 | 43.1 | 44.2 | 46.2 | 48.0 | 46.2 | 49.0 |
| NV0892 | 37.9 | 39.2 | 45.8 | 47.5 | 45.8 | 48.5 | 43.1 | 44.2 | 46.2 | 48.0 | 46.2 | 49.0 |
| NV0893 | 38.7 | 40.1 | 45.0 | 45.7 | 38.7 | 40.5 | 40.6 | 42.0 | 40.8 | 41.7 | 40.8 | 42.8 |
| NV0894 | 40.8 | 42.1 | 46.4 | 48.4 | 46.4 | 49.3 | 41.9 | 43.1 | 46.7 | 48.5 | 46.7 | 49.5 |
| NV0895 | 40.8 | 42.1 | 46.2 | 47.5 | 46.2 | 48.5 | 42.5 | 43.8 | 47.0 | 48.3 | 47.0 | 49.4 |
| NV0896 | 41.4 | 42.8 | 46.7 | 47.9 | 46.7 | 48.9 | 42.9 | 44.2 | 47.5 | 48.7 | 47.5 | 49.7 |
| NV0897 | 40.0 | 41.4 | 49.3 | 50.3 | 49.3 | 51.1 | 41.7 | 43.0 | 50.0 | 50.9 | 50.0 | 51.8 |
| NV0898 | 40.6 | 42.1 | 45.2 | 46.2 | 45.2 | 47.0 | 43.7 | 45.0 | 47.3 | 48.2 | 48.7 | 50.4 |
| NV0899 | 43.8 | 45.3 | 48.2 | 50.2 | 48.0 | 51.0 | 45.1 | 46.5 | 48.9 | 50.9 | 48.9 | 51.9 |
| NV0900 | 42.6 | 44.0 | 48.1 | 50.0 | 48.1 | 50.9 | 44.4 | 45.7 | 49.1 | 50.9 | 49.1 | 51.8 |
| NV0901 | 41.1 | 42.5 | 41.0 | 41.7 | 41.0 | 42.5 | 42.4 | 43.8 | 43.7 | 44.3 | 43.7 | 45.1 |
| NV0902 | 42.9 | 44.4 | 48.0 | 49.3 | 47.1 | 49.4 | 44.2 | 45.6 | 47.9 | 49.3 | 47.9 | 50.3 |
| NV0903 | 38.2 | 39.5 | 40.1 | 41.5 | 40.1 | 42.4 | 40.8 | 42.1 | 42.3 | 43.6 | 42.3 | 44.5 |
| NV0904 | 42.8 | 44.3 | 45.0 | 45.6 | 47.6 | 49.0 | 45.2 | 46.6 | 49.1 | 49.7 | 49.1 | 50.6 |
| NV0905 | 38.9 | 40.3 | 46.7 | 47.5 | 47.2 | 48.9 | 42.4 | 43.6 | 48.7 | 49.4 | 47.2 | 48.9 |
| NV0906 | 38.5 | 39.7 | 38.5 | 42.3 | 38.5 | 43.4 | 40.2 | 41.3 | 40.2 | 43.4 | 40.2 | 44.5 |
| NV0907 | 40.3 | 41.8 | 39.4 | 40.0 | 39.4 | 40.8 | 42.1 | 43.5 | 43.9 | 44.4 | 43.9 | 45.4 |
| NV0908 | 49.3 | 50.3 | 49.2 | 55.1 | 49.2 | 56.4 | 50.2 | 51.2 | 50.1 | 56.2 | 50.1 | 57.5 |
| NV0909 | 44.6 | 46.1 | 41.4 | 43.4 | 41.4 | 44.6 | 46.0 | 47.4 | 44.9 | 46.7 | 43.5 | 46.4 |
| NV0910 | 39.5 | 40.8 | 44.7 | 45.8 | 44.7 | 46.7 | 42.0 | 43.2 | 46.3 | 47.3 | 46.6 | 48.4 |
| NV0911 | 40.1 | 41.5 | 42.0 | 43.4 | 42.0 | 44.3 | 42.3 | 43.6 | 43.9 | 45.1 | 43.9 | 46.0 |
| NV0912 | 39.0 | 40.5 | 42.6 | 43.2 | 42.6 | 44.0 | 40.9 | 42.3 | 44.3 | 44.9 | 44.3 | 45.7 |
| NV0913 | 44.0 | 45.4 | 47.7 | 48.9 | 47.7 | 49.8 | 45.2 | 46.6 | 48.6 | 49.9 | 48.6 | 50.8 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0914 | 41.3 | 42.7 | 45.3 | 46.6 | 45.3 | 47.5 | 43.2 | 44.6 | 46.5 | 48.0 | 46.5 | 49.0 |
| NV0915 | 39.6 | 41.0 | 44.2 | 44.8 | 44.2 | 45.6 | 42.0 | 43.4 | 46.0 | 46.6 | 46.0 | 47.4 |
| NV0916 | 39.7 | 41.0 | 40.9 | 41.5 | 40.9 | 42.3 | 42.3 | 43.6 | 43.8 | 44.3 | 43.8 | 45.2 |
| NV0917 | 44.4 | 45.8 | 48.6 | 50.3 | 49.0 | 51.7 | 45.5 | 46.9 | 49.1 | 51.0 | 49.1 | 52.1 |
| NV0918 | 43.5 | 45.0 | 48.6 | 50.4 | 48.6 | 51.4 | 44.3 | 45.8 | 49.2 | 51.1 | 49.2 | 52.0 |
| NV0919 | 37.2 | 38.6 | 40.0 | 41.1 | 40.0 | 42.1 | 39.1 | 40.4 | 42.2 | 43.5 | 42.2 | 44.5 |
| NV0920 | 46.9 | 48.8 | 47.3 | 47.1 | 47.3 | 48.5 | 49.4 | 51.2 | 52.7 | 52.4 | 49.2 | 50.3 |
| NV0921 | 49.4 | 51.1 | 49.4 | 48.8 | 49.4 | 49.7 | 51.8 | 53.4 | 51.1 | 50.5 | 51.1 | 51.4 |
| NV0922 | 58.0 | 60.1 | 50.6 | 50.7 | 58.0 | 59.2 | 59.5 | 61.6 | 52.3 | 52.4 | 52.3 | 53.5 |
| NV0923 | 50.2 | 52.2 | 50.2 | 50.1 | 50.4 | 51.6 | 52.3 | 54.3 | 51.1 | 51.1 | 52.2 | 53.4 |
| NV0924 | 44.0 | 45.9 | 47.7 | 47.4 | 47.7 | 48.8 | 47.8 | 49.5 | 49.2 | 48.9 | 47.8 | 48.9 |
| NV0925 | 49.0 | 50.8 | 47.5 | 47.7 | 49.0 | 50.2 | 49.4 | 51.2 | 48.9 | 49.1 | 49.9 | 51.1 |
| NV0926 | 60.7 | 62.8 | 52.8 | 52.7 | 52.8 | 54.1 | 62.9 | 65.0 | 55.6 | 55.4 | 55.6 | 56.9 |
| NV0927 | 51.8 | 53.8 | 46.1 | 46.0 | 52.1 | 53.3 | 54.5 | 56.5 | 48.1 | 48.0 | 54.5 | 55.7 |
| NV0928 | 48.0 | 50.0 | 50.1 | 50.0 | 48.8 | 49.9 | 51.1 | 53.0 | 52.0 | 51.9 | 50.7 | 51.9 |
| NV0929 | 47.3 | 49.2 | 47.3 | 47.1 | 47.3 | 48.5 | 48.9 | 50.8 | 48.9 | 48.6 | 48.9 | 50.0 |
| NV0930 | 62.4 | 64.0 | 42.6 | 42.1 | 42.6 | 43.3 | 62.7 | 64.3 | 45.1 | 44.4 | 45.1 | 45.6 |
| NV0931 | 47.9 | 49.4 | 44.3 | 43.9 | 42.5 | 43.2 | 50.4 | 51.9 | 46.8 | 46.4 | 46.2 | 46.8 |
| NV0932 | 48.4 | 50.1 | 44.3 | 43.7 | 44.3 | 44.9 | 52.2 | 53.9 | 46.0 | 45.4 | 46.0 | 46.5 |
| NV0933 | 40.0 | 41.4 | 44.0 | 43.4 | 40.0 | 40.4 | 43.0 | 44.4 | 46.3 | 45.9 | 46.3 | 46.8 |
| NV0934 | 60.5 | 62.1 | 44.3 | 43.8 | 44.3 | 45.0 | 57.0 | 58.6 | 46.0 | 45.4 | 46.0 | 46.5 |
| NV0935 | 42.3 | 43.8 | 42.3 | 42.0 | 42.3 | 43.3 | 44.3 | 45.7 | 44.2 | 43.9 | 44.2 | 45.1 |
| NV0936 | 57.3 | 58.9 | 44.4 | 43.9 | 44.4 | 45.1 | 61.3 | 62.8 | 46.2 | 45.6 | 46.2 | 46.8 |
| NV0937 | 42.4 | 43.9 | 42.4 | 42.1 | 42.4 | 43.3 | 44.4 | 45.9 | 44.4 | 44.0 | 44.4 | 45.3 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0938 | 43.9 | 45.5 | 43.9 | 43.4 | 43.9 | 44.7 | 59.6 | 61.1 | 45.4 | 44.9 | 45.4 | 46.1 |
| NV0939 | 42.8 | 44.3 | 42.8 | 42.4 | 42.8 | 43.7 | 51.3 | 52.7 | 44.7 | 44.3 | 44.7 | 45.5 |
| NV0940 | 43.9 | 45.5 | 43.9 | 43.4 | 43.9 | 44.7 | 59.6 | 61.1 | 45.4 | 44.9 | 45.4 | 46.1 |
| NV0941 | 43.0 | 44.5 | 42.6 | 42.2 | 42.6 | 43.5 | 44.5 | 46.0 | 44.5 | 44.1 | 44.5 | 45.3 |
| NV0942 | 56.0 | 57.6 | 44.2 | 43.7 | 44.2 | 45.0 | 61.1 | 62.6 | 46.7 | 46.1 | 45.9 | 46.5 |
| NV0943 | 50.1 | 51.5 | 46.3 | 45.6 | 46.3 | 46.7 | 49.6 | 51.0 | 47.6 | 46.9 | 47.6 | 48.0 |
| NV0944 | 56.0 | 57.6 | 44.2 | 43.7 | 44.2 | 45.0 | 61.1 | 62.6 | 46.7 | 46.1 | 45.9 | 46.5 |
| NV0945 | 50.1 | 51.5 | 46.3 | 45.6 | 46.3 | 46.7 | 49.6 | 51.0 | 47.6 | 46.9 | 47.6 | 48.0 |
| NV0946 | 60.3 | 61.9 | 42.9 | 42.4 | 42.9 | 43.7 | 61.4 | 62.9 | 45.0 | 44.4 | 45.0 | 45.6 |
| NV0947 | 51.1 | 52.5 | 48.9 | 48.2 | 48.9 | 49.2 | 52.2 | 53.6 | 50.1 | 49.5 | 50.1 | 50.4 |
| NV0948 | 60.1 | 61.7 | 43.5 | 42.9 | 43.5 | 44.1 | 60.9 | 62.4 | 45.6 | 44.9 | 45.6 | 46.1 |
| NV0949 | 51.1 | 52.5 | 48.9 | 48.2 | 48.9 | 49.2 | 52.2 | 53.6 | 50.1 | 49.5 | 50.1 | 50.4 |
| NV0950 | 59.5 | 61.1 | 58.2 | 56.4 | 58.2 | 57.1 | 60.1 | 61.7 | 59.3 | 57.5 | 50.6 | 49.6 |
| NV0951 | 59.5 | 61.1 | 58.2 | 56.4 | 58.2 | 57.1 | 60.1 | 61.7 | 59.3 | 57.5 | 50.6 | 49.6 |
| NV0952 | 58.2 | 59.8 | 52.2 | 51.0 | 50.4 | 50.2 | 58.6 | 60.2 | 53.6 | 52.4 | 51.3 | 51.0 |
| NV0953 | 58.2 | 59.8 | 52.2 | 51.0 | 50.4 | 50.2 | 58.6 | 60.2 | 53.6 | 52.4 | 51.3 | 51.0 |
| NV0954 | 40.4 | 41.9 | 40.9 | 40.3 | 40.9 | 41.5 | 47.7 | 49.1 | 43.5 | 43.0 | 43.5 | 44.2 |
| NV0955 | 57.3 | 58.9 | 44.4 | 43.8 | 44.4 | 45.0 | 58.7 | 60.3 | 46.2 | 45.6 | 46.2 | 46.7 |
| NV0956 | 53.8 | 55.1 | 56.5 | 54.4 | 56.5 | 55.2 | 58.9 | 60.1 | 58.1 | 56.0 | 58.2 | 56.9 |
| NV0957 | 56.9 | 58.3 | 58.3 | 56.3 | 58.3 | 57.2 | 59.2 | 60.7 | 60.5 | 58.6 | 62.2 | 61.1 |
| NV0958 | 53.8 | 55.1 | 56.5 | 54.4 | 56.5 | 55.2 | 58.9 | 60.1 | 58.1 | 56.0 | 58.2 | 56.9 |
| NV0959 | 56.1 | 57.6 | 57.6 | 55.6 | 57.6 | 56.4 | 59.4 | 60.9 | 59.6 | 57.6 | 59.1 | 58.0 |
| NV0960 | 53.8 | 55.1 | 56.5 | 54.4 | 56.5 | 55.2 | 58.9 | 60.1 | 58.1 | 56.0 | 58.2 | 56.9 |
| NV0961 | 55.3 | 56.7 | 56.9 | 54.8 | 56.9 | 55.6 | 58.6 | 60.1 | 58.6 | 56.7 | 58.6 | 57.5 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0962 | 53.8 | 55.1 | 56.5 | 54.4 | 56.5 | 55.2 | 58.9 | 60.1 | 58.1 | 56.0 | 58.2 | 56.9 |
| NV0963 | 53.6 | 54.9 | 56.6 | 54.4 | 53.6 | 52.4 | 56.4 | 57.8 | 58.3 | 56.2 | 58.3 | 57.1 |
| NV0964 | 53.8 | 55.1 | 56.5 | 54.4 | 56.5 | 55.2 | 58.9 | 60.1 | 58.1 | 56.0 | 58.2 | 56.9 |
| NV0965 | 54.8 | 56.1 | 53.4 | 51.3 | 53.4 | 52.2 | 55.9 | 57.2 | 57.1 | 55.0 | 57.1 | 55.8 |
| NV0966 | 53.8 | 55.1 | 56.5 | 54.4 | 56.5 | 55.2 | 58.9 | 60.1 | 58.1 | 56.0 | 58.2 | 56.9 |
| NV0967 | 52.8 | 54.1 | 52.8 | 50.7 | 52.8 | 51.6 | 55.3 | 56.6 | 56.8 | 54.6 | 55.3 | 54.0 |
| NV0968 | 53.8 | 55.1 | 56.5 | 54.4 | 56.5 | 55.2 | 58.9 | 60.1 | 58.1 | 56.0 | 58.2 | 56.9 |
| NV0969 | 51.7 | 53.0 | 51.7 | 49.6 | 51.7 | 50.5 | 54.7 | 56.0 | 56.5 | 54.4 | 56.5 | 55.2 |
| NV0970 | 53.8 | 55.1 | 56.5 | 54.4 | 56.5 | 55.2 | 58.9 | 60.1 | 58.1 | 56.0 | 58.2 | 56.9 |
| NV0971 | 51.8 | 53.1 | 51.5 | 49.5 | 51.5 | 50.4 | 54.3 | 55.6 | 56.0 | 53.9 | 56.0 | 54.7 |
| NV0972 | 53.8 | 55.1 | 56.5 | 54.4 | 56.5 | 55.2 | 58.9 | 60.1 | 58.1 | 56.0 | 58.2 | 56.9 |
| NV0973 | 53.8 | 55.1 | 56.5 | 54.4 | 56.5 | 55.2 | 58.9 | 60.1 | 58.1 | 56.0 | 58.2 | 56.9 |
| NV0974 | 53.8 | 55.1 | 56.5 | 54.4 | 56.5 | 55.2 | 58.9 | 60.1 | 58.1 | 56.0 | 58.2 | 56.9 |
| NV0975 | 52.3 | 53.6 | 54.6 | 52.6 | 50.4 | 49.3 | 54.4 | 55.7 | 56.2 | 54.2 | 56.2 | 55.0 |
| NV0976 | 52.3 | 53.6 | 54.6 | 52.6 | 50.4 | 49.3 | 54.4 | 55.7 | 56.2 | 54.2 | 56.2 | 55.0 |
| NV0977 | 52.3 | 53.6 | 54.6 | 52.6 | 50.4 | 49.3 | 54.4 | 55.7 | 56.2 | 54.2 | 56.2 | 55.0 |
| NV0978 | 52.3 | 53.6 | 54.6 | 52.6 | 50.4 | 49.3 | 54.4 | 55.7 | 56.2 | 54.2 | 56.2 | 55.0 |
| NV0979 | 52.3 | 53.6 | 54.6 | 52.6 | 50.4 | 49.3 | 54.4 | 55.7 | 56.2 | 54.2 | 56.2 | 55.0 |
| NV0980 | 52.3 | 53.6 | 54.6 | 52.6 | 50.4 | 49.3 | 54.4 | 55.7 | 56.2 | 54.2 | 56.2 | 55.0 |
| NV0981 | 52.3 | 53.6 | 54.6 | 52.6 | 50.4 | 49.3 | 54.4 | 55.7 | 56.2 | 54.2 | 56.2 | 55.0 |
| NV0982 | 52.3 | 53.6 | 54.6 | 52.6 | 50.4 | 49.3 | 54.4 | 55.7 | 56.2 | 54.2 | 56.2 | 55.0 |
| NV0983 | 52.3 | 53.6 | 54.6 | 52.6 | 50.4 | 49.3 | 54.4 | 55.7 | 56.2 | 54.2 | 56.2 | 55.0 |
| NV0984 | 52.3 | 53.6 | 54.6 | 52.6 | 50.4 | 49.3 | 54.4 | 55.7 | 56.2 | 54.2 | 56.2 | 55.0 |
| NV0985 | 52.3 | 53.6 | 54.6 | 52.6 | 50.4 | 49.3 | 54.4 | 55.7 | 56.2 | 54.2 | 56.2 | 55.0 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV0986 | 49.5 | 50.5 | 49.3 | 48.3 | 49.3 | 49.3 | 51.9 | 53.0 | 51.8 | 51.0 | 51.9 | 52.1 |
| NV0987 | 49.2 | 50.2 | 49.2 | 48.2 | 49.2 | 49.2 | 51.7 | 52.8 | 51.7 | 50.9 | 51.7 | 52.0 |
| NV0988 | 49.4 | 50.5 | 49.5 | 48.6 | 49.5 | 49.6 | 52.1 | 53.2 | 51.8 | 51.0 | 51.8 | 52.1 |
| NV0989 | 48.6 | 49.7 | 49.7 | 48.8 | 49.7 | 49.8 | 51.9 | 53.0 | 51.9 | 51.1 | 51.9 | 52.2 |
| NV0990 | 49.0 | 50.5 | 46.6 | 47.0 | 46.6 | 48.2 | 48.0 | 49.5 | 48.3 | 48.8 | 48.3 | 49.9 |
| NV0991 | 50.3 | 51.9 | 46.4 | 46.2 | 46.4 | 47.5 | 51.7 | 53.2 | 47.9 | 47.7 | 47.9 | 49.0 |
| NV0992 | 52.2 | 53.8 | 46.7 | 46.3 | 46.7 | 47.5 | 53.1 | 54.7 | 48.4 | 48.0 | 48.4 | 49.2 |
| NV0993 | 53.3 | 55.0 | 45.9 | 45.5 | 45.9 | 46.6 | 55.2 | 56.9 | 48.0 | 47.6 | 48.0 | 48.7 |
| NV0994 | 55.9 | 57.6 | 45.3 | 44.8 | 45.3 | 45.8 | 56.5 | 58.2 | 47.6 | 47.1 | 47.3 | 47.9 |
| NV0995 | 60.1 | 61.9 | 43.9 | 43.3 | 44.4 | 44.7 | 60.8 | 62.6 | 46.6 | 46.1 | 46.6 | 47.1 |
| NV0996 | 60.0 | 61.8 | 44.4 | 44.2 | 44.4 | 45.2 | 61.1 | 62.9 | 46.9 | 46.7 | 47.0 | 47.8 |
| NV0997 | 59.3 | 61.1 | 42.5 | 42.8 | 42.5 | 43.7 | 61.3 | 63.1 | 45.9 | 46.0 | 45.3 | 46.4 |
| NV0998 | 56.3 | 58.1 | 42.1 | 42.5 | 42.1 | 43.4 | 61.0 | 62.8 | 44.5 | 44.8 | 44.6 | 45.8 |
| NV0999 | 54.5 | 56.3 | 41.9 | 42.3 | 42.2 | 43.4 | 56.7 | 58.4 | 45.0 | 45.2 | 45.0 | 46.1 |
| NV1000 | 52.8 | 54.5 | 42.4 | 42.6 | 42.4 | 43.4 | 54.6 | 56.3 | 45.1 | 45.2 | 45.1 | 46.1 |
| NV1001 | 51.4 | 53.1 | 46.9 | 46.9 | 46.9 | 48.0 | 53.1 | 54.8 | 48.9 | 48.9 | 48.7 | 49.8 |
| NV1002 | 47.4 | 49.2 | 46.5 | 49.0 | 46.5 | 50.0 | 47.5 | 49.3 | 48.1 | 50.7 | 48.1 | 51.7 |
| NV1003 | 47.4 | 48.8 | 45.4 | 49.1 | 45.4 | 50.1 | 48.5 | 49.9 | 47.2 | 50.7 | 47.2 | 51.7 |
| NV1004 | 45.3 | 46.8 | 45.8 | 50.0 | 45.8 | 51.1 | 46.7 | 48.1 | 47.3 | 51.3 | 47.3 | 52.4 |
| NV1005 | 45.0 | 46.4 | 45.5 | 49.9 | 45.5 | 50.9 | 46.4 | 47.8 | 47.1 | 51.3 | 47.1 | 52.3 |
| NV1006 | 43.4 | 44.8 | 46.6 | 51.0 | 46.6 | 52.1 | 44.6 | 46.0 | 47.6 | 52.4 | 47.6 | 53.5 |
| NV1007 | 45.2 | 46.6 | 47.4 | 51.7 | 47.4 | 52.8 | 46.5 | 47.8 | 48.1 | 53.0 | 48.1 | 54.2 |
| NV1008 | 49.5 | 51.1 | 47.7 | 47.7 | 47.7 | 48.5 | 51.6 | 53.2 | 49.2 | 49.4 | 49.2 | 50.3 |
| NV1009 | 61.3 | 62.9 | 44.2 | 45.4 | 44.2 | 46.3 | 62.9 | 64.6 | 46.3 | 47.2 | 46.3 | 48.1 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade ($L_{A10,18h}$) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1010 | 48.5 | 50.2 | 47.6 | 47.8 | 47.6 | 48.6 | 50.8 | 52.5 | 49.0 | 49.3 | 49.0 | 50.2 |
| NV1011 | 59.8 | 61.4 | 46.6 | 47.0 | 46.6 | 48.0 | 61.4 | 63.1 | 48.6 | 49.0 | 48.6 | 49.9 |
| NV1012 | 48.2 | 49.8 | 47.8 | 48.8 | 47.8 | 49.7 | 50.3 | 51.8 | 49.3 | 50.4 | 49.2 | 51.3 |
| NV1013 | 60.5 | 62.1 | 46.9 | 47.1 | 46.9 | 47.9 | 62.6 | 64.2 | 48.7 | 48.8 | 48.7 | 49.7 |
| NV1014 | 60.4 | 62.0 | 46.9 | 47.1 | 47.0 | 48.0 | 62.6 | 64.2 | 48.8 | 49.0 | 48.8 | 49.9 |
| NV1015 | 46.0 | 47.6 | 47.8 | 48.6 | 47.8 | 49.5 | 48.1 | 49.6 | 49.0 | 49.8 | 49.0 | 50.7 |
| NV1016 | 60.2 | 61.8 | 47.0 | 47.5 | 47.0 | 48.4 | 62.5 | 64.1 | 48.6 | 49.2 | 48.6 | 50.1 |
| NV1017 | 43.9 | 45.5 | 49.3 | 50.4 | 49.3 | 51.3 | 49.0 | 50.5 | 50.2 | 51.2 | 50.2 | 52.2 |
| NV1018 | 60.2 | 61.8 | 46.3 | 47.1 | 46.3 | 48.0 | 62.6 | 64.2 | 48.1 | 48.9 | 48.1 | 49.8 |
| NV1019 | 48.1 | 49.6 | 45.7 | 46.5 | 45.7 | 47.6 | 50.0 | 51.5 | 47.5 | 48.1 | 47.5 | 49.2 |
| NV1020 | 60.2 | 61.8 | 46.9 | 47.7 | 46.9 | 48.6 | 62.5 | 64.1 | 48.4 | 49.0 | 48.3 | 49.9 |
| NV1021 | 50.2 | 51.8 | 45.7 | 45.4 | 45.7 | 46.4 | 51.8 | 53.4 | 47.6 | 47.3 | 47.6 | 48.3 |
| NV1022 | 59.7 | 61.3 | 46.2 | 46.7 | 46.2 | 47.6 | 62.2 | 63.8 | 48.1 | 48.5 | 48.1 | 49.4 |
| NV1023 | 59.8 | 61.4 | 46.4 | 46.9 | 46.4 | 47.8 | 62.0 | 63.6 | 48.0 | 48.5 | 48.0 | 49.5 |
| NV1024 | 59.6 | 61.2 | 46.1 | 46.2 | 46.1 | 47.1 | 61.8 | 63.5 | 47.8 | 48.0 | 47.8 | 48.9 |
| NV1025 | 64.9 | 66.5 | 49.0 | 47.9 | 49.0 | 48.7 | 65.0 | 66.7 | 50.2 | 49.2 | 50.2 | 50.0 |
| NV1026 | 57.6 | 59.2 | 45.0 | 45.4 | 45.0 | 46.3 | 59.2 | 60.8 | 47.0 | 47.2 | 47.0 | 48.1 |
| NV1027 | 51.4 | 52.9 | 47.2 | 47.8 | 47.2 | 48.7 | 53.4 | 54.9 | 48.4 | 49.0 | 48.4 | 49.9 |
| NV1028 | 57.8 | 59.4 | 46.7 | 46.5 | 47.9 | 48.5 | 62.3 | 63.9 | 48.1 | 48.0 | 48.2 | 48.9 |
| NV1029 | 60.7 | 62.3 | 44.2 | 44.8 | 44.2 | 45.7 | 62.7 | 64.3 | 47.6 | 48.1 | 47.6 | 49.0 |
| NV1030 | 44.8 | 46.3 | 46.7 | 47.4 | 46.7 | 48.2 | 48.5 | 50.0 | 48.1 | 48.8 | 48.1 | 49.7 |
| NV1031 | 50.0 | 51.3 | 47.2 | 50.3 | 47.2 | 51.2 | 47.9 | 49.2 | 48.5 | 51.8 | 48.5 | 52.8 |
| NV1032 | 48.0 | 49.4 | 46.4 | 50.6 | 46.4 | 51.6 | 49.2 | 50.6 | 48.2 | 52.1 | 48.2 | 53.2 |
| NV1033 | 46.6 | 48.0 | 46.9 | 51.5 | 46.9 | 52.5 | 48.0 | 49.3 | 48.6 | 52.8 | 48.6 | 53.8 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1034 | 47.2 | 48.6 | 45.7 | 50.7 | 45.7 | 51.7 | 48.5 | 49.8 | 47.5 | 52.2 | 47.5 | 53.2 |
| NV1035 | 45.3 | 46.6 | 44.1 | 50.8 | 44.1 | 51.8 | 51.5 | 52.7 | 45.8 | 51.9 | 45.8 | 52.9 |
| NV1036 | 46.7 | 48.1 | 45.6 | 52.4 | 45.6 | 53.5 | 48.5 | 49.8 | 46.9 | 53.3 | 46.9 | 54.3 |
| NV1037 | 44.4 | 45.8 | 46.4 | 53.3 | 46.4 | 54.3 | 47.5 | 48.8 | 49.4 | 56.0 | 49.4 | 57.0 |
| NV1038 | 46.3 | 47.7 | 46.2 | 53.8 | 46.2 | 54.9 | 48.1 | 49.4 | 47.3 | 55.2 | 47.3 | 56.3 |
| NV1039 | 46.6 | 48.0 | 47.6 | 54.6 | 47.6 | 55.7 | 47.9 | 49.2 | 48.6 | 56.2 | 48.6 | 57.3 |
| NV1040 | 45.7 | 47.0 | 45.9 | 51.7 | 45.9 | 52.8 | 48.0 | 49.2 | 47.2 | 53.9 | 47.2 | 55.1 |
| NV1041 | 44.7 | 46.0 | 48.9 | 52.5 | 48.9 | 53.5 | 46.4 | 47.6 | 47.2 | 51.2 | 47.2 | 52.3 |
| NV1042 | 44.3 | 45.7 | 45.8 | 50.7 | 45.8 | 51.8 | 46.5 | 47.8 | 47.4 | 52.1 | 47.4 | 53.2 |
| NV1043 | 46.5 | 47.8 | 44.2 | 48.3 | 44.2 | 49.3 | 48.1 | 49.4 | 46.1 | 49.8 | 46.1 | 50.8 |
| NV1044 | 47.0 | 48.4 | 44.7 | 49.6 | 44.7 | 50.7 | 48.5 | 49.9 | 46.3 | 50.9 | 46.3 | 51.9 |
| NV1045 | 56.3 | 58.5 | 47.6 | 47.5 | 50.6 | 51.9 | 61.5 | 63.7 | 52.5 | 52.4 | 61.5 | 62.8 |
| NV1046 | 61.8 | 64.0 | 44.7 | 45.1 | 44.7 | 46.3 | 66.3 | 68.5 | 47.4 | 47.8 | 47.4 | 49.0 |
| NV1047 | 61.8 | 64.0 | 47.0 | 46.8 | 61.5 | 62.8 | 66.3 | 68.5 | 49.3 | 49.1 | 63.2 | 64.5 |
| NV1048 | 60.8 | 63.1 | 47.2 | 47.0 | 61.5 | 62.8 | 63.6 | 65.9 | 49.5 | 49.4 | 64.6 | 65.9 |
| NV1049 | 55.3 | 57.5 | 45.6 | 45.6 | 55.2 | 56.5 | 56.9 | 59.1 | 47.7 | 47.7 | 56.7 | 58.0 |
| NV1050 | 52.0 | 54.2 | 45.9 | 45.8 | 50.9 | 52.2 | 53.3 | 55.5 | 47.9 | 47.9 | 52.3 | 53.6 |
| NV1051 | 52.1 | 54.3 | 50.1 | 50.0 | 52.1 | 53.4 | 52.4 | 54.6 | 49.4 | 49.4 | 52.1 | 53.4 |
| NV1052 | 51.3 | 53.4 | 45.8 | 45.9 | 45.8 | 47.2 | 52.5 | 54.6 | 47.6 | 47.9 | 47.6 | 49.1 |
| NV1053 | 47.7 | 49.8 | 46.2 | 46.3 | 46.2 | 47.5 | 49.6 | 51.6 | 47.9 | 48.1 | 47.9 | 49.3 |
| NV1054 | 46.7 | 48.8 | 43.0 | 43.3 | 42.7 | 44.2 | 48.4 | 50.4 | 45.2 | 45.5 | 45.2 | 46.7 |
| NV1055 | 46.2 | 48.2 | 45.6 | 45.9 | 45.6 | 47.0 | 47.8 | 49.8 | 47.5 | 47.8 | 47.5 | 48.9 |
| NV1056 | 45.3 | 47.3 | 43.0 | 43.4 | 43.0 | 44.4 | 46.8 | 48.8 | 45.2 | 45.7 | 45.2 | 46.7 |
| NV1057 | 46.2 | 48.2 | 43.5 | 43.9 | 45.2 | 46.7 | 48.0 | 50.0 | 45.7 | 46.2 | 47.3 | 48.8 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1058 | 47.6 | 49.7 | 46.6 | 46.9 | 46.6 | 48.0 | 49.2 | 51.3 | 48.6 | 48.8 | 48.6 | 50.0 |
| NV1059 | 49.0 | 51.1 | 45.9 | 46.3 | 48.2 | 49.7 | 50.4 | 52.5 | 47.3 | 47.8 | 49.5 | 51.0 |
| NV1060 | 44.5 | 46.4 | 44.1 | 44.7 | 45.6 | 47.1 | 46.2 | 48.1 | 46.2 | 46.7 | 47.4 | 48.8 |
| NV1061 | 43.7 | 45.7 | 45.3 | 45.6 | 45.3 | 46.6 | 46.3 | 48.3 | 47.1 | 47.4 | 47.1 | 48.4 |
| NV1062 | 44.1 | 46.0 | 45.4 | 45.2 | 45.4 | 46.5 | 45.7 | 47.6 | 46.9 | 46.7 | 46.9 | 48.0 |
| NV1063 | 44.6 | 46.4 | 45.6 | 45.9 | 45.1 | 46.5 | 46.2 | 47.9 | 47.2 | 47.6 | 47.0 | 48.4 |
| NV1064 | 43.9 | 45.8 | 44.3 | 44.6 | 45.9 | 47.1 | 45.5 | 47.4 | 46.3 | 46.8 | 46.3 | 47.7 |
| NV1065 | 43.0 | 44.9 | 46.3 | 46.6 | 46.3 | 47.5 | 44.9 | 46.7 | 48.1 | 48.3 | 48.1 | 49.2 |
| NV1066 | 43.9 | 45.9 | 47.5 | 47.6 | 47.4 | 48.5 | 45.5 | 47.4 | 49.1 | 49.3 | 49.1 | 50.3 |
| NV1067 | 43.5 | 45.5 | 45.1 | 45.8 | 45.1 | 46.8 | 45.5 | 47.4 | 47.2 | 48.0 | 47.2 | 48.9 |
| NV1068 | 43.9 | 45.9 | 47.0 | 47.3 | 47.0 | 48.4 | 46.3 | 48.3 | 48.7 | 49.0 | 48.7 | 50.1 |
| NV1069 | 46.5 | 48.3 | 47.4 | 47.5 | 47.4 | 48.6 | 47.7 | 49.5 | 49.1 | 49.2 | 49.1 | 50.4 |
| NV1070 | 46.6 | 48.4 | 47.7 | 47.8 | 47.7 | 48.9 | 47.8 | 49.6 | 49.3 | 49.4 | 49.3 | 50.5 |
| NV1071 | 47.6 | 49.5 | 45.2 | 45.4 | 45.2 | 46.7 | 49.1 | 50.9 | 47.1 | 47.2 | 47.1 | 48.5 |
| NV1072 | 48.3 | 50.4 | 44.9 | 44.8 | 48.3 | 49.5 | 49.6 | 51.6 | 46.6 | 46.6 | 46.6 | 47.9 |
| NV1073 | 50.2 | 52.3 | 44.5 | 44.5 | 50.2 | 51.4 | 50.8 | 52.9 | 46.5 | 46.6 | 46.5 | 47.8 |
| NV1074 | 54.3 | 56.4 | 47.7 | 47.8 | 50.1 | 51.4 | 55.9 | 57.9 | 51.5 | 51.5 | 51.5 | 52.8 |
| NV1075 | 54.1 | 56.3 | 54.4 | 54.1 | 54.1 | 55.4 | 56.5 | 58.6 | 52.4 | 52.2 | 55.2 | 56.5 |
| NV1076 | 62.5 | 64.7 | 62.5 | 62.2 | 62.5 | 63.8 | 66.1 | 68.3 | 66.0 | 65.7 | 66.0 | 67.3 |
| NV1077 | 58.6 | 60.8 | 48.7 | 48.5 | 58.6 | 59.9 | 63.2 | 65.4 | 52.4 | 52.2 | 63.3 | 64.5 |
| NV1078 | 52.7 | 54.8 | 52.7 | 52.4 | 52.7 | 53.9 | 54.4 | 56.5 | 54.4 | 54.1 | 54.4 | 55.6 |
| NV1079 | 49.1 | 51.1 | 46.4 | 46.5 | 49.0 | 50.3 | 51.2 | 53.2 | 48.6 | 48.7 | 50.9 | 52.2 |
| NV1080 | 48.9 | 51.0 | 48.2 | 48.0 | 48.9 | 50.1 | 50.6 | 52.7 | 49.4 | 49.3 | 50.6 | 51.8 |
| NV1081 | 53.4 | 55.5 | 49.4 | 49.3 | 53.4 | 54.6 | 55.4 | 57.5 | 53.2 | 53.1 | 53.2 | 54.5 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1082 | 59.5 | 61.7 | 52.8 | 52.6 | 59.5 | 60.7 | 64.6 | 66.8 | 51.5 | 51.3 | 63.6 | 64.9 |
| NV1083 | 49.0 | 51.1 | 44.2 | 43.7 | 44.2 | 45.0 | 50.7 | 52.7 | 46.3 | 45.9 | 46.3 | 47.1 |
| NV1084 | 54.8 | 56.5 | 56.2 | 55.2 | 53.7 | 53.5 | 56.0 | 57.7 | 57.1 | 56.2 | 57.1 | 56.9 |
| NV1085 | 43.3 | 45.0 | 43.3 | 43.0 | 43.3 | 44.3 | 53.8 | 55.4 | 45.5 | 45.2 | 45.5 | 46.5 |
| NV1086 | 45.9 | 47.6 | 44.7 | 44.6 | 45.8 | 47.0 | 47.6 | 49.2 | 45.9 | 45.9 | 47.6 | 48.7 |
| NV1087 | 45.0 | 46.7 | 45.5 | 45.3 | 45.5 | 46.6 | 58.8 | 60.4 | 47.3 | 47.1 | 47.3 | 48.4 |
| NV1088 | 44.6 | 46.3 | 44.6 | 44.4 | 44.6 | 45.7 | 46.5 | 48.2 | 46.5 | 46.3 | 46.9 | 48.0 |
| NV1089 | 48.5 | 50.1 | 48.5 | 47.8 | 46.1 | 46.4 | 51.2 | 52.8 | 48.6 | 47.9 | 48.6 | 48.9 |
| NV1090 | 52.5 | 54.2 | 45.4 | 44.9 | 45.4 | 46.1 | 53.7 | 55.4 | 47.7 | 47.2 | 47.7 | 48.4 |
| NV1091 | 47.8 | 49.5 | 47.8 | 47.4 | 47.8 | 48.6 | 49.8 | 51.5 | 49.8 | 49.4 | 49.8 | 50.7 |
| NV1092 | 44.4 | 46.3 | 47.2 | 47.1 | 44.4 | 45.5 | 47.1 | 48.9 | 46.6 | 46.4 | 46.6 | 47.7 |
| NV1093 | 44.3 | 46.2 | 44.3 | 44.8 | 44.3 | 45.7 | 47.6 | 49.4 | 46.6 | 46.9 | 46.6 | 47.8 |
| NV1094 | 44.3 | 46.0 | 44.3 | 44.2 | 44.3 | 45.4 | 46.6 | 48.3 | 46.2 | 46.2 | 46.6 | 47.7 |
| NV1095 | 44.1 | 45.9 | 45.7 | 46.1 | 45.7 | 47.2 | 46.0 | 47.8 | 47.7 | 48.2 | 47.7 | 49.2 |
| NV1096 | 44.1 | 46.0 | 45.2 | 45.4 | 45.2 | 46.6 | 46.2 | 48.0 | 47.2 | 47.6 | 47.2 | 48.7 |
| NV1097 | 44.0 | 45.9 | 49.0 | 48.7 | 44.3 | 45.4 | 46.3 | 48.1 | 46.3 | 46.1 | 46.3 | 47.4 |
| NV1098 | 49.5 | 51.2 | 44.0 | 44.3 | 44.0 | 45.4 | 50.8 | 52.5 | 46.5 | 46.9 | 46.5 | 48.0 |
| NV1099 | 46.8 | 48.8 | 45.4 | 45.4 | 46.6 | 47.8 | 48.5 | 50.5 | 47.7 | 47.8 | 48.6 | 49.7 |
| NV1100 | 48.4 | 50.5 | 48.7 | 48.4 | 48.7 | 49.9 | 50.4 | 52.4 | 50.4 | 50.1 | 50.4 | 51.6 |
| NV1101 | 49.1 | 51.3 | 46.5 | 46.6 | 46.5 | 47.8 | 50.7 | 52.9 | 48.4 | 48.6 | 48.4 | 49.8 |
| NV1102 | 47.7 | 49.8 | 47.3 | 47.3 | 47.7 | 48.9 | 49.5 | 51.5 | 49.4 | 49.4 | 49.5 | 50.6 |
| NV1103 | 47.6 | 49.6 | 46.3 | 46.6 | 46.1 | 47.6 | 49.2 | 51.2 | 47.8 | 48.3 | 47.8 | 49.5 |
| NV1104 | 48.4 | 50.6 | 47.1 | 47.4 | 47.1 | 48.6 | 50.1 | 52.3 | 48.8 | 49.2 | 48.8 | 50.4 |
| NV1105 | 49.1 | 51.2 | 47.0 | 47.0 | 49.4 | 50.6 | 51.2 | 53.2 | 49.3 | 49.3 | 51.2 | 52.4 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1106 | 48.8 | 51.1 | 48.0 | 47.9 | 48.0 | 49.3 | 50.5 | 52.8 | 49.7 | 49.7 | 49.7 | 51.1 |
| NV1107 | 47.7 | 49.8 | 47.0 | 46.8 | 47.0 | 48.3 | 49.4 | 51.4 | 48.4 | 48.2 | 48.9 | 50.1 |
| NV1108 | 45.3 | 47.6 | 45.2 | 45.1 | 52.6 | 53.8 | 48.3 | 50.6 | 47.5 | 47.5 | 47.5 | 48.8 |
| NV1109 | 50.9 | 53.0 | 46.8 | 46.6 | 50.9 | 52.1 | 55.4 | 57.5 | 49.9 | 49.7 | 55.4 | 56.6 |
| NV1110 | 53.5 | 55.6 | 53.5 | 53.2 | 53.5 | 54.7 | 56.7 | 58.8 | 48.6 | 48.4 | 56.7 | 57.9 |
| NV1111 | 54.5 | 56.6 | 52.0 | 51.8 | 54.5 | 55.7 | 56.8 | 59.0 | 55.3 | 55.1 | 55.3 | 56.6 |
| NV1112 | 53.7 | 55.9 | 46.9 | 46.8 | 53.9 | 55.1 | 55.7 | 57.9 | 49.0 | 48.9 | 55.7 | 57.0 |
| NV1113 | 53.8 | 56.0 | 47.1 | 47.3 | 53.7 | 55.0 | 55.5 | 57.7 | 49.0 | 49.2 | 51.6 | 53.0 |
| NV1114 | 52.3 | 54.4 | 48.6 | 48.6 | 48.6 | 49.9 | 53.9 | 56.0 | 50.4 | 50.4 | 53.6 | 54.9 |
| NV1115 | 48.3 | 50.5 | 46.8 | 46.8 | 46.8 | 48.2 | 49.4 | 51.5 | 48.1 | 48.2 | 51.4 | 52.7 |
| NV1116 | 50.1 | 52.1 | 45.5 | 45.5 | 45.5 | 46.8 | 51.3 | 53.3 | 47.2 | 47.3 | 47.2 | 48.5 |
| NV1117 | 48.3 | 50.3 | 45.1 | 45.5 | 44.8 | 46.3 | 50.0 | 51.9 | 46.8 | 47.2 | 46.8 | 48.3 |
| NV1118 | 47.4 | 49.2 | 43.8 | 44.3 | 43.8 | 45.3 | 48.9 | 50.8 | 46.0 | 46.5 | 46.0 | 47.5 |
| NV1119 | 47.5 | 49.4 | 44.2 | 44.7 | 44.2 | 45.8 | 49.1 | 51.0 | 46.4 | 47.0 | 46.4 | 48.1 |
| NV1120 | 46.2 | 48.0 | 43.1 | 43.3 | 43.1 | 44.4 | 47.7 | 49.4 | 45.4 | 45.7 | 45.4 | 46.8 |
| NV1121 | 47.0 | 48.6 | 47.9 | 47.8 | 47.7 | 48.7 | 48.6 | 50.2 | 45.2 | 45.2 | 45.2 | 46.3 |
| NV1122 | 42.9 | 44.7 | 49.0 | 48.7 | 42.7 | 43.7 | 46.5 | 48.1 | 46.5 | 46.2 | 45.5 | 46.5 |
| NV1123 | 42.8 | 44.6 | 42.9 | 42.6 | 42.9 | 43.9 | 44.9 | 46.6 | 45.0 | 44.7 | 44.9 | 46.0 |
| NV1124 | 44.4 | 46.0 | 44.6 | 44.4 | 44.6 | 45.7 | 46.4 | 47.9 | 46.4 | 46.2 | 46.4 | 47.5 |
| NV1125 | 43.7 | 45.3 | 45.1 | 45.1 | 43.7 | 44.9 | 45.3 | 46.9 | 47.4 | 47.5 | 45.3 | 46.5 |
| NV1126 | 41.9 | 43.6 | 45.3 | 45.7 | 45.3 | 46.6 | 44.4 | 46.0 | 47.6 | 48.2 | 47.6 | 49.2 |
| NV1127 | 45.1 | 47.0 | 44.5 | 45.0 | 44.5 | 46.0 | 46.9 | 48.7 | 46.6 | 47.1 | 46.6 | 48.1 |
| NV1128 | 45.6 | 47.5 | 49.5 | 49.5 | 45.2 | 46.5 | 47.1 | 49.0 | 50.9 | 51.0 | 47.0 | 48.3 |
| NV1129 | 44.8 | 46.7 | 45.7 | 45.9 | 45.7 | 47.1 | 46.5 | 48.3 | 47.8 | 48.1 | 47.8 | 49.2 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1130 | 46.5 | 48.2 | 46.9 | 47.0 | 46.9 | 48.1 | 48.5 | 50.2 | 47.0 | 47.1 | 47.0 | 48.3 |
| NV1131 | 43.9 | 45.5 | 46.3 | 46.6 | 46.3 | 47.5 | 46.2 | 47.8 | 48.5 | 49.0 | 48.5 | 49.9 |
| NV1132 | 45.6 | 47.3 | 45.7 | 46.2 | 45.7 | 47.1 | 47.5 | 49.2 | 48.0 | 48.6 | 48.0 | 49.7 |
| NV1133 | 44.7 | 46.3 | 44.8 | 45.4 | 44.8 | 46.4 | 46.8 | 48.4 | 46.7 | 47.8 | 46.7 | 48.9 |
| NV1134 | 44.4 | 45.9 | 44.8 | 45.1 | 44.8 | 46.1 | 46.4 | 47.9 | 46.8 | 47.6 | 46.8 | 48.6 |
| NV1135 | 44.8 | 46.3 | 43.8 | 43.8 | 44.3 | 45.4 | 46.7 | 48.2 | 46.1 | 46.3 | 46.1 | 47.3 |
| NV1136 | 44.0 | 45.6 | 46.4 | 46.4 | 44.0 | 45.1 | 45.9 | 47.5 | 48.6 | 48.7 | 48.6 | 49.7 |
| NV1137 | 43.9 | 45.6 | 44.4 | 44.2 | 43.9 | 45.0 | 45.9 | 47.5 | 46.1 | 46.1 | 45.9 | 47.0 |
| NV1138 | 42.7 | 44.5 | 42.7 | 42.4 | 42.7 | 43.8 | 44.6 | 46.3 | 49.6 | 49.3 | 44.6 | 45.6 |
| NV1139 | 42.0 | 43.8 | 45.8 | 46.3 | 45.7 | 47.2 | 44.2 | 45.9 | 47.3 | 47.9 | 47.3 | 48.8 |
| NV1140 | 43.8 | 45.4 | 46.3 | 46.6 | 46.3 | 47.5 | 45.5 | 47.1 | 48.0 | 48.2 | 48.0 | 49.1 |
| NV1141 | 47.3 | 48.7 | 47.0 | 47.5 | 46.5 | 47.9 | 49.3 | 50.6 | 48.2 | 48.9 | 48.2 | 49.8 |
| NV1142 | 42.7 | 44.2 | 48.2 | 48.1 | 47.4 | 48.3 | 44.9 | 46.4 | 49.4 | 49.3 | 49.4 | 50.3 |
| NV1143 | 50.1 | 51.6 | 45.5 | 45.3 | 45.5 | 46.2 | 50.2 | 51.8 | 47.9 | 47.6 | 47.9 | 48.5 |
| NV1144 | 47.4 | 49.1 | 46.6 | 46.0 | 46.6 | 46.8 | 49.2 | 51.0 | 52.9 | 52.1 | 49.2 | 49.3 |
| NV1145 | 59.5 | 61.3 | 44.1 | 43.3 | 44.1 | 44.4 | 57.4 | 59.3 | 49.3 | 48.4 | 46.9 | 47.1 |
| NV1146 | 59.4 | 61.2 | 42.8 | 42.2 | 42.8 | 43.4 | 60.0 | 61.8 | 45.4 | 44.8 | 45.4 | 45.9 |
| NV1147 | 52.6 | 54.6 | 42.7 | 41.9 | 42.7 | 42.8 | 53.2 | 55.2 | 45.6 | 44.9 | 45.6 | 45.8 |
| NV1148 | 50.4 | 52.0 | 44.5 | 44.4 | 44.5 | 45.6 | 52.7 | 54.3 | 47.3 | 47.2 | 46.6 | 47.7 |
| NV1149 | 43.4 | 45.0 | 46.4 | 46.0 | 43.4 | 44.2 | 46.6 | 48.1 | 48.6 | 48.2 | 48.6 | 49.3 |
| NV1150 | 44.6 | 46.2 | 43.4 | 43.3 | 44.6 | 45.7 | 46.3 | 47.8 | 45.5 | 45.5 | 46.3 | 47.4 |
| NV1151 | 47.1 | 48.8 | 41.8 | 41.8 | 43.6 | 44.7 | 48.8 | 50.6 | 44.3 | 44.4 | 45.5 | 46.6 |
| NV1152 | 60.2 | 62.0 | 43.2 | 42.9 | 43.2 | 44.2 | 60.9 | 62.7 | 45.2 | 44.9 | 44.9 | 45.9 |
| NV1153 | 60.3 | 62.1 | 44.3 | 44.0 | 44.3 | 45.3 | 57.9 | 59.7 | 45.7 | 45.4 | 46.4 | 47.3 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1154 | 47.2 | 49.1 | 47.7 | 47.7 | 44.5 | 45.7 | 47.6 | 49.5 | 50.0 | 49.9 | 47.6 | 48.8 |
| NV1155 | 51.4 | 53.5 | 46.7 | 46.7 | 51.4 | 52.6 | 53.0 | 55.1 | 48.7 | 48.7 | 53.0 | 54.3 |
| NV1156 | 45.2 | 46.9 | 50.9 | 50.9 | 44.0 | 45.1 | 46.9 | 48.6 | 52.5 | 52.4 | 47.1 | 48.1 |
| NV1157 | 46.9 | 48.7 | 46.6 | 46.8 | 45.1 | 46.4 | 48.4 | 50.2 | 48.2 | 48.6 | 48.2 | 49.6 |
| NV1158 | 48.8 | 50.9 | 47.1 | 47.1 | 47.1 | 48.4 | 51.0 | 53.0 | 49.1 | 49.1 | 49.1 | 50.4 |
| NV1159 | 43.4 | 45.1 | 44.9 | 45.4 | 44.9 | 46.4 | 45.5 | 47.2 | 47.1 | 47.8 | 47.1 | 48.8 |
| NV1160 | 38.6 | 39.4 | 38.6 | 39.5 | 38.6 | 40.4 | 40.2 | 41.1 | 40.2 | 41.5 | 40.2 | 42.4 |
| NV1161 | 36.2 | 37.5 | 47.8 | 48.6 | 47.8 | 49.3 | 38.3 | 39.4 | 49.0 | 49.7 | 49.0 | 50.5 |
| NV1162 | 37.4 | 38.6 | 37.4 | 38.9 | 37.4 | 40.0 | 39.2 | 40.4 | 39.2 | 40.6 | 39.2 | 41.6 |
| NV1163 | 37.9 | 39.1 | 37.9 | 42.4 | 37.9 | 43.6 | 39.5 | 40.6 | 39.5 | 43.6 | 39.5 | 44.7 |
| NV1164 | 46.6 | 47.2 | 41.3 | 43.4 | 41.3 | 44.2 | 47.7 | 48.3 | 43.0 | 44.9 | 43.0 | 45.7 |
| NV1165 | 36.8 | 37.9 | 36.8 | 39.3 | 36.8 | 40.4 | 38.8 | 39.8 | 38.8 | 40.9 | 38.8 | 42.0 |
| NV1166 | 46.8 | 47.4 | 39.5 | 42.4 | 39.5 | 43.4 | 47.9 | 48.5 | 41.8 | 44.3 | 41.8 | 45.2 |
| NV1167 | 37.0 | 38.2 | 35.7 | 41.3 | 35.7 | 42.5 | 39.0 | 40.0 | 38.1 | 42.7 | 38.1 | 43.8 |
| NV1168 | 48.1 | 48.6 | 47.9 | 48.9 | 47.9 | 49.7 | 49.1 | 49.6 | 48.9 | 50.0 | 48.9 | 50.8 |
| NV1169 | 38.5 | 39.2 | 38.5 | 42.2 | 38.5 | 43.3 | 45.9 | 46.5 | 41.4 | 44.2 | 41.4 | 45.2 |
| NV1170 | 40.2 | 41.1 | 40.2 | 43.9 | 40.2 | 45.0 | 41.5 | 42.4 | 41.5 | 44.9 | 41.5 | 46.0 |
| NV1171 | 61.9 | 63.7 | 44.3 | 44.2 | 44.4 | 45.7 | 64.1 | 66.1 | 46.7 | 46.5 | 61.8 | 63.0 |
| NV1172 | 58.6 | 60.5 | 45.3 | 45.2 | 45.3 | 46.6 | 63.1 | 65.1 | 63.1 | 62.9 | 63.4 | 64.6 |
| NV1173 | 58.1 | 60.0 | 44.8 | 44.7 | 44.8 | 46.1 | 63.3 | 65.3 | 63.3 | 63.1 | 63.4 | 64.6 |
| NV1174 | 60.9 | 62.8 | 43.6 | 43.5 | 43.6 | 44.9 | 61.1 | 63.1 | 61.1 | 60.9 | 46.1 | 47.4 |
| NV1175 | 60.8 | 62.7 | 60.8 | 60.6 | 43.1 | 44.4 | 63.0 | 65.0 | 55.6 | 55.5 | 58.9 | 60.2 |
| NV1176 | 57.7 | 59.7 | 61.7 | 61.5 | 43.1 | 44.4 | 61.7 | 63.8 | 63.7 | 63.5 | 64.4 | 65.6 |
| NV1177 | 61.7 | 63.5 | 43.3 | 43.2 | 43.3 | 44.6 | 64.2 | 66.1 | 59.6 | 59.4 | 45.9 | 47.2 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1178 | 61.5 | 63.4 | 44.5 | 44.4 | 44.5 | 45.8 | 65.5 | 67.5 | 46.8 | 46.7 | 46.8 | 48.1 |
| NV1179 | 62.2 | 64.1 | 44.2 | 44.1 | 44.2 | 45.5 | 65.2 | 67.2 | 51.2 | 51.0 | 65.2 | 66.4 |
| NV1180 | 58.0 | 60.1 | 53.1 | 53.2 | 53.1 | 54.8 | 64.7 | 66.7 | 54.9 | 55.0 | 54.9 | 56.5 |
| NV1181 | 60.6 | 62.5 | 44.5 | 44.4 | 44.8 | 46.1 | 60.1 | 62.1 | 47.2 | 47.0 | 47.2 | 48.5 |
| NV1182 | 62.3 | 64.4 | 62.3 | 62.0 | 62.3 | 63.5 | 63.6 | 65.7 | 56.5 | 56.3 | 61.7 | 62.9 |
| NV1183 | 64.9 | 67.2 | 58.4 | 58.9 | 58.4 | 60.7 | 65.5 | 67.8 | 59.7 | 60.1 | 59.7 | 61.9 |
| NV1184 | 64.2 | 66.4 | 56.9 | 57.2 | 56.9 | 58.9 | 65.9 | 68.2 | 58.3 | 58.6 | 58.3 | 60.3 |
| NV1185 | 64.2 | 66.4 | 56.9 | 57.2 | 56.9 | 58.9 | 65.9 | 68.2 | 58.3 | 58.6 | 58.3 | 60.3 |
| NV1186 | 68.4 | 70.5 | 60.1 | 59.9 | 66.2 | 67.4 | 69.4 | 71.5 | 61.6 | 61.4 | 66.2 | 67.4 |
| NV1187 | 61.0 | 63.0 | 60.8 | 60.8 | 61.0 | 62.3 | 64.7 | 66.8 | 64.9 | 64.9 | 64.9 | 66.2 |
| NV1188 | 59.4 | 61.5 | 51.6 | 51.5 | 59.4 | 60.6 | 63.0 | 65.1 | 53.4 | 53.3 | 62.4 | 63.6 |
| NV1189 | 52.9 | 55.0 | 45.4 | 45.2 | 51.7 | 52.9 | 54.1 | 56.2 | 51.5 | 51.3 | 52.5 | 53.7 |
| NV1190 | 60.6 | 62.7 | 47.8 | 47.8 | 60.6 | 61.8 | 63.9 | 66.0 | 50.8 | 50.7 | 63.9 | 65.1 |
| NV1191 | 51.8 | 53.9 | 51.8 | 52.0 | 55.8 | 57.5 | 54.7 | 56.8 | 54.7 | 54.9 | 57.2 | 58.9 |
| NV1192 | 60.8 | 62.9 | 51.3 | 51.1 | 60.1 | 61.3 | 63.3 | 65.4 | 53.3 | 53.1 | 63.3 | 64.5 |
| NV1193 | 62.2 | 64.1 | 44.2 | 44.1 | 44.2 | 45.5 | 65.2 | 67.2 | 51.2 | 51.0 | 65.2 | 66.4 |
| NV1194 | 65.9 | 68.1 | 65.9 | 65.6 | 65.9 | 67.2 | 67.0 | 69.2 | 51.2 | 51.0 | 67.1 | 68.3 |
| NV1195 | 60.5 | 62.6 | 51.4 | 51.3 | 57.8 | 59.0 | 63.5 | 65.6 | 53.3 | 53.1 | 63.5 | 64.6 |
| NV1196 | 60.9 | 63.0 | 52.2 | 52.0 | 60.9 | 62.0 | 64.3 | 66.4 | 53.7 | 53.6 | 64.2 | 65.4 |
| NV1197 | 54.2 | 56.3 | 59.6 | 59.5 | 59.6 | 60.8 | 63.5 | 65.6 | 61.5 | 61.5 | 63.5 | 64.8 |
| NV1198 | 64.5 | 66.7 | 64.5 | 64.2 | 64.5 | 65.7 | 65.8 | 68.0 | 51.9 | 51.7 | 60.3 | 61.6 |
| NV1199 | 52.1 | 54.2 | 56.8 | 57.0 | 56.8 | 58.5 | 54.6 | 56.7 | 58.2 | 58.4 | 58.1 | 59.9 |
| NV1200 | 55.7 | 56.9 | 55.7 | 55.8 | 55.7 | 57.0 | 56.5 | 57.8 | 56.5 | 56.6 | 56.5 | 57.8 |
| NV1201 | 56.7 | 57.9 | 56.7 | 56.8 | 56.7 | 58.0 | 56.5 | 57.8 | 57.5 | 57.6 | 57.5 | 58.8 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1202 | 55.0 | 56.2 | 54.9 | 54.4 | 54.9 | 55.6 | 55.8 | 57.0 | 55.8 | 55.3 | 55.8 | 56.5 |
| NV1203 | 55.0 | 56.2 | 54.9 | 54.4 | 54.9 | 55.6 | 55.8 | 57.0 | 55.8 | 55.3 | 55.8 | 56.5 |
| NV1204 | 49.7 | 51.1 | 49.4 | 49.4 | 49.4 | 50.8 | 51.2 | 52.6 | 51.2 | 51.2 | 51.2 | 52.6 |
| NV1205 | 50.9 | 52.3 | 52.0 | 52.0 | 50.9 | 52.1 | 52.7 | 54.1 | 53.7 | 53.7 | 52.7 | 53.9 |
| NV1206 | 58.6 | 60.0 | 58.6 | 58.6 | 58.6 | 60.0 | 60.0 | 61.4 | 60.0 | 59.9 | 60.0 | 61.3 |
| NV1207 | 55.3 | 56.7 | 55.3 | 55.2 | 55.0 | 56.3 | 56.4 | 57.8 | 56.4 | 56.3 | 56.3 | 57.6 |
| NV1208 | 56.0 | 57.5 | 56.0 | 56.0 | 57.4 | 58.7 | 54.6 | 56.1 | 54.6 | 54.6 | 59.2 | 60.5 |
| NV1209 | 53.2 | 54.6 | 53.2 | 53.1 | 50.0 | 51.3 | 54.7 | 56.1 | 51.9 | 51.8 | 51.9 | 53.2 |
| NV1210 | 54.6 | 56.0 | 54.6 | 54.6 | 53.1 | 54.5 | 54.3 | 55.7 | 54.3 | 54.3 | 54.0 | 55.4 |
| NV1211 | 57.0 | 58.4 | 52.1 | 52.1 | 53.8 | 55.1 | 58.3 | 59.7 | 53.1 | 53.1 | 55.2 | 56.5 |
| NV1212 | 53.5 | 54.9 | 53.5 | 53.5 | 53.4 | 54.8 | 54.9 | 56.3 | 54.9 | 54.9 | 53.7 | 55.1 |
| NV1213 | 64.7 | 66.1 | 60.1 | 60.1 | 62.3 | 63.6 | 65.7 | 67.1 | 63.5 | 63.5 | 63.5 | 64.8 |
| NV1214 | 56.0 | 57.4 | 56.0 | 55.9 | 55.1 | 56.4 | 56.4 | 57.8 | 56.4 | 56.3 | 54.3 | 55.6 |
| NV1215 | 52.2 | 53.7 | 54.9 | 54.9 | 54.9 | 56.3 | 56.2 | 57.6 | 56.2 | 56.2 | 56.2 | 57.5 |
| NV1216 | 53.7 | 55.1 | 53.4 | 53.5 | 53.7 | 55.1 | 55.2 | 56.6 | 55.2 | 55.2 | 55.2 | 56.6 |
| NV1217 | 54.0 | 55.4 | 54.0 | 54.0 | 54.0 | 55.4 | 55.5 | 56.9 | 55.5 | 55.5 | 55.5 | 56.9 |
| NV1218 | 54.7 | 56.2 | 54.7 | 54.8 | 55.9 | 57.3 | 56.1 | 57.6 | 57.2 | 57.2 | 57.2 | 58.6 |
| NV1219 | 53.0 | 54.4 | 53.0 | 53.0 | 50.1 | 51.5 | 54.5 | 55.9 | 54.2 | 54.2 | 51.9 | 53.3 |
| NV1220 | 58.8 | 60.4 | 58.8 | 58.9 | 58.8 | 60.0 | 59.9 | 61.4 | 58.5 | 58.6 | 58.5 | 59.7 |
| NV1221 | 47.1 | 48.6 | 53.1 | 52.9 | 53.1 | 53.7 | 49.1 | 50.6 | 52.3 | 52.1 | 53.5 | 54.0 |
| NV1222 | 44.8 | 46.1 | 58.7 | 58.7 | 64.8 | 65.6 | 47.3 | 48.6 | 64.9 | 64.9 | 64.9 | 65.7 |
| NV1223 | 43.0 | 44.4 | 47.6 | 47.1 | 47.6 | 47.9 | 45.4 | 46.9 | 48.9 | 48.3 | 48.9 | 49.1 |
| NV1224 | 47.1 | 48.6 | 53.1 | 52.9 | 53.1 | 53.7 | 49.1 | 50.6 | 52.3 | 52.1 | 53.5 | 54.0 |
| NV1225 | 45.7 | 47.2 | 66.0 | 66.0 | 66.0 | 66.8 | 48.2 | 49.7 | 65.6 | 65.6 | 65.8 | 66.6 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1226 | 44.9 | 46.3 | 65.3 | 65.3 | 65.3 | 66.1 | 47.4 | 48.8 | 59.1 | 59.1 | 59.1 | 59.9 |
| NV1227 | 48.8 | 50.2 | 42.1 | 40.8 | 42.1 | 41.8 | 44.8 | 46.3 | 44.8 | 43.4 | 44.8 | 44.4 |
| NV1228 | 44.9 | 46.4 | 66.3 | 66.3 | 66.3 | 67.1 | 47.3 | 48.8 | 66.2 | 66.1 | 66.0 | 66.8 |
| NV1229 | 44.9 | 46.3 | 65.3 | 65.3 | 65.3 | 66.1 | 47.4 | 48.8 | 59.1 | 59.1 | 59.1 | 59.9 |
| NV1230 | 42.8 | 44.2 | 46.1 | 45.4 | 46.1 | 46.2 | 45.1 | 46.6 | 48.1 | 47.4 | 48.1 | 48.2 |
| NV1231 | 45.3 | 46.8 | 66.2 | 66.2 | 66.2 | 67.0 | 47.5 | 49.0 | 65.8 | 65.8 | 65.8 | 66.6 |
| NV1232 | 46.2 | 47.6 | 64.8 | 64.8 | 65.1 | 65.9 | 48.9 | 50.3 | 65.2 | 65.2 | 65.2 | 66.0 |
| NV1233 | 48.3 | 49.9 | 65.8 | 65.8 | 65.8 | 66.6 | 49.6 | 51.2 | 65.9 | 65.9 | 65.9 | 66.7 |
| NV1234 | 45.3 | 46.8 | 66.2 | 66.2 | 66.2 | 67.0 | 47.5 | 49.0 | 65.8 | 65.8 | 65.8 | 66.6 |
| NV1235 | 47.1 | 48.6 | 53.1 | 52.9 | 53.1 | 53.7 | 49.1 | 50.6 | 52.3 | 52.1 | 53.5 | 54.0 |
| NV1236 | 47.1 | 48.6 | 53.1 | 52.9 | 53.1 | 53.7 | 49.1 | 50.6 | 52.3 | 52.1 | 53.5 | 54.0 |
| NV1237 | 44.9 | 46.4 | 66.3 | 66.3 | 66.3 | 67.1 | 47.3 | 48.8 | 66.2 | 66.1 | 66.0 | 66.8 |
| NV1238 | 45.3 | 46.8 | 66.2 | 66.2 | 66.2 | 67.0 | 47.5 | 49.0 | 65.8 | 65.8 | 65.8 | 66.6 |
| NV1239 | 49.1 | 50.6 | 44.3 | 43.3 | 44.3 | 44.3 | 51.2 | 52.7 | 46.6 | 45.3 | 46.6 | 46.3 |
| NV1240 | 43.0 | 44.4 | 47.6 | 47.1 | 47.6 | 47.9 | 45.4 | 46.9 | 48.9 | 48.3 | 48.9 | 49.1 |
| NV1241 | 42.8 | 44.2 | 46.1 | 45.4 | 46.1 | 46.2 | 45.1 | 46.6 | 48.1 | 47.4 | 48.1 | 48.2 |
| NV1242 | 49.1 | 50.6 | 44.3 | 43.3 | 44.3 | 44.3 | 51.2 | 52.7 | 46.6 | 45.3 | 46.6 | 46.3 |
| NV1243 | 47.1 | 48.6 | 53.1 | 52.9 | 53.1 | 53.7 | 49.1 | 50.6 | 52.3 | 52.1 | 53.5 | 54.0 |
| NV1244 | 45.1 | 46.6 | 66.5 | 66.5 | 66.5 | 67.3 | 47.5 | 49.0 | 62.4 | 62.4 | 62.4 | 63.2 |
| NV1245 | 45.3 | 46.8 | 66.2 | 66.2 | 66.2 | 67.0 | 47.5 | 49.0 | 65.8 | 65.8 | 65.8 | 66.6 |
| NV1246 | 45.3 | 46.8 | 66.2 | 66.2 | 66.2 | 67.0 | 47.5 | 49.0 | 65.8 | 65.8 | 65.8 | 66.6 |
| NV1247 | 48.4 | 49.9 | 45.5 | 44.7 | 45.5 | 45.7 | 50.6 | 52.1 | 47.4 | 46.3 | 47.4 | 47.3 |
| NV1248 | 43.0 | 44.4 | 47.6 | 47.1 | 47.6 | 47.9 | 45.4 | 46.9 | 48.9 | 48.3 | 48.9 | 49.1 |
| NV1249 | 44.8 | 46.1 | 58.7 | 58.7 | 64.8 | 65.6 | 47.3 | 48.6 | 64.9 | 64.9 | 64.9 | 65.7 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1250 | 47.1 | 48.6 | 53.1 | 52.9 | 53.1 | 53.7 | 49.1 | 50.6 | 52.3 | 52.1 | 53.5 | 54.0 |
| NV1251 | 44.8 | 46.1 | 58.7 | 58.7 | 64.8 | 65.6 | 47.3 | 48.6 | 64.9 | 64.9 | 64.9 | 65.7 |
| NV1252 | 54.6 | 56.0 | 65.9 | 65.9 | 60.6 | 61.5 | 55.4 | 56.8 | 66.0 | 66.0 | 66.0 | 66.8 |
| NV1252 | 46.3 | 47.3 | 52.2 | 52.0 | 52.1 | 52.7 | 48.0 | 49.1 | 52.7 | 52.4 | 52.6 | 53.1 |
| NV1253 | 45.3 | 46.8 | 66.2 | 66.2 | 66.2 | 67.0 | 47.5 | 49.0 | 65.8 | 65.8 | 65.8 | 66.6 |
| NV1254 | 44.9 | 46.4 | 66.7 | 66.7 | 66.7 | 67.5 | 47.4 | 48.9 | 66.4 | 66.4 | 66.4 | 67.2 |
| NV1255 | 46.2 | 47.6 | 64.8 | 64.8 | 65.1 | 65.9 | 48.9 | 50.3 | 65.2 | 65.2 | 65.2 | 66.0 |
| NV1256 | 45.1 | 46.6 | 66.5 | 66.5 | 66.5 | 67.3 | 47.5 | 49.0 | 62.4 | 62.4 | 62.4 | 63.2 |
| NV1257 | 44.9 | 46.3 | 65.3 | 65.3 | 65.3 | 66.1 | 47.4 | 48.8 | 59.1 | 59.1 | 59.1 | 59.9 |
| NV1258 | 47.1 | 48.6 | 53.1 | 52.9 | 53.1 | 53.7 | 49.1 | 50.6 | 52.3 | 52.1 | 53.5 | 54.0 |
| NV1259 | 49.1 | 50.6 | 44.3 | 43.3 | 44.3 | 44.3 | 51.2 | 52.7 | 46.6 | 45.3 | 46.6 | 46.3 |
| NV1260 | 45.7 | 47.2 | 66.0 | 66.0 | 66.0 | 66.8 | 48.2 | 49.7 | 65.6 | 65.6 | 65.8 | 66.6 |
| NV1261 | 47.4 | 49.0 | 44.6 | 43.5 | 44.6 | 44.5 | 51.6 | 53.1 | 52.9 | 51.7 | 53.2 | 52.9 |
| NV1262 | 61.6 | 62.5 | 65.0 | 65.0 | 65.0 | 65.8 | 57.6 | 58.5 | 61.7 | 61.7 | 61.7 | 62.5 |
| NV1263 | 45.3 | 46.8 | 66.2 | 66.2 | 66.2 | 67.0 | 47.5 | 49.0 | 65.8 | 65.8 | 65.8 | 66.6 |
| NV1264 | 47.1 | 48.6 | 53.1 | 52.9 | 53.1 | 53.7 | 49.1 | 50.6 | 52.3 | 52.1 | 53.5 | 54.0 |
| NV1265 | 45.3 | 46.8 | 66.2 | 66.2 | 66.2 | 67.0 | 47.5 | 49.0 | 65.8 | 65.8 | 65.8 | 66.6 |
| NV1266 | 46.5 | 47.8 | 62.7 | 62.7 | 66.5 | 67.3 | 48.3 | 49.6 | 66.3 | 66.3 | 66.3 | 67.1 |
| NV1267 | 44.9 | 46.4 | 66.7 | 66.7 | 66.7 | 67.5 | 47.4 | 48.9 | 66.4 | 66.4 | 66.4 | 67.2 |
| NV1268 | 48.8 | 50.2 | 42.1 | 40.8 | 42.1 | 41.8 | 44.8 | 46.3 | 44.8 | 43.4 | 44.8 | 44.4 |
| NV1269 | 54.6 | 56.0 | 65.9 | 65.9 | 60.6 | 61.5 | 55.4 | 56.8 | 66.0 | 66.0 | 66.0 | 66.8 |
| NV1269 | 46.3 | 47.3 | 52.2 | 52.0 | 52.1 | 52.7 | 48.0 | 49.1 | 52.7 | 52.4 | 52.6 | 53.1 |
| NV1270 | 48.8 | 50.2 | 42.1 | 40.8 | 42.1 | 41.8 | 44.8 | 46.3 | 44.8 | 43.4 | 44.8 | 44.4 |
| NV1271 | 48.4 | 49.9 | 45.5 | 44.7 | 45.5 | 45.7 | 50.6 | 52.1 | 47.4 | 46.3 | 47.4 | 47.3 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1272 | 42.8 | 44.2 | 46.1 | 45.4 | 46.1 | 46.2 | 45.1 | 46.6 | 48.1 | 47.4 | 48.1 | 48.2 |
| NV1273 | 48.4 | 49.9 | 45.5 | 44.7 | 45.5 | 45.7 | 50.6 | 52.1 | 47.4 | 46.3 | 47.4 | 47.3 |
| NV1276 | 48.8 | 50.1 | 66.7 | 66.7 | 66.7 | 67.5 | 51.2 | 52.5 | 66.6 | 66.6 | 66.6 | 67.4 |
| NV1277 | 47.9 | 49.2 | 66.8 | 66.8 | 66.8 | 67.6 | 50.2 | 51.5 | 66.6 | 66.6 | 66.6 | 67.4 |
| NV1278 | 49.1 | 50.5 | 66.4 | 66.4 | 66.4 | 67.2 | 51.4 | 52.8 | 66.5 | 66.5 | 66.5 | 67.3 |
| NV1279 | 46.2 | 47.8 | 59.3 | 59.3 | 59.3 | 60.1 | 48.6 | 50.1 | 60.6 | 60.6 | 60.6 | 61.4 |
| NV1280 | 46.2 | 47.8 | 59.3 | 59.3 | 59.3 | 60.1 | 48.6 | 50.1 | 60.6 | 60.6 | 60.6 | 61.4 |
| NV1281 | 50.8 | 52.2 | 48.7 | 48.5 | 50.4 | 51.2 | 52.6 | 54.0 | 50.1 | 49.7 | 52.0 | 52.7 |
| NV1282 | 46.2 | 47.8 | 59.3 | 59.3 | 59.3 | 60.1 | 48.6 | 50.1 | 60.6 | 60.6 | 60.6 | 61.4 |
| NV1283 | 45.3 | 46.8 | 66.2 | 66.2 | 66.2 | 67.0 | 47.5 | 49.0 | 65.8 | 65.8 | 65.8 | 66.6 |
| NV1284 | 46.2 | 47.8 | 59.3 | 59.3 | 59.3 | 60.1 | 48.6 | 50.1 | 60.6 | 60.6 | 60.6 | 61.4 |
| NV1285 | 61.6 | 62.5 | 65.0 | 65.0 | 65.0 | 65.8 | 57.6 | 58.5 | 61.7 | 61.7 | 61.7 | 62.5 |
| NV1286 | 46.2 | 47.8 | 59.3 | 59.3 | 59.3 | 60.1 | 48.6 | 50.1 | 60.6 | 60.6 | 60.6 | 61.4 |
| NV1287 | 46.2 | 47.8 | 59.3 | 59.3 | 59.3 | 60.1 | 48.6 | 50.1 | 60.6 | 60.6 | 60.6 | 61.4 |
| NV1288 | 46.2 | 47.8 | 59.3 | 59.3 | 59.3 | 60.1 | 48.6 | 50.1 | 60.6 | 60.6 | 60.6 | 61.4 |
| NV1289 | 46.2 | 47.8 | 59.3 | 59.3 | 59.3 | 60.1 | 48.6 | 50.1 | 60.6 | 60.6 | 60.6 | 61.4 |
| NV1290 | 47.1 | 48.6 | 53.1 | 52.9 | 53.1 | 53.7 | 49.1 | 50.6 | 52.3 | 52.1 | 53.5 | 54.0 |
| NV1291 | 46.2 | 47.8 | 59.3 | 59.3 | 59.3 | 60.1 | 48.6 | 50.1 | 60.6 | 60.6 | 60.6 | 61.4 |
| NV1292 | 46.5 | 47.8 | 62.7 | 62.7 | 66.5 | 67.3 | 48.3 | 49.6 | 66.3 | 66.3 | 66.3 | 67.1 |
| NV1293 | 46.7 | 48.2 | 44.9 | 43.3 | 44.9 | 44.2 | 48.1 | 49.7 | 44.4 | 42.8 | 47.9 | 47.2 |
| NV1294 | 47.4 | 49.0 | 44.6 | 43.5 | 44.6 | 44.5 | 51.6 | 53.1 | 52.9 | 51.7 | 53.2 | 52.9 |
| NV1295 | 46.7 | 48.2 | 44.9 | 43.3 | 44.9 | 44.2 | 48.1 | 49.7 | 44.4 | 42.8 | 47.9 | 47.2 |
| NV1296 | 46.7 | 48.2 | 44.9 | 43.3 | 44.9 | 44.2 | 48.1 | 49.7 | 44.4 | 42.8 | 47.9 | 47.2 |
| NV1297 | 46.7 | 48.2 | 44.9 | 43.3 | 44.9 | 44.2 | 48.1 | 49.7 | 44.4 | 42.8 | 47.9 | 47.2 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1298 | 46.7 | 48.2 | 44.9 | 43.3 | 44.9 | 44.2 | 48.1 | 49.7 | 44.4 | 42.8 | 47.9 | 47.2 |
| NV1299 | 46.7 | 48.2 | 44.9 | 43.3 | 44.9 | 44.2 | 48.1 | 49.7 | 44.4 | 42.8 | 47.9 | 47.2 |
| NV1300 | 46.7 | 48.2 | 44.9 | 43.3 | 44.9 | 44.2 | 48.1 | 49.7 | 44.4 | 42.8 | 47.9 | 47.2 |
| NV1301 | 46.7 | 48.2 | 44.9 | 43.3 | 44.9 | 44.2 | 48.1 | 49.7 | 44.4 | 42.8 | 47.9 | 47.2 |
| NV1302 | 46.7 | 48.2 | 44.9 | 43.3 | 44.9 | 44.2 | 48.1 | 49.7 | 44.4 | 42.8 | 47.9 | 47.2 |
| NV1303 | 49.1 | 50.5 | 66.4 | 66.4 | 66.4 | 67.2 | 51.4 | 52.8 | 66.5 | 66.5 | 66.5 | 67.3 |
| NV1304 | 49.1 | 50.5 | 51.4 | 51.3 | 51.4 | 52.0 | 51.3 | 52.7 | 52.1 | 51.8 | 52.1 | 52.6 |
| NV1305 | 49.4 | 51.0 | 65.8 | 65.8 | 65.8 | 66.6 | 51.1 | 52.6 | 66.0 | 66.0 | 66.0 | 66.8 |
| NV1306 | 48.9 | 50.5 | 65.8 | 65.8 | 65.8 | 66.6 | 50.5 | 52.0 | 66.0 | 66.0 | 66.0 | 66.8 |
| NV1307 | 48.9 | 50.4 | 65.3 | 65.3 | 66.1 | 66.9 | 50.2 | 51.7 | 66.3 | 66.3 | 66.3 | 67.1 |
| NV1308 | 48.5 | 50.0 | 66.3 | 66.3 | 66.3 | 67.1 | 49.9 | 51.4 | 65.9 | 65.9 | 66.4 | 67.2 |
| NV1309 | 48.0 | 49.5 | 51.8 | 51.7 | 51.8 | 52.9 | 50.1 | 51.6 | 53.3 | 53.1 | 53.3 | 54.3 |
| NV1310 | 49.3 | 50.5 | 66.7 | 66.7 | 66.7 | 67.7 | 51.6 | 52.8 | 67.3 | 67.3 | 64.2 | 65.2 |
| NV1311 | 56.1 | 57.2 | 61.5 | 61.4 | 56.1 | 57.1 | 57.2 | 58.3 | 62.0 | 61.9 | 57.2 | 58.2 |
| NV1312 | 55.2 | 56.2 | 55.2 | 55.1 | 56.4 | 57.3 | 57.2 | 58.2 | 57.2 | 57.1 | 57.2 | 58.1 |
| NV1313 | 50.9 | 52.1 | 59.8 | 59.7 | 50.9 | 52.0 | 52.6 | 53.9 | 52.6 | 52.6 | 52.6 | 53.8 |
| NV1314 | 47.4 | 48.5 | 56.5 | 56.4 | 56.5 | 57.4 | 49.0 | 50.1 | 57.3 | 57.2 | 57.3 | 58.2 |
| NV1315 | 54.4 | 55.4 | 57.5 | 57.4 | 54.3 | 55.2 | 55.4 | 56.5 | 59.5 | 59.4 | 55.5 | 56.4 |
| NV1316 | 54.8 | 55.8 | 54.8 | 54.6 | 54.8 | 55.6 | 55.8 | 56.8 | 55.8 | 55.6 | 55.8 | 56.6 |
| NV1317 | 47.2 | 48.4 | 56.9 | 56.7 | 47.2 | 48.1 | 51.1 | 52.2 | 57.7 | 57.5 | 55.0 | 55.8 |
| NV1318 | 46.6 | 47.7 | 53.8 | 53.6 | 53.8 | 54.6 | 48.9 | 50.0 | 54.9 | 54.6 | 54.9 | 55.7 |
| NV1319 | 56.6 | 57.5 | 56.6 | 56.4 | 56.6 | 57.3 | 52.4 | 53.4 | 57.6 | 57.4 | 57.6 | 58.3 |
| NV1320 | 47.2 | 48.4 | 46.1 | 45.8 | 46.1 | 47.0 | 49.8 | 50.9 | 54.9 | 54.5 | 48.9 | 49.7 |
| NV1321 | 47.6 | 48.6 | 54.4 | 54.1 | 54.4 | 55.0 | 55.0 | 56.0 | 55.2 | 54.9 | 55.2 | 55.8 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1322 | 46.5 | 47.6 | 64.3 | 64.3 | 52.4 | 53.4 | 53.6 | 54.6 | 67.1 | 67.0 | 67.1 | 68.0 |
| NV1323 | 59.9 | 61.1 | 59.9 | 60.1 | 59.9 | 61.3 | 60.8 | 62.0 | 60.8 | 61.0 | 65.5 | 66.8 |
| NV1324 | 61.4 | 62.6 | 61.4 | 61.6 | 61.4 | 62.8 | 59.7 | 60.9 | 59.7 | 59.9 | 59.7 | 61.1 |
| NV1325 | 64.6 | 65.8 | 64.6 | 64.8 | 60.0 | 61.4 | 62.2 | 63.4 | 62.2 | 62.4 | 59.6 | 61.0 |
| NV1326 | 59.7 | 60.9 | 64.0 | 64.2 | 64.0 | 65.3 | 64.6 | 65.8 | 64.7 | 64.9 | 60.3 | 61.7 |
| NV1327 | 61.1 | 62.3 | 61.7 | 61.9 | 58.2 | 59.6 | 62.0 | 63.2 | 64.8 | 65.0 | 64.8 | 66.1 |
| NV1328 | 62.1 | 63.4 | 64.4 | 64.6 | 64.4 | 65.7 | 62.5 | 63.8 | 62.5 | 62.7 | 62.5 | 63.8 |
| NV1329 | 60.4 | 61.6 | 63.6 | 63.8 | 63.5 | 64.9 | 61.3 | 62.5 | 64.1 | 64.3 | 64.1 | 65.5 |
| NV1330 | 64.6 | 65.8 | 64.6 | 64.8 | 64.6 | 65.9 | 64.9 | 66.2 | 65.0 | 65.2 | 65.0 | 66.3 |
| NV1331 | 63.4 | 64.5 | 63.4 | 63.6 | 63.4 | 64.8 | 59.5 | 60.7 | 64.1 | 64.3 | 64.1 | 65.4 |
| NV1332 | 64.5 | 65.7 | 64.5 | 64.7 | 64.5 | 65.8 | 64.9 | 66.1 | 64.9 | 65.1 | 64.9 | 66.2 |
| NV1333 | 63.4 | 64.5 | 63.4 | 63.6 | 63.4 | 64.7 | 61.9 | 63.1 | 61.9 | 62.1 | 64.0 | 65.3 |
| NV1334 | 60.5 | 61.8 | 64.6 | 64.8 | 64.6 | 65.9 | 65.0 | 66.2 | 65.0 | 65.2 | 65.0 | 66.3 |
| NV1335 | 63.5 | 64.6 | 63.5 | 63.7 | 63.5 | 64.8 | 63.9 | 65.0 | 63.9 | 64.1 | 63.9 | 65.2 |
| NV1336 | 64.7 | 65.9 | 64.7 | 64.9 | 64.7 | 66.0 | 65.0 | 66.2 | 65.0 | 65.2 | 65.0 | 66.3 |
| NV1337 | 64.1 | 65.3 | 64.1 | 64.3 | 64.1 | 65.4 | 64.4 | 65.6 | 64.4 | 64.6 | 64.4 | 65.7 |
| NV1338 | 64.7 | 65.9 | 64.7 | 64.9 | 64.7 | 66.0 | 65.1 | 66.3 | 65.1 | 65.3 | 65.1 | 66.4 |
| NV1339 | 60.6 | 61.9 | 64.2 | 64.4 | 64.2 | 65.5 | 61.2 | 62.5 | 64.5 | 64.7 | 64.5 | 65.8 |
| NV1340 | 64.5 | 65.8 | 64.5 | 64.7 | 64.5 | 65.8 | 64.9 | 66.2 | 65.0 | 65.2 | 65.0 | 66.3 |
| NV1341 | 64.2 | 65.5 | 64.3 | 64.5 | 64.3 | 65.6 | 64.5 | 65.8 | 64.5 | 64.7 | 64.5 | 65.8 |
| NV1342 | 64.7 | 65.9 | 64.7 | 64.9 | 64.7 | 66.0 | 65.1 | 66.3 | 65.1 | 65.3 | 65.1 | 66.4 |
| NV1343 | 64.2 | 65.5 | 64.2 | 64.4 | 64.2 | 65.5 | 64.5 | 65.8 | 64.6 | 64.8 | 64.6 | 65.9 |
| NV1344 | 64.7 | 65.9 | 64.7 | 64.9 | 64.7 | 66.0 | 65.1 | 66.3 | 65.1 | 65.3 | 65.1 | 66.4 |
| NV1345 | 64.0 | 65.2 | 64.0 | 64.2 | 64.0 | 65.3 | 64.4 | 65.6 | 64.4 | 64.6 | 64.4 | 65.7 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1346 | 64.7 | 65.9 | 64.7 | 64.9 | 60.7 | 62.1 | 64.9 | 66.2 | 64.9 | 65.1 | 64.9 | 66.2 |
| NV1347 | 64.0 | 65.2 | 64.0 | 64.2 | 64.0 | 65.3 | 64.4 | 65.6 | 64.4 | 64.6 | 64.4 | 65.7 |
| NV1348 | 64.0 | 65.2 | 64.0 | 64.2 | 64.0 | 65.3 | 64.5 | 65.7 | 64.5 | 64.7 | 64.5 | 65.8 |
| NV1349 | 60.3 | 61.5 | 64.1 | 64.3 | 64.1 | 65.4 | 64.4 | 65.6 | 64.5 | 64.7 | 64.5 | 65.8 |
| NV1350 | 59.6 | 60.8 | 64.2 | 64.4 | 64.2 | 65.5 | 60.4 | 61.6 | 64.5 | 64.7 | 64.5 | 65.8 |
| NV1351 | 63.9 | 65.1 | 63.9 | 64.1 | 63.9 | 65.2 | 64.4 | 65.6 | 64.4 | 64.6 | 64.4 | 65.7 |
| NV1352 | 63.7 | 64.9 | 57.9 | 58.2 | 63.7 | 65.0 | 64.2 | 65.4 | 64.2 | 64.4 | 64.2 | 65.5 |
| NV1353 | 63.7 | 64.9 | 63.7 | 63.9 | 63.7 | 65.0 | 64.2 | 65.4 | 64.1 | 64.3 | 64.2 | 65.5 |
| NV1354 | 63.2 | 64.4 | 63.2 | 63.4 | 63.2 | 64.5 | 63.6 | 64.8 | 63.6 | 63.8 | 63.6 | 64.9 |
| NV1355 | 63.0 | 64.3 | 63.0 | 63.2 | 63.0 | 64.4 | 63.5 | 64.8 | 63.5 | 63.7 | 63.5 | 64.9 |
| NV1356 | 63.0 | 64.2 | 63.0 | 63.1 | 63.0 | 64.4 | 63.4 | 64.6 | 63.2 | 63.4 | 63.4 | 64.8 |
| NV1357 | 62.9 | 64.1 | 62.9 | 63.0 | 62.7 | 64.1 | 63.3 | 64.5 | 63.3 | 63.4 | 63.3 | 64.7 |
| NV1358 | 63.3 | 64.6 | 63.3 | 63.5 | 63.3 | 64.7 | 63.5 | 64.8 | 63.5 | 63.6 | 63.5 | 64.9 |
| NV1359 | 62.8 | 64.0 | 56.6 | 56.8 | 62.8 | 64.2 | 59.1 | 60.4 | 62.9 | 63.1 | 62.9 | 64.3 |
| NV1360 | 61.1 | 62.4 | 61.1 | 61.3 | 61.8 | 63.2 | 61.5 | 62.8 | 62.1 | 62.2 | 62.1 | 63.5 |
| NV1361 | 57.9 | 59.2 | 58.8 | 58.9 | 58.0 | 59.4 | 58.8 | 60.1 | 58.8 | 58.9 | 59.4 | 60.7 |
| NV1362 | 57.4 | 58.6 | 52.4 | 52.6 | 57.4 | 58.7 | 58.1 | 59.2 | 54.1 | 54.2 | 58.1 | 59.3 |
| NV1363 | 63.2 | 64.5 | 63.2 | 63.4 | 63.4 | 64.8 | 60.2 | 61.5 | 63.6 | 63.7 | 63.6 | 65.0 |
| NV1364 | 45.8 | 46.9 | 54.5 | 54.3 | 52.0 | 52.8 | 48.5 | 49.7 | 55.6 | 55.4 | 53.4 | 54.2 |
| NV1365 | 42.2 | 43.2 | 54.0 | 53.6 | 54.0 | 54.5 | 45.4 | 46.4 | 55.1 | 54.8 | 55.1 | 55.7 |
| NV1366 | 45.5 | 46.6 | 45.7 | 45.4 | 45.7 | 46.4 | 48.4 | 49.5 | 48.1 | 47.8 | 48.1 | 48.9 |
| NV1367 | 48.5 | 49.5 | 53.8 | 53.4 | 47.9 | 48.5 | 50.4 | 51.4 | 54.9 | 54.6 | 50.0 | 50.7 |
| NV1368 | 50.8 | 51.9 | 50.7 | 50.6 | 50.7 | 51.7 | 52.7 | 53.8 | 52.6 | 52.5 | 52.6 | 53.6 |
| NV1369 | 50.9 | 51.9 | 53.5 | 53.2 | 50.9 | 51.5 | 51.7 | 52.8 | 54.7 | 54.4 | 51.7 | 52.5 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1370 | 44.3 | 45.4 | 51.6 | 51.3 | 51.6 | 52.3 | 53.3 | 54.4 | 53.3 | 53.0 | 53.3 | 54.0 |
| NV1371 | 49.4 | 50.5 | 49.4 | 49.0 | 49.4 | 50.1 | 51.6 | 52.7 | 51.6 | 51.3 | 51.6 | 52.4 |
| NV1372 | 51.9 | 53.0 | 50.5 | 50.4 | 50.5 | 51.5 | 52.3 | 53.4 | 52.3 | 52.1 | 52.3 | 53.2 |
| NV1373 | 51.8 | 52.9 | 51.8 | 51.5 | 51.8 | 52.5 | 46.3 | 47.4 | 53.4 | 53.1 | 53.4 | 54.1 |
| NV1374 | 50.6 | 51.8 | 50.6 | 50.6 | 50.6 | 51.7 | 52.6 | 53.7 | 52.6 | 52.5 | 52.6 | 53.6 |
| NV1375 | 53.6 | 54.8 | 53.6 | 53.7 | 52.9 | 54.2 | 54.6 | 55.8 | 54.6 | 54.7 | 54.6 | 55.9 |
| NV1376 | 49.1 | 50.2 | 49.1 | 48.9 | 49.1 | 50.0 | 50.9 | 52.0 | 50.9 | 50.7 | 50.9 | 51.8 |
| NV1377 | 51.5 | 52.6 | 51.5 | 51.1 | 51.5 | 52.2 | 52.9 | 54.0 | 53.3 | 52.9 | 53.3 | 54.0 |
| NV1378 | 52.0 | 53.1 | 52.0 | 51.7 | 52.0 | 52.8 | 53.7 | 54.8 | 53.7 | 53.4 | 53.7 | 54.5 |
| NV1379 | 59.1 | 61.8 | 46.4 | 47.3 | 46.4 | 48.3 | 60.4 | 63.1 | 63.0 | 63.7 | 63.0 | 64.8 |
| NV1380 | 47.5 | 49.2 | 45.8 | 45.6 | 45.8 | 46.9 | 46.2 | 47.9 | 47.7 | 47.4 | 47.7 | 48.7 |
| NV1381 | 63.2 | 64.8 | 47.0 | 46.4 | 47.0 | 47.6 | 63.4 | 65.0 | 49.6 | 49.0 | 49.6 | 50.0 |
| NV1382 | 43.8 | 45.6 | 45.3 | 45.0 | 45.3 | 46.3 | 46.5 | 48.2 | 47.5 | 47.2 | 47.5 | 48.5 |
| NV1383 | 46.5 | 48.1 | 46.4 | 46.2 | 46.2 | 47.4 | 48.0 | 49.6 | 48.0 | 47.8 | 48.3 | 49.4 |
| NV1384 | 46.4 | 48.0 | 46.7 | 46.5 | 46.7 | 47.8 | 48.3 | 49.9 | 48.6 | 48.4 | 48.6 | 49.7 |
| NV1385 | 46.3 | 48.0 | 46.3 | 46.1 | 46.3 | 47.5 | 48.3 | 49.9 | 48.3 | 48.1 | 48.3 | 49.4 |
| NV1386 | 46.0 | 47.6 | 46.0 | 45.8 | 46.0 | 47.2 | 48.2 | 49.8 | 48.2 | 48.0 | 48.2 | 49.3 |
| NV1387 | 46.7 | 48.3 | 46.7 | 46.6 | 46.7 | 48.0 | 48.9 | 50.5 | 48.9 | 48.8 | 48.9 | 50.1 |
| NV1388 | 61.4 | 63.0 | 46.7 | 46.6 | 46.7 | 48.0 | 48.4 | 50.0 | 48.8 | 48.6 | 48.4 | 49.6 |
| NV1389 | 47.4 | 49.1 | 47.3 | 47.2 | 47.3 | 48.6 | 49.3 | 50.9 | 49.3 | 49.2 | 49.3 | 50.5 |
| NV1390 | 47.0 | 48.7 | 47.0 | 46.9 | 47.0 | 48.4 | 48.9 | 50.6 | 48.9 | 48.9 | 48.9 | 50.3 |
| NV1391 | 47.1 | 48.8 | 59.1 | 59.6 | 59.1 | 60.7 | 48.7 | 50.4 | 60.1 | 60.5 | 60.1 | 61.7 |
| NV1392 | 47.8 | 49.5 | 48.8 | 48.9 | 48.8 | 50.1 | 49.5 | 51.2 | 50.6 | 50.7 | 50.9 | 52.2 |
| NV1393 | 47.1 | 48.9 | 47.8 | 47.9 | 48.3 | 49.7 | 49.6 | 51.4 | 49.6 | 49.8 | 50.0 | 51.4 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1394 | 46.8 | 48.7 | 49.1 | 48.9 | 49.1 | 50.3 | 50.8 | 52.7 | 50.8 | 50.6 | 50.8 | 52.1 |
| NV1395 | 47.3 | 49.3 | 47.8 | 47.7 | 48.2 | 49.5 | 50.1 | 52.0 | 49.6 | 49.5 | 50.5 | 51.7 |
| NV1396 | 48.8 | 50.7 | 47.7 | 47.6 | 48.8 | 50.0 | 50.7 | 52.6 | 49.5 | 49.4 | 50.7 | 51.9 |
| NV1397 | 47.2 | 49.1 | 45.0 | 45.2 | 45.0 | 46.3 | 49.5 | 51.4 | 48.0 | 48.1 | 49.5 | 50.7 |
| NV1398 | 47.9 | 49.7 | 47.2 | 47.1 | 47.9 | 49.0 | 50.0 | 51.9 | 50.2 | 50.0 | 47.5 | 48.7 |
| NV1399 | 48.7 | 50.6 | 46.1 | 46.2 | 48.7 | 49.8 | 50.9 | 52.8 | 48.3 | 48.4 | 50.9 | 52.0 |
| NV1400 | 45.3 | 47.1 | 45.3 | 45.1 | 45.3 | 46.5 | 49.2 | 50.9 | 47.4 | 47.2 | 47.4 | 48.5 |
| NV1401 | 45.9 | 47.6 | 48.3 | 48.3 | 45.8 | 47.0 | 47.8 | 49.5 | 50.4 | 50.4 | 47.2 | 48.4 |
| NV1402 | 46.2 | 47.9 | 46.4 | 46.8 | 46.4 | 47.8 | 48.2 | 49.8 | 48.3 | 48.6 | 48.9 | 50.2 |
| NV1403 | 46.4 | 48.2 | 47.4 | 47.5 | 47.4 | 48.7 | 48.5 | 50.2 | 49.5 | 49.5 | 49.5 | 50.7 |
| NV1404 | 47.5 | 49.2 | 48.0 | 48.1 | 48.0 | 49.4 | 49.4 | 51.1 | 49.7 | 49.9 | 50.0 | 51.4 |
| NV1405 | 48.5 | 50.2 | 46.5 | 46.5 | 48.5 | 49.8 | 50.1 | 51.8 | 52.3 | 52.3 | 50.1 | 51.4 |
| NV1406 | 48.5 | 50.1 | 46.0 | 46.3 | 48.1 | 49.4 | 50.6 | 52.2 | 48.5 | 48.8 | 48.5 | 49.9 |
| NV1407 | 45.8 | 47.4 | 47.7 | 47.8 | 45.9 | 47.0 | 48.3 | 49.9 | 49.7 | 49.7 | 48.3 | 49.4 |
| NV1408 | 49.1 | 51.0 | 48.2 | 48.2 | 49.1 | 50.3 | 51.3 | 53.2 | 50.0 | 49.9 | 49.8 | 51.0 |
| NV1409 | 44.2 | 45.9 | 45.3 | 45.5 | 46.1 | 47.3 | 46.2 | 47.9 | 47.7 | 47.9 | 48.0 | 49.2 |
| NV1410 | 46.8 | 48.4 | 47.0 | 46.8 | 46.0 | 47.2 | 48.5 | 50.1 | 49.0 | 48.8 | 48.5 | 49.6 |
| NV1411 | 48.3 | 50.0 | 46.5 | 46.6 | 48.6 | 49.9 | 50.1 | 51.8 | 48.9 | 48.9 | 50.5 | 51.8 |
| NV1412 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1413 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1414 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1415 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1416 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1417 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1418 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1419 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1420 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1421 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1422 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1423 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1424 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1425 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1426 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1427 | 60.4 | 62.6 | 53.5 | 53.4 | 53.5 | 54.8 | 59.0 | 61.2 | 59.0 | 58.8 | 55.8 | 57.1 |
| NV1428 | 46.7 | 48.5 | 47.9 | 47.7 | 47.9 | 49.1 | 50.4 | 52.2 | 50.4 | 50.2 | 50.4 | 51.6 |
| NV1429 | 49.8 | 51.6 | 42.8 | 42.8 | 42.8 | 44.2 | 52.5 | 54.3 | 45.4 | 45.4 | 45.4 | 46.7 |
| NV1430 | 50.9 | 52.6 | 44.2 | 44.1 | 44.2 | 45.5 | 52.7 | 54.6 | 46.3 | 46.2 | 46.3 | 47.6 |
| NV1431 | 50.2 | 52.1 | 50.2 | 50.1 | 50.2 | 51.5 | 51.7 | 53.6 | 51.7 | 51.6 | 51.7 | 53.0 |
| NV1432 | 48.4 | 50.2 | 59.3 | 60.2 | 61.1 | 63.4 | 51.0 | 52.7 | 60.9 | 61.7 | 61.0 | 63.2 |
| NV1433 | 49.2 | 50.9 | 58.4 | 59.2 | 58.4 | 60.6 | 50.9 | 52.6 | 59.3 | 60.0 | 59.1 | 61.2 |
| NV1434 | 48.6 | 50.3 | 58.3 | 59.1 | 59.2 | 61.3 | 49.6 | 51.3 | 59.3 | 60.0 | 59.3 | 61.4 |
| NV1435 | 47.9 | 49.6 | 58.1 | 58.8 | 58.1 | 60.0 | 49.6 | 51.3 | 56.8 | 57.3 | 56.8 | 58.5 |
| NV1436 | 48.5 | 50.1 | 47.7 | 48.2 | 47.7 | 49.1 | 50.4 | 52.0 | 49.7 | 50.2 | 49.7 | 51.1 |
| NV1437 | 48.6 | 50.4 | 50.3 | 50.6 | 50.4 | 51.8 | 50.7 | 52.4 | 52.4 | 52.6 | 52.6 | 53.9 |
| NV1438 | 49.9 | 51.7 | 44.3 | 44.7 | 44.3 | 45.8 | 51.0 | 52.9 | 47.0 | 47.3 | 48.6 | 50.0 |
| NV1439 | 48.0 | 49.7 | 50.6 | 50.7 | 50.6 | 52.0 | 50.0 | 51.7 | 52.8 | 52.9 | 52.8 | 54.2 |
| NV1440 | 47.9 | 49.7 | 51.1 | 51.3 | 51.1 | 52.7 | 49.8 | 51.6 | 52.8 | 52.9 | 52.8 | 54.3 |
| NV1441 | 48.0 | 49.9 | 48.2 | 48.6 | 51.8 | 53.5 | 51.0 | 52.8 | 53.1 | 53.4 | 53.1 | 54.8 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1442 | 48.0 | 49.9 | 51.3 | 51.4 | 50.4 | 51.9 | 49.7 | 51.5 | 52.8 | 52.9 | 52.8 | 54.3 |
| NV1443 | 48.9 | 50.8 | 51.4 | 51.5 | 51.4 | 52.9 | 50.8 | 52.6 | 53.4 | 53.4 | 53.4 | 54.8 |
| NV1444 | 49.2 | 51.1 | 49.2 | 49.2 | 49.2 | 50.5 | 51.8 | 53.6 | 51.8 | 51.8 | 51.8 | 53.1 |
| NV1445 | 50.0 | 52.0 | 49.4 | 49.5 | 51.6 | 53.0 | 51.9 | 53.8 | 51.3 | 51.4 | 50.0 | 51.4 |
| NV1446 | 52.6 | 54.5 | 53.2 | 53.2 | 48.4 | 49.8 | 51.7 | 53.7 | 51.7 | 51.8 | 51.7 | 53.1 |
| NV1447 | 64.8 | 66.9 | 65.2 | 65.2 | 61.3 | 62.7 | 68.3 | 70.4 | 68.3 | 68.3 | 68.3 | 69.6 |
| NV1448 | 61.7 | 63.8 | 65.2 | 65.2 | 65.2 | 66.6 | 64.5 | 66.7 | 64.5 | 64.6 | 64.5 | 66.0 |
| NV1449 | 62.3 | 64.5 | 63.3 | 63.4 | 60.8 | 62.4 | 65.3 | 67.5 | 65.3 | 65.4 | 64.1 | 65.7 |
| NV1450 | 64.6 | 66.9 | 56.8 | 57.0 | 56.8 | 58.5 | 67.0 | 69.3 | 67.0 | 67.1 | 61.0 | 62.6 |
| NV1451 | 56.7 | 59.0 | 59.2 | 59.8 | 59.2 | 61.3 | 63.8 | 66.1 | 60.7 | 61.1 | 60.7 | 62.5 |
| NV1452 | 54.7 | 56.9 | 62.2 | 62.7 | 62.2 | 64.2 | 58.2 | 60.4 | 63.3 | 63.7 | 63.3 | 65.2 |
| NV1453 | 50.3 | 52.3 | 56.8 | 57.7 | 56.8 | 59.2 | 52.3 | 54.3 | 58.1 | 59.0 | 58.1 | 60.4 |
| NV1454 | 48.3 | 50.1 | 50.6 | 50.7 | 50.6 | 52.0 | 50.1 | 51.9 | 52.6 | 52.7 | 52.6 | 54.0 |
| NV1455 | 49.5 | 51.4 | 60.6 | 61.4 | 60.6 | 62.9 | 51.3 | 53.1 | 61.2 | 62.0 | 61.2 | 63.5 |
| NV1456 | 52.3 | 54.4 | 58.1 | 59.0 | 58.1 | 60.5 | 54.4 | 56.5 | 59.2 | 59.9 | 59.2 | 61.4 |
| NV1457 | 59.7 | 60.6 | 59.7 | 59.4 | 59.7 | 60.2 | 60.2 | 61.1 | 61.5 | 61.2 | 60.2 | 60.7 |
| NV1458 | 59.7 | 60.6 | 59.7 | 59.4 | 59.7 | 60.2 | 60.2 | 61.1 | 61.5 | 61.2 | 60.2 | 60.7 |
| NV1459 | 51.5 | 52.8 | 55.1 | 54.6 | 55.1 | 55.4 | 53.9 | 55.1 | 56.5 | 55.9 | 56.5 | 56.7 |
| NV1460 | 51.5 | 52.8 | 55.1 | 54.6 | 55.1 | 55.4 | 53.9 | 55.1 | 56.5 | 55.9 | 56.5 | 56.7 |
| NV1461 | 51.1 | 52.3 | 51.1 | 50.6 | 51.1 | 51.4 | 53.2 | 54.3 | 52.4 | 51.7 | 52.4 | 52.5 |
| NV1462 | 51.1 | 52.3 | 51.1 | 50.6 | 51.1 | 51.4 | 53.2 | 54.3 | 52.4 | 51.7 | 52.4 | 52.5 |
| NV1463 | 59.7 | 60.6 | 59.7 | 59.5 | 59.7 | 60.2 | 55.9 | 56.8 | 61.4 | 61.2 | 59.5 | 60.1 |
| NV1464 | 59.7 | 60.6 | 59.7 | 59.5 | 59.7 | 60.2 | 55.9 | 56.8 | 61.4 | 61.2 | 59.5 | 60.1 |
| NV1465 | 60.4 | 61.3 | 61.7 | 61.5 | 61.7 | 62.3 | 60.0 | 60.9 | 63.3 | 63.1 | 63.3 | 63.9 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1466 | 60.4 | 61.3 | 61.7 | 61.5 | 61.7 | 62.3 | 60.0 | 60.9 | 63.3 | 63.1 | 63.3 | 63.9 |
| NV1467 | 50.2 | 51.6 | 54.7 | 54.3 | 54.7 | 55.1 | 52.0 | 53.4 | 56.0 | 55.6 | 56.0 | 56.4 |
| NV1468 | 50.2 | 51.6 | 54.7 | 54.3 | 54.7 | 55.1 | 52.0 | 53.4 | 56.0 | 55.6 | 56.0 | 56.4 |
| NV1469 | 50.8 | 52.3 | 57.1 | 57.0 | 57.0 | 57.7 | 52.5 | 53.9 | 57.9 | 57.7 | 57.9 | 58.5 |
| NV1470 | 50.8 | 52.3 | 57.1 | 57.0 | 57.0 | 57.7 | 52.5 | 53.9 | 57.9 | 57.7 | 57.9 | 58.5 |
| NV1471 | 61.8 | 62.6 | 60.7 | 60.6 | 60.7 | 61.4 | 63.3 | 64.1 | 61.7 | 61.6 | 60.0 | 60.7 |
| NV1472 | 61.8 | 62.6 | 60.7 | 60.6 | 60.7 | 61.4 | 63.3 | 64.1 | 61.7 | 61.6 | 60.0 | 60.7 |
| NV1473 | 60.7 | 61.6 | 60.7 | 60.5 | 60.7 | 61.3 | 58.5 | 59.5 | 62.2 | 62.0 | 61.5 | 62.1 |
| NV1474 | 60.7 | 61.6 | 60.7 | 60.5 | 60.7 | 61.3 | 58.5 | 59.5 | 62.2 | 62.0 | 61.5 | 62.1 |
| NV1475 | 52.6 | 54.2 | 57.1 | 56.5 | 57.1 | 57.3 | 54.9 | 56.5 | 57.9 | 57.1 | 57.9 | 57.9 |
| NV1476 | 52.6 | 54.2 | 57.1 | 56.5 | 57.1 | 57.3 | 54.9 | 56.5 | 57.9 | 57.1 | 57.9 | 57.9 |
| NV1477 | 53.1 | 54.6 | 51.2 | 50.8 | 51.2 | 51.6 | 54.8 | 56.3 | 52.3 | 51.8 | 52.3 | 52.6 |
| NV1478 | 53.1 | 54.6 | 51.2 | 50.8 | 51.2 | 51.6 | 54.8 | 56.3 | 52.3 | 51.8 | 52.3 | 52.6 |
| NV1479 | 60.8 | 61.6 | 59.3 | 59.2 | 59.3 | 60.0 | 62.1 | 62.9 | 62.1 | 62.0 | 62.1 | 62.7 |
| NV1480 | 60.8 | 61.6 | 59.3 | 59.2 | 59.3 | 60.0 | 62.1 | 62.9 | 62.1 | 62.0 | 62.1 | 62.7 |
| NV1481 | 60.5 | 61.4 | 62.5 | 62.4 | 62.5 | 63.2 | 61.5 | 62.4 | 62.9 | 62.8 | 63.6 | 64.2 |
| NV1482 | 60.5 | 61.4 | 62.5 | 62.4 | 62.5 | 63.2 | 61.5 | 62.4 | 62.9 | 62.8 | 63.6 | 64.2 |
| NV1483 | 52.0 | 53.6 | 55.7 | 55.5 | 55.7 | 56.2 | 54.1 | 55.7 | 56.5 | 56.2 | 56.5 | 57.0 |
| NV1484 | 52.0 | 53.6 | 55.7 | 55.5 | 55.7 | 56.2 | 54.1 | 55.7 | 56.5 | 56.2 | 56.5 | 57.0 |
| NV1485 | 52.0 | 53.6 | 52.5 | 52.2 | 52.5 | 53.0 | 54.1 | 55.7 | 53.7 | 53.3 | 53.7 | 54.1 |
| NV1486 | 52.0 | 53.6 | 52.5 | 52.2 | 52.5 | 53.0 | 54.1 | 55.7 | 53.7 | 53.3 | 53.7 | 54.1 |
| NV1487 | 61.9 | 62.7 | 59.0 | 59.0 | 59.0 | 59.7 | 63.2 | 64.0 | 63.2 | 63.1 | 60.4 | 61.1 |
| NV1488 | 61.9 | 62.7 | 59.0 | 59.0 | 59.0 | 59.7 | 63.2 | 64.0 | 63.2 | 63.1 | 60.4 | 61.1 |
| NV1489 | 54.0 | 55.1 | 58.6 | 58.2 | 58.6 | 59.0 | 55.5 | 56.7 | 59.9 | 59.5 | 59.9 | 60.3 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1490 | 58.8 | 60.1 | 58.8 | 58.5 | 58.8 | 59.3 | 64.1 | 65.2 | 60.5 | 60.2 | 60.5 | 61.0 |
| NV1491 | 59.7 | 60.6 | 59.7 | 59.5 | 59.7 | 60.3 | 60.4 | 61.3 | 60.9 | 60.6 | 60.9 | 61.4 |
| NV1492 | 58.8 | 60.1 | 58.8 | 58.5 | 58.8 | 59.3 | 64.1 | 65.2 | 60.5 | 60.2 | 60.5 | 61.0 |
| NV1493 | 60.6 | 61.5 | 61.4 | 61.2 | 61.4 | 62.0 | 55.5 | 56.4 | 62.4 | 62.2 | 62.4 | 63.0 |
| NV1494 | 58.8 | 60.1 | 58.8 | 58.5 | 58.8 | 59.3 | 64.1 | 65.2 | 60.5 | 60.2 | 60.5 | 61.0 |
| NV1495 | 65.1 | 65.9 | 65.1 | 65.1 | 65.1 | 65.9 | 65.2 | 66.0 | 65.2 | 65.2 | 65.2 | 65.9 |
| NV1496 | 58.8 | 60.1 | 58.8 | 58.5 | 58.8 | 59.3 | 64.1 | 65.2 | 60.5 | 60.2 | 60.5 | 61.0 |
| NV1497 | 49.8 | 50.9 | 62.2 | 62.2 | 62.2 | 63.0 | 51.9 | 53.0 | 62.7 | 62.7 | 62.7 | 63.4 |
| NV1498 | 58.8 | 60.1 | 58.8 | 58.5 | 58.8 | 59.3 | 64.1 | 65.2 | 60.5 | 60.2 | 60.5 | 61.0 |
| NV1499 | 50.1 | 51.3 | 60.4 | 60.4 | 60.4 | 61.1 | 52.2 | 53.3 | 60.0 | 60.0 | 60.9 | 61.6 |
| NV1500 | 58.8 | 60.1 | 58.8 | 58.5 | 58.8 | 59.3 | 64.1 | 65.2 | 60.5 | 60.2 | 60.5 | 61.0 |
| NV1501 | 50.2 | 51.3 | 56.4 | 56.3 | 56.4 | 57.1 | 52.1 | 53.2 | 57.0 | 56.9 | 57.0 | 57.7 |
| NV1502 | 58.8 | 60.1 | 58.8 | 58.5 | 58.8 | 59.3 | 64.1 | 65.2 | 60.5 | 60.2 | 60.5 | 61.0 |
| NV1503 | 50.1 | 51.3 | 55.3 | 55.2 | 55.3 | 55.9 | 52.0 | 53.2 | 56.1 | 55.9 | 56.1 | 56.7 |
| NV1504 | 58.8 | 60.1 | 58.8 | 58.5 | 58.8 | 59.3 | 64.1 | 65.2 | 60.5 | 60.2 | 60.5 | 61.0 |
| NV1505 | 58.8 | 60.1 | 58.8 | 58.5 | 58.8 | 59.3 | 64.1 | 65.2 | 60.5 | 60.2 | 60.5 | 61.0 |
| NV1506 | 58.8 | 60.1 | 58.8 | 58.5 | 58.8 | 59.3 | 64.1 | 65.2 | 60.5 | 60.2 | 60.5 | 61.0 |
| NV1507 | 58.8 | 60.1 | 58.8 | 58.5 | 58.8 | 59.3 | 64.1 | 65.2 | 60.5 | 60.2 | 60.5 | 61.0 |
| NV1508 | 56.0 | 57.2 | 62.6 | 62.2 | 62.6 | 63.0 | 59.2 | 60.3 | 55.1 | 54.7 | 55.1 | 55.5 |
| NV1509 | 63.3 | 64.3 | 55.9 | 55.7 | 63.4 | 63.9 | 64.0 | 65.0 | 57.3 | 57.0 | 57.3 | 57.8 |
| NV1510 | 64.9 | 65.8 | 59.0 | 58.9 | 64.9 | 65.5 | 63.8 | 64.8 | 60.2 | 60.1 | 63.9 | 64.5 |
| NV1511 | 54.6 | 56.0 | 55.7 | 54.9 | 55.7 | 55.7 | 56.3 | 57.7 | 57.9 | 57.1 | 59.1 | 59.1 |
| NV1512 | 54.6 | 56.0 | 55.7 | 54.9 | 55.7 | 55.7 | 56.3 | 57.7 | 57.9 | 57.1 | 59.1 | 59.1 |
| NV1513 | 54.6 | 56.0 | 55.7 | 54.9 | 55.7 | 55.7 | 56.3 | 57.7 | 57.9 | 57.1 | 59.1 | 59.1 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1514 | 54.6 | 56.0 | 55.7 | 54.9 | 55.7 | 55.7 | 56.3 | 57.7 | 57.9 | 57.1 | 59.1 | 59.1 |
| NV1515 | 54.6 | 56.0 | 55.7 | 54.9 | 55.7 | 55.7 | 56.3 | 57.7 | 57.9 | 57.1 | 59.1 | 59.1 |
| NV1516 | 54.6 | 56.0 | 55.7 | 54.9 | 55.7 | 55.7 | 56.3 | 57.7 | 57.9 | 57.1 | 59.1 | 59.1 |
| NV1517 | 54.6 | 56.0 | 55.7 | 54.9 | 55.7 | 55.7 | 56.3 | 57.7 | 57.9 | 57.1 | 59.1 | 59.1 |
| NV1518 | 54.6 | 56.0 | 55.7 | 54.9 | 55.7 | 55.7 | 56.3 | 57.7 | 57.9 | 57.1 | 59.1 | 59.1 |
| NV1519 | 54.6 | 56.0 | 55.7 | 54.9 | 55.7 | 55.7 | 56.3 | 57.7 | 57.9 | 57.1 | 59.1 | 59.1 |
| NV1520 | 54.6 | 56.0 | 55.7 | 54.9 | 55.7 | 55.7 | 56.3 | 57.7 | 57.9 | 57.1 | 59.1 | 59.1 |
| NV1521 | 54.6 | 56.0 | 55.7 | 54.9 | 55.7 | 55.7 | 56.3 | 57.7 | 57.9 | 57.1 | 59.1 | 59.1 |
| NV1522 | 52.9 | 54.0 | 57.1 | 56.2 | 57.1 | 57.1 | 54.4 | 55.5 | 59.7 | 58.8 | 59.7 | 59.7 |
| NV1523 | 53.7 | 54.9 | 52.8 | 51.8 | 52.8 | 52.6 | 55.3 | 56.5 | 57.5 | 56.6 | 57.5 | 57.5 |
| NV1524 | 54.6 | 55.8 | 51.0 | 50.0 | 54.5 | 54.3 | 56.0 | 57.2 | 55.1 | 54.2 | 55.1 | 55.0 |
| NV1525 | 55.1 | 56.2 | 55.1 | 54.1 | 54.9 | 54.8 | 56.2 | 57.4 | 53.4 | 52.4 | 53.4 | 53.3 |
| NV1526 | 55.2 | 56.3 | 55.2 | 54.2 | 55.2 | 55.0 | 56.2 | 57.4 | 56.2 | 55.1 | 51.6 | 51.4 |
| NV1527 | 47.4 | 48.6 | 60.2 | 60.1 | 60.2 | 60.8 | 49.5 | 50.7 | 60.4 | 60.1 | 60.4 | 60.9 |
| NV1528 | 46.0 | 47.1 | 57.3 | 56.9 | 57.3 | 57.6 | 48.3 | 49.5 | 58.0 | 57.4 | 58.0 | 58.2 |
| NV1529 | 46.3 | 47.4 | 55.7 | 55.1 | 55.7 | 55.8 | 49.4 | 50.5 | 56.4 | 55.7 | 56.4 | 56.5 |
| NV1530 | 54.2 | 55.2 | 54.7 | 54.0 | 54.7 | 54.8 | 48.7 | 49.8 | 55.7 | 54.9 | 55.7 | 55.7 |
| NV1531 | 50.4 | 51.5 | 55.5 | 54.6 | 55.5 | 55.5 | 52.7 | 53.8 | 59.1 | 58.2 | 59.1 | 59.1 |
| NV1532 | 50.4 | 51.5 | 55.5 | 54.6 | 55.5 | 55.5 | 52.7 | 53.8 | 59.1 | 58.2 | 59.1 | 59.1 |
| NV1533 | 50.4 | 51.5 | 55.5 | 54.6 | 55.5 | 55.5 | 52.7 | 53.8 | 59.1 | 58.2 | 59.1 | 59.1 |
| NV1534 | 50.4 | 51.5 | 55.5 | 54.6 | 55.5 | 55.5 | 52.7 | 53.8 | 59.1 | 58.2 | 59.1 | 59.1 |
| NV1535 | 50.4 | 51.5 | 55.5 | 54.6 | 55.5 | 55.5 | 52.7 | 53.8 | 59.1 | 58.2 | 59.1 | 59.1 |
| NV1536 | 50.4 | 51.5 | 55.5 | 54.6 | 55.5 | 55.5 | 52.7 | 53.8 | 59.1 | 58.2 | 59.1 | 59.1 |
| NV1537 | 50.4 | 51.5 | 55.5 | 54.6 | 55.5 | 55.5 | 52.7 | 53.8 | 59.1 | 58.2 | 59.1 | 59.1 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1538 | 50.4 | 51.5 | 55.5 | 54.6 | 55.5 | 55.5 | 52.7 | 53.8 | 59.1 | 58.2 | 59.1 | 59.1 |
| NV1539 | 50.4 | 51.5 | 55.5 | 54.6 | 55.5 | 55.5 | 52.7 | 53.8 | 59.1 | 58.2 | 59.1 | 59.1 |
| NV1540 | 50.4 | 51.5 | 55.5 | 54.6 | 55.5 | 55.5 | 52.7 | 53.8 | 59.1 | 58.2 | 59.1 | 59.1 |
| NV1541 | 50.4 | 51.5 | 55.5 | 54.6 | 55.5 | 55.5 | 52.7 | 53.8 | 59.1 | 58.2 | 59.1 | 59.1 |
| NV1542 | 53.0 | 54.0 | 52.6 | 51.6 | 52.6 | 52.4 | 49.5 | 50.6 | 53.8 | 52.7 | 53.8 | 53.5 |
| NV1543 | 52.6 | 53.6 | 52.6 | 51.5 | 47.0 | 46.8 | 53.8 | 54.8 | 53.8 | 52.6 | 53.8 | 53.4 |
| NV1544 | 51.8 | 52.8 | 47.4 | 46.3 | 47.4 | 47.1 | 53.4 | 54.5 | 53.3 | 52.1 | 49.8 | 49.5 |
| NV1545 | 51.5 | 52.5 | 48.2 | 47.2 | 48.2 | 48.1 | 53.2 | 54.2 | 50.6 | 49.5 | 50.6 | 50.4 |
| NV1546 | 49.0 | 50.1 | 46.5 | 45.4 | 46.5 | 46.3 | 52.1 | 53.2 | 48.8 | 47.5 | 48.8 | 48.4 |
| NV1547 | 55.7 | 57.2 | 50.8 | 49.4 | 50.8 | 50.2 | 59.4 | 61.0 | 52.2 | 50.9 | 52.2 | 51.7 |
| NV1548 | 52.3 | 53.8 | 48.8 | 47.2 | 48.8 | 48.0 | 56.3 | 57.9 | 51.1 | 49.5 | 51.1 | 50.3 |
| NV1549 | 52.7 | 54.1 | 48.6 | 47.0 | 48.5 | 47.7 | 55.6 | 57.0 | 50.9 | 49.3 | 50.9 | 50.1 |
| NV1550 | 52.6 | 54.0 | 49.2 | 47.4 | 49.2 | 48.3 | 55.4 | 56.8 | 51.3 | 49.6 | 51.3 | 50.4 |
| NV1551 | 52.4 | 53.8 | 49.2 | 47.4 | 52.5 | 51.5 | 54.9 | 56.3 | 51.5 | 49.7 | 54.8 | 53.8 |
| NV1552 | 56.0 | 57.4 | 54.8 | 53.5 | 54.8 | 54.5 | 58.6 | 60.1 | 56.4 | 54.8 | 56.4 | 55.8 |
| NV1553 | 56.0 | 57.4 | 54.8 | 53.5 | 54.8 | 54.5 | 58.6 | 60.1 | 56.4 | 54.8 | 56.4 | 55.8 |
| NV1554 | 50.7 | 52.0 | 57.1 | 56.2 | 57.1 | 57.1 | 53.4 | 54.6 | 58.2 | 57.2 | 58.2 | 58.0 |
| NV1555 | 52.6 | 53.9 | 60.0 | 58.9 | 60.0 | 59.8 | 54.7 | 56.0 | 61.1 | 59.9 | 61.1 | 60.7 |
| NV1556 | 50.1 | 51.3 | 59.7 | 58.6 | 59.7 | 59.5 | 52.4 | 53.6 | 60.6 | 59.5 | 60.6 | 60.3 |
| NV1557 | 48.9 | 50.1 | 48.3 | 46.9 | 48.1 | 47.6 | 50.8 | 52.1 | 64.1 | 62.8 | 64.1 | 63.7 |
| NV1558 | 67.6 | 68.9 | 47.5 | 46.2 | 47.5 | 47.0 | 68.8 | 70.1 | 65.1 | 63.9 | 65.1 | 64.7 |
| NV1559 | 67.0 | 68.5 | 47.4 | 46.1 | 47.4 | 46.9 | 66.4 | 67.9 | 69.3 | 68.0 | 69.3 | 68.9 |
| NV1560 | 58.7 | 60.3 | 48.5 | 47.0 | 47.6 | 47.0 | 60.3 | 61.9 | 68.3 | 67.1 | 69.1 | 68.7 |
| NV1561 | 58.7 | 60.3 | 48.5 | 47.0 | 47.6 | 47.0 | 60.3 | 61.9 | 68.3 | 67.1 | 69.1 | 68.7 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1562 | 57.3 | 59.0 | 49.8 | 48.7 | 69.1 | 68.7 | 60.0 | 61.7 | 67.7 | 66.6 | 68.6 | 68.3 |
| NV1563 | 57.3 | 59.0 | 49.8 | 48.7 | 69.1 | 68.7 | 60.0 | 61.7 | 67.7 | 66.6 | 68.6 | 68.3 |
| NV1564 | 57.3 | 59.0 | 49.8 | 48.7 | 69.1 | 68.7 | 60.0 | 61.7 | 67.7 | 66.6 | 68.6 | 68.3 |
| NV1565 | 57.3 | 59.0 | 49.8 | 48.7 | 69.1 | 68.7 | 60.0 | 61.7 | 67.7 | 66.6 | 68.6 | 68.3 |
| NV1566 | 57.3 | 59.0 | 49.8 | 48.7 | 69.1 | 68.7 | 60.0 | 61.7 | 67.7 | 66.6 | 68.6 | 68.3 |
| NV1567 | 57.3 | 59.0 | 49.8 | 48.7 | 69.1 | 68.7 | 60.0 | 61.7 | 67.7 | 66.6 | 68.6 | 68.3 |
| NV1568 | 57.3 | 59.0 | 49.8 | 48.7 | 69.1 | 68.7 | 60.0 | 61.7 | 67.7 | 66.6 | 68.6 | 68.3 |
| NV1569 | 57.3 | 59.0 | 49.8 | 48.7 | 69.1 | 68.7 | 60.0 | 61.7 | 67.7 | 66.6 | 68.6 | 68.3 |
| NV1570 | 57.3 | 59.0 | 49.8 | 48.7 | 69.1 | 68.7 | 60.0 | 61.7 | 67.7 | 66.6 | 68.6 | 68.3 |
| NV1571 | 54.6 | 56.2 | 53.7 | 52.2 | 53.7 | 53.2 | 58.0 | 59.6 | 55.9 | 54.4 | 55.9 | 55.4 |
| NV1572 | 54.6 | 56.2 | 53.7 | 52.2 | 53.7 | 53.2 | 58.0 | 59.6 | 55.9 | 54.4 | 55.9 | 55.4 |
| NV1573 | 54.6 | 56.2 | 53.7 | 52.2 | 53.7 | 53.2 | 58.0 | 59.6 | 55.9 | 54.4 | 55.9 | 55.4 |
| NV1574 | 54.6 | 56.2 | 53.7 | 52.2 | 53.7 | 53.2 | 58.0 | 59.6 | 55.9 | 54.4 | 55.9 | 55.4 |
| NV1575 | 54.6 | 56.2 | 53.7 | 52.2 | 53.7 | 53.2 | 58.0 | 59.6 | 55.9 | 54.4 | 55.9 | 55.4 |
| NV1576 | 54.6 | 56.2 | 53.7 | 52.2 | 53.7 | 53.2 | 58.0 | 59.6 | 55.9 | 54.4 | 55.9 | 55.4 |
| NV1577 | 54.6 | 56.2 | 53.7 | 52.2 | 53.7 | 53.2 | 58.0 | 59.6 | 55.9 | 54.4 | 55.9 | 55.4 |
| NV1578 | 54.6 | 56.2 | 53.7 | 52.2 | 53.7 | 53.2 | 58.0 | 59.6 | 55.9 | 54.4 | 55.9 | 55.4 |
| NV1579 | 54.6 | 56.2 | 53.7 | 52.2 | 53.7 | 53.2 | 58.0 | 59.6 | 55.9 | 54.4 | 55.9 | 55.4 |
| NV1580 | 51.4 | 52.9 | 49.8 | 48.5 | 50.5 | 50.0 | 54.3 | 55.9 | 51.9 | 50.5 | 51.9 | 51.3 |
| NV1581 | 51.4 | 52.9 | 49.8 | 48.5 | 50.5 | 50.0 | 54.3 | 55.9 | 51.9 | 50.5 | 51.9 | 51.3 |
| NV1582 | 57.9 | 59.3 | 62.2 | 62.2 | 62.2 | 63.0 | 60.9 | 62.2 | 63.9 | 63.9 | 63.9 | 64.7 |
| NV1583 | 57.9 | 59.3 | 62.2 | 62.2 | 62.2 | 63.0 | 60.9 | 62.2 | 63.9 | 63.9 | 63.9 | 64.7 |
| NV1584 | 57.9 | 59.3 | 62.2 | 62.2 | 62.2 | 63.0 | 60.9 | 62.2 | 63.9 | 63.9 | 63.9 | 64.7 |
| NV1585 | 52.0 | 53.2 | 51.5 | 50.7 | 51.5 | 51.5 | 53.1 | 54.3 | 53.3 | 52.3 | 53.3 | 53.2 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1586 | 57.9 | 59.3 | 62.2 | 62.2 | 62.2 | 63.0 | 60.9 | 62.2 | 63.9 | 63.9 | 63.9 | 64.7 |
| NV1587 | 51.6 | 52.8 | 51.4 | 50.6 | 51.4 | 51.4 | 53.4 | 54.6 | 52.5 | 51.7 | 53.2 | 53.1 |
| NV1588 | 57.9 | 59.3 | 62.2 | 62.2 | 62.2 | 63.0 | 60.9 | 62.2 | 63.9 | 63.9 | 63.9 | 64.7 |
| NV1589 | 51.8 | 52.9 | 50.9 | 50.0 | 50.9 | 50.8 | 53.5 | 54.7 | 53.1 | 52.1 | 52.9 | 52.8 |
| NV1590 | 57.9 | 59.3 | 62.2 | 62.2 | 62.2 | 63.0 | 60.9 | 62.2 | 63.9 | 63.9 | 63.9 | 64.7 |
| NV1591 | 51.4 | 52.6 | 50.8 | 49.8 | 50.8 | 50.7 | 53.0 | 54.2 | 52.7 | 51.7 | 52.7 | 52.6 |
| NV1592 | 57.9 | 59.3 | 62.2 | 62.2 | 62.2 | 63.0 | 60.9 | 62.2 | 63.9 | 63.9 | 63.9 | 64.7 |
| NV1593 | 51.4 | 52.6 | 48.0 | 46.2 | 47.7 | 46.8 | 53.4 | 54.6 | 51.1 | 49.3 | 51.1 | 50.1 |
| NV1594 | 57.9 | 59.3 | 62.2 | 62.2 | 62.2 | 63.0 | 60.9 | 62.2 | 63.9 | 63.9 | 63.9 | 64.7 |
| NV1595 | 51.6 | 52.8 | 48.6 | 47.2 | 48.6 | 48.0 | 53.6 | 54.8 | 50.9 | 49.3 | 50.9 | 50.2 |
| NV1596 | 57.9 | 59.3 | 62.2 | 62.2 | 62.2 | 63.0 | 60.9 | 62.2 | 63.9 | 63.9 | 63.9 | 64.7 |
| NV1597 | 48.7 | 49.9 | 48.9 | 47.6 | 48.9 | 48.4 | 53.8 | 55.0 | 51.1 | 49.6 | 51.1 | 50.4 |
| NV1598 | 57.9 | 59.3 | 62.2 | 62.2 | 62.2 | 63.0 | 60.9 | 62.2 | 63.9 | 63.9 | 63.9 | 64.7 |
| NV1599 | 53.1 | 54.3 | 49.3 | 48.0 | 49.3 | 48.8 | 54.9 | 56.1 | 51.4 | 49.9 | 51.4 | 50.8 |
| NV1600 | 57.9 | 59.3 | 62.2 | 62.2 | 62.2 | 63.0 | 60.9 | 62.2 | 63.9 | 63.9 | 63.9 | 64.7 |
| NV1601 | 55.5 | 56.9 | 49.7 | 47.6 | 55.5 | 54.3 | 59.7 | 61.1 | 51.8 | 49.8 | 51.8 | 50.6 |
| NV1602 | 56.8 | 58.2 | 49.8 | 47.7 | 56.8 | 55.5 | 59.7 | 61.1 | 51.9 | 49.9 | 51.9 | 50.7 |
| NV1603 | 57.1 | 58.4 | 49.8 | 47.7 | 57.1 | 55.8 | 59.7 | 61.1 | 51.9 | 49.9 | 51.9 | 50.7 |
| NV1604 | 54.4 | 55.7 | 60.2 | 60.2 | 60.2 | 60.9 | 56.6 | 57.9 | 61.0 | 60.9 | 61.0 | 61.7 |
| NV1605 | 57.2 | 58.5 | 50.8 | 48.7 | 57.2 | 55.9 | 60.5 | 61.8 | 52.8 | 50.8 | 52.8 | 51.6 |
| NV1606 | 54.4 | 55.7 | 60.2 | 60.2 | 60.2 | 60.9 | 56.6 | 57.9 | 61.0 | 60.9 | 61.0 | 61.7 |
| NV1607 | 55.6 | 57.1 | 50.3 | 48.2 | 56.4 | 55.2 | 59.5 | 61.1 | 52.6 | 50.5 | 52.6 | 51.3 |
| NV1608 | 54.4 | 55.7 | 60.2 | 60.2 | 60.2 | 60.9 | 56.6 | 57.9 | 61.0 | 60.9 | 61.0 | 61.7 |
| NV1609 | 56.0 | 57.4 | 50.3 | 48.3 | 56.0 | 54.8 | 58.8 | 60.2 | 52.7 | 50.7 | 52.7 | 51.5 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1610 | 54.4 | 55.7 | 60.2 | 60.2 | 60.2 | 60.9 | 56.6 | 57.9 | 61.0 | 60.9 | 61.0 | 61.7 |
| NV1611 | 55.9 | 57.2 | 49.9 | 47.8 | 55.9 | 54.7 | 59.0 | 60.4 | 52.5 | 50.4 | 59.0 | 57.7 |
| NV1612 | 54.4 | 55.7 | 60.2 | 60.2 | 60.2 | 60.9 | 56.6 | 57.9 | 61.0 | 60.9 | 61.0 | 61.7 |
| NV1613 | 58.1 | 59.4 | 54.1 | 52.4 | 54.1 | 53.1 | 60.6 | 62.0 | 56.1 | 54.5 | 56.1 | 55.2 |
| NV1614 | 54.4 | 55.7 | 60.2 | 60.2 | 60.2 | 60.9 | 56.6 | 57.9 | 61.0 | 60.9 | 61.0 | 61.7 |
| NV1615 | 54.1 | 55.4 | 58.5 | 56.4 | 58.8 | 57.5 | 56.7 | 58.0 | 60.9 | 58.8 | 60.9 | 59.7 |
| NV1616 | 54.4 | 55.7 | 60.2 | 60.2 | 60.2 | 60.9 | 56.6 | 57.9 | 61.0 | 60.9 | 61.0 | 61.7 |
| NV1617 | 59.3 | 60.4 | 59.3 | 57.1 | 59.3 | 58.0 | 61.4 | 62.5 | 61.1 | 59.0 | 61.1 | 59.9 |
| NV1618 | 54.4 | 55.7 | 60.2 | 60.2 | 60.2 | 60.9 | 56.6 | 57.9 | 61.0 | 60.9 | 61.0 | 61.7 |
| NV1619 | 60.0 | 61.2 | 60.0 | 57.7 | 60.0 | 58.6 | 62.3 | 63.5 | 61.9 | 59.6 | 61.9 | 60.5 |
| NV1620 | 54.4 | 55.7 | 60.2 | 60.2 | 60.2 | 60.9 | 56.6 | 57.9 | 61.0 | 60.9 | 61.0 | 61.7 |
| NV1621 | 61.6 | 62.8 | 60.5 | 58.1 | 60.5 | 59.1 | 63.8 | 65.1 | 62.8 | 60.4 | 62.8 | 61.3 |
| NV1622 | 54.4 | 55.7 | 60.2 | 60.2 | 60.2 | 60.9 | 56.6 | 57.9 | 61.0 | 60.9 | 61.0 | 61.7 |
| NV1623 | 54.4 | 55.7 | 60.2 | 60.2 | 60.2 | 60.9 | 56.6 | 57.9 | 61.0 | 60.9 | 61.0 | 61.7 |
| NV1624 | 53.0 | 54.5 | 49.9 | 49.4 | 49.9 | 50.2 | 55.1 | 56.6 | 51.4 | 50.7 | 51.4 | 51.5 |
| NV1625 | 53.0 | 54.5 | 49.9 | 49.4 | 49.9 | 50.2 | 55.1 | 56.6 | 51.4 | 50.7 | 51.4 | 51.5 |
| NV1626 | 53.0 | 54.5 | 49.9 | 49.4 | 49.9 | 50.2 | 55.1 | 56.6 | 51.4 | 50.7 | 51.4 | 51.5 |
| NV1627 | 53.0 | 54.5 | 49.9 | 49.4 | 49.9 | 50.2 | 55.1 | 56.6 | 51.4 | 50.7 | 51.4 | 51.5 |
| NV1628 | 53.0 | 54.5 | 49.9 | 49.4 | 49.9 | 50.2 | 55.1 | 56.6 | 51.4 | 50.7 | 51.4 | 51.5 |
| NV1629 | 53.0 | 54.5 | 49.9 | 49.4 | 49.9 | 50.2 | 55.1 | 56.6 | 51.4 | 50.7 | 51.4 | 51.5 |
| NV1630 | 53.0 | 54.5 | 49.9 | 49.4 | 49.9 | 50.2 | 55.1 | 56.6 | 51.4 | 50.7 | 51.4 | 51.5 |
| NV1631 | 53.0 | 54.5 | 49.9 | 49.4 | 49.9 | 50.2 | 55.1 | 56.6 | 51.4 | 50.7 | 51.4 | 51.5 |
| NV1632 | 53.0 | 54.5 | 49.9 | 49.4 | 49.9 | 50.2 | 55.1 | 56.6 | 51.4 | 50.7 | 51.4 | 51.5 |
| NV1633 | 53.0 | 54.5 | 49.9 | 49.4 | 49.9 | 50.2 | 55.1 | 56.6 | 51.4 | 50.7 | 51.4 | 51.5 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1634 | 53.0 | 54.5 | 49.9 | 49.4 | 49.9 | 50.2 | 55.1 | 56.6 | 51.4 | 50.7 | 51.4 | 51.5 |
| NV1635 | 52.9 | 54.2 | 48.7 | 48.0 | 48.7 | 48.8 | 55.2 | 56.5 | 50.7 | 49.8 | 50.7 | 50.6 |
| NV1636 | 52.9 | 54.2 | 48.7 | 48.0 | 48.7 | 48.8 | 55.2 | 56.5 | 50.7 | 49.8 | 50.7 | 50.6 |
| NV1637 | 52.9 | 54.2 | 48.7 | 48.0 | 48.7 | 48.8 | 55.2 | 56.5 | 50.7 | 49.8 | 50.7 | 50.6 |
| NV1638 | 52.9 | 54.2 | 48.7 | 48.0 | 48.7 | 48.8 | 55.2 | 56.5 | 50.7 | 49.8 | 50.7 | 50.6 |
| NV1639 | 52.9 | 54.2 | 48.7 | 48.0 | 48.7 | 48.8 | 55.2 | 56.5 | 50.7 | 49.8 | 50.7 | 50.6 |
| NV1640 | 52.9 | 54.2 | 48.7 | 48.0 | 48.7 | 48.8 | 55.2 | 56.5 | 50.7 | 49.8 | 50.7 | 50.6 |
| NV1641 | 52.9 | 54.2 | 48.7 | 48.0 | 48.7 | 48.8 | 55.2 | 56.5 | 50.7 | 49.8 | 50.7 | 50.6 |
| NV1642 | 52.9 | 54.2 | 48.7 | 48.0 | 48.7 | 48.8 | 55.2 | 56.5 | 50.7 | 49.8 | 50.7 | 50.6 |
| NV1643 | 52.9 | 54.2 | 48.7 | 48.0 | 48.7 | 48.8 | 55.2 | 56.5 | 50.7 | 49.8 | 50.7 | 50.6 |
| NV1644 | 52.9 | 54.2 | 48.7 | 48.0 | 48.7 | 48.8 | 55.2 | 56.5 | 50.7 | 49.8 | 50.7 | 50.6 |
| NV1645 | 52.9 | 54.2 | 48.7 | 48.0 | 48.7 | 48.8 | 55.2 | 56.5 | 50.7 | 49.8 | 50.7 | 50.6 |
| NV1646 | 54.9 | 56.2 | 47.2 | 45.8 | 47.2 | 46.6 | 57.3 | 58.6 | 49.7 | 48.3 | 49.7 | 49.1 |
| NV1647 | 54.9 | 56.2 | 47.2 | 45.8 | 47.2 | 46.6 | 57.3 | 58.6 | 49.7 | 48.3 | 49.7 | 49.1 |
| NV1648 | 54.9 | 56.2 | 47.2 | 45.8 | 47.2 | 46.6 | 57.3 | 58.6 | 49.7 | 48.3 | 49.7 | 49.1 |
| NV1649 | 54.9 | 56.2 | 47.2 | 45.8 | 47.2 | 46.6 | 57.3 | 58.6 | 49.7 | 48.3 | 49.7 | 49.1 |
| NV1650 | 54.9 | 56.2 | 47.2 | 45.8 | 47.2 | 46.6 | 57.3 | 58.6 | 49.7 | 48.3 | 49.7 | 49.1 |
| NV1651 | 54.9 | 56.2 | 47.2 | 45.8 | 47.2 | 46.6 | 57.3 | 58.6 | 49.7 | 48.3 | 49.7 | 49.1 |
| NV1652 | 54.9 | 56.2 | 47.2 | 45.8 | 47.2 | 46.6 | 57.3 | 58.6 | 49.7 | 48.3 | 49.7 | 49.1 |
| NV1653 | 54.9 | 56.2 | 47.2 | 45.8 | 47.2 | 46.6 | 57.3 | 58.6 | 49.7 | 48.3 | 49.7 | 49.1 |
| NV1654 | 54.9 | 56.2 | 47.2 | 45.8 | 47.2 | 46.6 | 57.3 | 58.6 | 49.7 | 48.3 | 49.7 | 49.1 |
| NV1655 | 54.9 | 56.2 | 47.2 | 45.8 | 47.2 | 46.6 | 57.3 | 58.6 | 49.7 | 48.3 | 49.7 | 49.1 |
| NV1656 | 54.9 | 56.2 | 47.2 | 45.8 | 47.2 | 46.6 | 57.3 | 58.6 | 49.7 | 48.3 | 49.7 | 49.1 |
| NV1657 | 60.0 | 61.4 | 61.4 | 59.9 | 61.4 | 60.8 | 63.2 | 64.7 | 63.3 | 61.8 | 63.3 | 62.7 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1658 | 60.0 | 61.4 | 61.4 | 59.9 | 61.4 | 60.8 | 63.2 | 64.7 | 63.3 | 61.8 | 63.3 | 62.7 |
| NV1659 | 60.0 | 61.4 | 61.4 | 59.9 | 61.4 | 60.8 | 63.2 | 64.7 | 63.3 | 61.8 | 63.3 | 62.7 |
| NV1660 | 60.0 | 61.4 | 61.4 | 59.9 | 61.4 | 60.8 | 63.2 | 64.7 | 63.3 | 61.8 | 63.3 | 62.7 |
| NV1661 | 60.0 | 61.4 | 61.4 | 59.9 | 61.4 | 60.8 | 63.2 | 64.7 | 63.3 | 61.8 | 63.3 | 62.7 |
| NV1662 | 60.0 | 61.4 | 61.4 | 59.9 | 61.4 | 60.8 | 63.2 | 64.7 | 63.3 | 61.8 | 63.3 | 62.7 |
| NV1663 | 60.0 | 61.4 | 61.4 | 59.9 | 61.4 | 60.8 | 63.2 | 64.7 | 63.3 | 61.8 | 63.3 | 62.7 |
| NV1664 | 60.0 | 61.4 | 61.4 | 59.9 | 61.4 | 60.8 | 63.2 | 64.7 | 63.3 | 61.8 | 63.3 | 62.7 |
| NV1665 | 60.0 | 61.4 | 61.4 | 59.9 | 61.4 | 60.8 | 63.2 | 64.7 | 63.3 | 61.8 | 63.3 | 62.7 |
| NV1666 | 60.0 | 61.4 | 61.4 | 59.9 | 61.4 | 60.8 | 63.2 | 64.7 | 63.3 | 61.8 | 63.3 | 62.7 |
| NV1667 | 60.0 | 61.4 | 61.4 | 59.9 | 61.4 | 60.8 | 63.2 | 64.7 | 63.3 | 61.8 | 63.3 | 62.7 |
| NV1668 | 56.5 | 58.0 | 48.7 | 47.1 | 48.7 | 47.9 | 58.9 | 60.4 | 51.0 | 49.5 | 51.2 | 50.4 |
| NV1669 | 57.0 | 58.5 | 48.2 | 46.6 | 48.2 | 47.3 | 59.6 | 61.1 | 50.9 | 49.3 | 50.9 | 50.1 |
| NV1670 | 57.3 | 58.7 | 48.5 | 46.8 | 48.5 | 47.6 | 59.8 | 61.3 | 50.9 | 49.2 | 50.9 | 50.0 |
| NV1671 | 57.5 | 58.8 | 48.6 | 46.8 | 48.9 | 47.8 | 60.3 | 61.7 | 50.8 | 49.1 | 50.8 | 49.9 |
| NV1672 | 58.1 | 59.3 | 53.6 | 51.9 | 53.6 | 52.7 | 61.3 | 62.6 | 55.4 | 53.8 | 55.4 | 54.6 |
| NV1673 | 58.6 | 60.0 | 52.3 | 50.2 | 58.6 | 57.4 | 62.1 | 63.6 | 54.1 | 52.1 | 61.6 | 60.4 |
| NV1674 | 59.2 | 60.7 | 59.2 | 57.0 | 59.2 | 58.0 | 62.4 | 63.9 | 62.2 | 60.1 | 62.2 | 61.1 |
| NV1675 | 60.3 | 61.7 | 60.3 | 58.1 | 60.3 | 59.1 | 62.8 | 64.4 | 63.3 | 61.2 | 63.3 | 62.2 |
| NV1676 | 61.0 | 62.5 | 63.8 | 61.9 | 63.8 | 62.8 | 64.6 | 66.2 | 66.8 | 64.9 | 66.8 | 65.9 |
| NV1677 | 64.7 | 66.3 | 68.7 | 67.0 | 68.7 | 68.0 | 65.1 | 66.7 | 69.8 | 68.5 | 69.8 | 69.4 |
| NV1678 | 64.7 | 66.3 | 68.7 | 67.0 | 68.7 | 68.0 | 65.1 | 66.7 | 69.8 | 68.5 | 69.8 | 69.4 |
| NV1679 | 64.7 | 66.3 | 68.7 | 67.0 | 68.7 | 68.0 | 65.1 | 66.7 | 69.8 | 68.5 | 69.8 | 69.4 |
| NV1680 | 64.7 | 66.3 | 68.7 | 67.0 | 68.7 | 68.0 | 65.1 | 66.7 | 69.8 | 68.5 | 69.8 | 69.4 |
| NV1681 | 64.7 | 66.3 | 68.7 | 67.0 | 68.7 | 68.0 | 65.1 | 66.7 | 69.8 | 68.5 | 69.8 | 69.4 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1682 | 64.7 | 66.3 | 68.7 | 67.0 | 68.7 | 68.0 | 65.1 | 66.7 | 69.8 | 68.5 | 69.8 | 69.4 |
| NV1683 | 64.7 | 66.3 | 68.7 | 67.0 | 68.7 | 68.0 | 65.1 | 66.7 | 69.8 | 68.5 | 69.8 | 69.4 |
| NV1684 | 64.7 | 66.3 | 68.7 | 67.0 | 68.7 | 68.0 | 65.1 | 66.7 | 69.8 | 68.5 | 69.8 | 69.4 |
| NV1685 | 64.7 | 66.3 | 68.7 | 67.0 | 68.7 | 68.0 | 65.1 | 66.7 | 69.8 | 68.5 | 69.8 | 69.4 |
| NV1686 | 64.7 | 66.3 | 68.7 | 67.0 | 68.7 | 68.0 | 65.1 | 66.7 | 69.8 | 68.5 | 69.8 | 69.4 |
| NV1687 | 64.7 | 66.3 | 68.7 | 67.0 | 68.7 | 68.0 | 65.1 | 66.7 | 69.8 | 68.5 | 69.8 | 69.4 |
| NV1688 | 63.2 | 64.8 | 58.9 | 56.9 | 58.9 | 57.8 | 66.2 | 67.8 | 64.3 | 62.4 | 64.3 | 63.4 |
| NV1689 | 61.1 | 62.6 | 56.7 | 55.5 | 56.7 | 56.2 | 63.2 | 64.8 | 58.5 | 57.2 | 58.5 | 58.1 |
| NV1690 | 56.1 | 57.6 | 56.1 | 54.0 | 56.1 | 55.0 | 59.1 | 60.7 | 59.1 | 57.0 | 59.1 | 58.0 |
| NV1691 | 60.5 | 62.0 | 57.6 | 55.4 | 58.7 | 57.4 | 62.6 | 64.0 | 52.7 | 50.6 | 61.0 | 59.7 |
| NV1692 | 61.5 | 63.0 | 59.7 | 58.2 | 59.7 | 59.0 | 63.1 | 64.7 | 61.9 | 60.3 | 62.3 | 61.5 |
| NV1693 | 61.5 | 63.0 | 59.7 | 58.2 | 59.7 | 59.0 | 63.1 | 64.7 | 61.9 | 60.3 | 62.3 | 61.5 |
| NV1694 | 61.5 | 63.0 | 59.7 | 58.2 | 59.7 | 59.0 | 63.1 | 64.7 | 61.9 | 60.3 | 62.3 | 61.5 |
| NV1695 | 61.5 | 63.0 | 59.7 | 58.2 | 59.7 | 59.0 | 63.1 | 64.7 | 61.9 | 60.3 | 62.3 | 61.5 |
| NV1696 | 61.5 | 63.0 | 59.7 | 58.2 | 59.7 | 59.0 | 63.1 | 64.7 | 61.9 | 60.3 | 62.3 | 61.5 |
| NV1697 | 61.5 | 63.0 | 59.7 | 58.2 | 59.7 | 59.0 | 63.1 | 64.7 | 61.9 | 60.3 | 62.3 | 61.5 |
| NV1698 | 61.5 | 63.0 | 59.7 | 58.2 | 59.7 | 59.0 | 63.1 | 64.7 | 61.9 | 60.3 | 62.3 | 61.5 |
| NV1699 | 61.5 | 63.0 | 59.7 | 58.2 | 59.7 | 59.0 | 63.1 | 64.7 | 61.9 | 60.3 | 62.3 | 61.5 |
| NV1700 | 61.5 | 63.0 | 59.7 | 58.2 | 59.7 | 59.0 | 63.1 | 64.7 | 61.9 | 60.3 | 62.3 | 61.5 |
| NV1701 | 61.5 | 63.0 | 59.7 | 58.2 | 59.7 | 59.0 | 63.1 | 64.7 | 61.9 | 60.3 | 62.3 | 61.5 |
| NV1702 | 61.5 | 63.0 | 59.7 | 58.2 | 59.7 | 59.0 | 63.1 | 64.7 | 61.9 | 60.3 | 62.3 | 61.5 |
| NV1703 | 64.5 | 66.1 | 59.9 | 57.7 | 59.9 | 58.6 | 65.7 | 67.3 | 65.7 | 63.5 | 65.7 | 64.6 |
| NV1704 | 64.5 | 66.1 | 59.9 | 57.7 | 59.9 | 58.6 | 65.7 | 67.3 | 65.7 | 63.5 | 65.7 | 64.6 |
| NV1705 | 64.5 | 66.1 | 59.9 | 57.7 | 59.9 | 58.6 | 65.7 | 67.3 | 65.7 | 63.5 | 65.7 | 64.6 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1706 | 64.5 | 66.1 | 59.9 | 57.7 | 59.9 | 58.6 | 65.7 | 67.3 | 65.7 | 63.5 | 65.7 | 64.6 |
| NV1707 | 64.5 | 66.1 | 59.9 | 57.7 | 59.9 | 58.6 | 65.7 | 67.3 | 65.7 | 63.5 | 65.7 | 64.6 |
| NV1708 | 64.5 | 66.1 | 59.9 | 57.7 | 59.9 | 58.6 | 65.7 | 67.3 | 65.7 | 63.5 | 65.7 | 64.6 |
| NV1709 | 64.5 | 66.1 | 59.9 | 57.7 | 59.9 | 58.6 | 65.7 | 67.3 | 65.7 | 63.5 | 65.7 | 64.6 |
| NV1710 | 64.5 | 66.1 | 59.9 | 57.7 | 59.9 | 58.6 | 65.7 | 67.3 | 65.7 | 63.5 | 65.7 | 64.6 |
| NV1711 | 64.5 | 66.1 | 59.9 | 57.7 | 59.9 | 58.6 | 65.7 | 67.3 | 65.7 | 63.5 | 65.7 | 64.6 |
| NV1712 | 64.5 | 66.1 | 59.9 | 57.7 | 59.9 | 58.6 | 65.7 | 67.3 | 65.7 | 63.5 | 65.7 | 64.6 |
| NV1713 | 64.5 | 66.1 | 59.9 | 57.7 | 59.9 | 58.6 | 65.7 | 67.3 | 65.7 | 63.5 | 65.7 | 64.6 |
| NV1714 | 65.9 | 67.5 | 70.6 | 68.6 | 70.6 | 69.6 | 67.2 | 68.7 | 71.8 | 70.2 | 71.8 | 71.1 |
| NV1715 | 65.9 | 67.5 | 70.6 | 68.6 | 70.6 | 69.6 | 67.2 | 68.7 | 71.8 | 70.2 | 71.8 | 71.1 |
| NV1716 | 65.9 | 67.5 | 70.6 | 68.6 | 70.6 | 69.6 | 67.2 | 68.7 | 71.8 | 70.2 | 71.8 | 71.1 |
| NV1717 | 65.9 | 67.5 | 70.6 | 68.6 | 70.6 | 69.6 | 67.2 | 68.7 | 71.8 | 70.2 | 71.8 | 71.1 |
| NV1718 | 65.9 | 67.5 | 70.6 | 68.6 | 70.6 | 69.6 | 67.2 | 68.7 | 71.8 | 70.2 | 71.8 | 71.1 |
| NV1719 | 65.9 | 67.5 | 70.6 | 68.6 | 70.6 | 69.6 | 67.2 | 68.7 | 71.8 | 70.2 | 71.8 | 71.1 |
| NV1720 | 65.9 | 67.5 | 70.6 | 68.6 | 70.6 | 69.6 | 67.2 | 68.7 | 71.8 | 70.2 | 71.8 | 71.1 |
| NV1721 | 65.9 | 67.5 | 70.6 | 68.6 | 70.6 | 69.6 | 67.2 | 68.7 | 71.8 | 70.2 | 71.8 | 71.1 |
| NV1722 | 65.9 | 67.5 | 70.6 | 68.6 | 70.6 | 69.6 | 67.2 | 68.7 | 71.8 | 70.2 | 71.8 | 71.1 |
| NV1723 | 65.9 | 67.5 | 70.6 | 68.6 | 70.6 | 69.6 | 67.2 | 68.7 | 71.8 | 70.2 | 71.8 | 71.1 |
| NV1724 | 65.9 | 67.5 | 70.6 | 68.6 | 70.6 | 69.6 | 67.2 | 68.7 | 71.8 | 70.2 | 71.8 | 71.1 |
| NV1725 | 60.0 | 61.6 | 63.2 | 61.0 | 65.8 | 64.5 | 61.6 | 63.1 | 66.1 | 64.0 | 68.3 | 67.1 |
| NV1726 | 60.0 | 61.6 | 63.2 | 61.0 | 65.8 | 64.5 | 61.6 | 63.1 | 66.1 | 64.0 | 68.3 | 67.1 |
| NV1727 | 60.0 | 61.6 | 63.2 | 61.0 | 65.8 | 64.5 | 61.6 | 63.1 | 66.1 | 64.0 | 68.3 | 67.1 |
| NV1728 | 60.0 | 61.6 | 63.2 | 61.0 | 65.8 | 64.5 | 61.6 | 63.1 | 66.1 | 64.0 | 68.3 | 67.1 |
| NV1729 | 60.0 | 61.6 | 63.2 | 61.0 | 65.8 | 64.5 | 61.6 | 63.1 | 66.1 | 64.0 | 68.3 | 67.1 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1730 | 60.0 | 61.6 | 63.2 | 61.0 | 65.8 | 64.5 | 61.6 | 63.1 | 66.1 | 64.0 | 68.3 | 67.1 |
| NV1731 | 60.0 | 61.6 | 63.2 | 61.0 | 65.8 | 64.5 | 61.6 | 63.1 | 66.1 | 64.0 | 68.3 | 67.1 |
| NV1732 | 60.0 | 61.6 | 63.2 | 61.0 | 65.8 | 64.5 | 61.6 | 63.1 | 66.1 | 64.0 | 68.3 | 67.1 |
| NV1733 | 60.0 | 61.6 | 63.2 | 61.0 | 65.8 | 64.5 | 61.6 | 63.1 | 66.1 | 64.0 | 68.3 | 67.1 |
| NV1734 | 60.0 | 61.6 | 63.2 | 61.0 | 65.8 | 64.5 | 61.6 | 63.1 | 66.1 | 64.0 | 68.3 | 67.1 |
| NV1735 | 60.0 | 61.6 | 63.2 | 61.0 | 65.8 | 64.5 | 61.6 | 63.1 | 66.1 | 64.0 | 68.3 | 67.1 |
| NV1736 | 67.1 | 68.6 | 70.6 | 68.3 | 72.0 | 70.7 | 67.0 | 68.6 | 73.0 | 70.8 | 72.9 | 71.7 |
| NV1737 | 67.1 | 68.6 | 70.6 | 68.3 | 72.0 | 70.7 | 67.0 | 68.6 | 73.0 | 70.8 | 72.9 | 71.7 |
| NV1738 | 67.1 | 68.6 | 70.6 | 68.3 | 72.0 | 70.7 | 67.0 | 68.6 | 73.0 | 70.8 | 72.9 | 71.7 |
| NV1739 | 67.1 | 68.6 | 70.6 | 68.3 | 72.0 | 70.7 | 67.0 | 68.6 | 73.0 | 70.8 | 72.9 | 71.7 |
| NV1740 | 67.1 | 68.6 | 70.6 | 68.3 | 72.0 | 70.7 | 67.0 | 68.6 | 73.0 | 70.8 | 72.9 | 71.7 |
| NV1741 | 67.1 | 68.6 | 70.6 | 68.3 | 72.0 | 70.7 | 67.0 | 68.6 | 73.0 | 70.8 | 72.9 | 71.7 |
| NV1742 | 67.1 | 68.6 | 70.6 | 68.3 | 72.0 | 70.7 | 67.0 | 68.6 | 73.0 | 70.8 | 72.9 | 71.7 |
| NV1743 | 67.1 | 68.6 | 70.6 | 68.3 | 72.0 | 70.7 | 67.0 | 68.6 | 73.0 | 70.8 | 72.9 | 71.7 |
| NV1744 | 67.1 | 68.6 | 70.6 | 68.3 | 72.0 | 70.7 | 67.0 | 68.6 | 73.0 | 70.8 | 72.9 | 71.7 |
| NV1745 | 67.1 | 68.6 | 70.6 | 68.3 | 72.0 | 70.7 | 67.0 | 68.6 | 73.0 | 70.8 | 72.9 | 71.7 |
| NV1746 | 67.1 | 68.6 | 70.6 | 68.3 | 72.0 | 70.7 | 67.0 | 68.6 | 73.0 | 70.8 | 72.9 | 71.7 |
| NV1747 | 54.5 | 55.9 | 65.6 | 65.6 | 65.6 | 66.4 | 55.5 | 56.9 | 65.7 | 65.7 | 65.7 | 66.5 |
| NV1748 | 54.5 | 55.9 | 65.6 | 65.6 | 65.6 | 66.4 | 55.5 | 56.9 | 65.7 | 65.7 | 65.7 | 66.5 |
| NV1749 | 50.6 | 52.0 | 65.5 | 65.5 | 65.4 | 66.3 | 52.5 | 53.9 | 65.7 | 65.7 | 65.7 | 66.5 |
| NV1750 | 50.6 | 52.0 | 65.5 | 65.5 | 65.4 | 66.3 | 52.5 | 53.9 | 65.7 | 65.7 | 65.7 | 66.5 |
| NV1751 | 45.5 | 46.8 | 65.8 | 65.8 | 62.6 | 63.6 | 48.3 | 49.6 | 66.2 | 66.2 | 66.2 | 67.1 |
| NV1752 | 45.5 | 46.8 | 65.8 | 65.8 | 62.6 | 63.6 | 48.3 | 49.6 | 66.2 | 66.2 | 66.2 | 67.1 |
| NV1753 | 45.5 | 46.8 | 65.8 | 65.8 | 62.6 | 63.6 | 48.3 | 49.6 | 66.2 | 66.2 | 66.2 | 67.1 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1754 | 45.5 | 46.8 | 65.8 | 65.8 | 62.6 | 63.6 | 48.3 | 49.6 | 66.2 | 66.2 | 66.2 | 67.1 |
| NV1755 | 45.5 | 46.8 | 65.8 | 65.8 | 62.6 | 63.6 | 48.3 | 49.6 | 66.2 | 66.2 | 66.2 | 67.1 |
| NV1756 | 59.9 | 61.2 | 59.0 | 59.0 | 63.6 | 64.4 | 60.9 | 62.2 | 64.0 | 63.9 | 64.0 | 64.8 |
| NV1757 | 59.9 | 61.2 | 59.0 | 59.0 | 63.6 | 64.4 | 60.9 | 62.2 | 64.0 | 63.9 | 64.0 | 64.8 |
| NV1758 | 48.3 | 49.8 | 60.8 | 60.7 | 61.0 | 61.8 | 50.7 | 52.2 | 61.5 | 61.3 | 61.5 | 62.3 |
| NV1759 | 49.2 | 50.7 | 60.4 | 60.2 | 60.4 | 61.1 | 51.4 | 52.9 | 60.8 | 60.6 | 60.8 | 61.5 |
| NV1760 | 49.2 | 50.7 | 60.4 | 60.2 | 60.4 | 61.1 | 51.4 | 52.9 | 60.8 | 60.6 | 60.8 | 61.5 |
| NV1761 | 49.2 | 50.7 | 60.4 | 60.2 | 60.4 | 61.1 | 51.4 | 52.9 | 60.8 | 60.6 | 60.8 | 61.5 |
| NV1762 | 49.2 | 50.7 | 60.4 | 60.2 | 60.4 | 61.1 | 51.4 | 52.9 | 60.8 | 60.6 | 60.8 | 61.5 |
| NV1763 | 49.2 | 50.7 | 60.4 | 60.2 | 60.4 | 61.1 | 51.4 | 52.9 | 60.8 | 60.6 | 60.8 | 61.5 |
| NV1764 | 49.2 | 50.7 | 60.4 | 60.2 | 60.4 | 61.1 | 51.4 | 52.9 | 60.8 | 60.6 | 60.8 | 61.5 |
| NV1765 | 49.2 | 50.7 | 60.4 | 60.2 | 60.4 | 61.1 | 51.4 | 52.9 | 60.8 | 60.6 | 60.8 | 61.5 |
| NV1766 | 49.2 | 50.7 | 60.4 | 60.2 | 60.4 | 61.1 | 51.4 | 52.9 | 60.8 | 60.6 | 60.8 | 61.5 |
| NV1767 | 49.2 | 50.7 | 60.4 | 60.2 | 60.4 | 61.1 | 51.4 | 52.9 | 60.8 | 60.6 | 60.8 | 61.5 |
| NV1768 | 54.8 | 56.2 | 65.8 | 65.8 | 65.8 | 66.6 | 56.1 | 57.5 | 66.0 | 66.0 | 66.0 | 66.8 |
| NV1769 | 54.8 | 56.2 | 65.8 | 65.8 | 65.8 | 66.6 | 56.1 | 57.5 | 66.0 | 66.0 | 66.0 | 66.8 |
| NV1770 | 54.6 | 56.0 | 65.9 | 65.9 | 60.6 | 61.5 | 55.4 | 56.8 | 66.0 | 66.0 | 66.0 | 66.8 |
| NV1771 | 54.6 | 56.0 | 65.9 | 65.9 | 60.6 | 61.5 | 55.4 | 56.8 | 66.0 | 66.0 | 66.0 | 66.8 |
| NV1772 | 52.4 | 53.9 | 66.0 | 66.0 | 66.0 | 66.9 | 54.3 | 55.8 | 66.1 | 66.1 | 66.1 | 66.9 |
| NV1773 | 52.4 | 53.9 | 66.0 | 66.0 | 66.0 | 66.9 | 54.3 | 55.8 | 66.1 | 66.1 | 66.1 | 66.9 |
| NV1774 | 52.1 | 53.6 | 66.7 | 66.7 | 65.7 | 66.6 | 53.2 | 54.7 | 66.4 | 66.4 | 66.3 | 67.2 |
| NV1775 | 52.1 | 53.6 | 66.7 | 66.7 | 65.7 | 66.6 | 53.2 | 54.7 | 66.4 | 66.4 | 66.3 | 67.2 |
| NV1776 | 52.1 | 53.6 | 66.7 | 66.7 | 65.7 | 66.6 | 53.2 | 54.7 | 66.4 | 66.4 | 66.3 | 67.2 |
| NV1777 | 52.1 | 53.6 | 66.7 | 66.7 | 65.7 | 66.6 | 53.2 | 54.7 | 66.4 | 66.4 | 66.3 | 67.2 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1778 | 52.1 | 53.6 | 66.7 | 66.7 | 65.7 | 66.6 | 53.2 | 54.7 | 66.4 | 66.4 | 66.3 | 67.2 |
| NV1779 | 52.1 | 53.6 | 66.7 | 66.7 | 65.7 | 66.6 | 53.2 | 54.7 | 66.4 | 66.4 | 66.3 | 67.2 |
| NV1780 | 57.3 | 58.6 | 53.9 | 53.8 | 53.9 | 55.0 | 57.9 | 59.3 | 54.2 | 54.1 | 55.0 | 56.0 |
| NV1781 | 57.3 | 58.6 | 53.9 | 53.8 | 53.9 | 55.0 | 57.9 | 59.3 | 54.2 | 54.1 | 55.0 | 56.0 |
| NV1782 | 57.3 | 58.6 | 53.9 | 53.8 | 53.9 | 55.0 | 57.9 | 59.3 | 54.2 | 54.1 | 55.0 | 56.0 |
| NV1783 | 53.8 | 55.2 | 54.9 | 54.9 | 54.9 | 56.1 | 58.2 | 59.5 | 56.1 | 56.1 | 56.1 | 57.3 |
| NV1784 | 53.8 | 55.2 | 62.3 | 62.3 | 59.2 | 60.5 | 55.1 | 56.5 | 63.2 | 63.2 | 60.3 | 61.6 |
| NV1785 | 55.3 | 56.7 | 50.1 | 49.9 | 50.1 | 51.1 | 57.9 | 59.3 | 57.0 | 56.7 | 51.7 | 52.6 |
| NV1786 | 57.3 | 58.6 | 53.9 | 53.8 | 53.9 | 55.0 | 57.9 | 59.3 | 54.2 | 54.1 | 55.0 | 56.0 |
| NV1787 | 53.8 | 55.2 | 62.3 | 62.3 | 59.2 | 60.5 | 55.1 | 56.5 | 63.2 | 63.2 | 60.3 | 61.6 |
| NV1788 | 65.1 | 66.4 | 64.9 | 64.8 | 65.1 | 66.2 | 65.9 | 67.2 | 65.9 | 65.7 | 65.9 | 67.0 |
| NV1789 | 49.6 | 51.1 | 61.8 | 62.0 | 61.8 | 62.9 | 53.1 | 54.7 | 67.2 | 67.3 | 62.6 | 63.7 |
| NV1790 | 49.6 | 51.1 | 61.8 | 62.0 | 61.8 | 62.9 | 53.1 | 54.7 | 67.2 | 67.3 | 62.6 | 63.7 |
| NV1791 | 49.6 | 51.1 | 61.8 | 62.0 | 61.8 | 62.9 | 53.1 | 54.7 | 67.2 | 67.3 | 62.6 | 63.7 |
| NV1792 | 65.7 | 67.0 | 65.7 | 65.6 | 65.7 | 66.8 | 65.7 | 67.0 | 66.5 | 66.4 | 65.5 | 66.7 |
| NV1793 | 66.0 | 67.3 | 68.7 | 68.7 | 66.0 | 67.0 | 66.5 | 67.8 | 68.8 | 68.8 | 66.5 | 67.5 |
| NV1794 | 66.0 | 67.3 | 68.7 | 68.7 | 66.0 | 67.0 | 66.5 | 67.8 | 68.8 | 68.8 | 66.5 | 67.5 |
| NV1795 | 68.5 | 69.7 | 68.5 | 68.5 | 68.5 | 69.3 | 46.6 | 47.9 | 68.6 | 68.6 | 68.6 | 69.5 |
| NV1796 | 68.5 | 69.7 | 68.5 | 68.5 | 68.5 | 69.3 | 46.6 | 47.9 | 68.6 | 68.6 | 68.6 | 69.5 |
| NV1797 | 66.0 | 67.3 | 68.7 | 68.7 | 66.0 | 67.0 | 66.5 | 67.8 | 68.8 | 68.8 | 66.5 | 67.5 |
| NV1798 | 66.0 | 67.3 | 68.7 | 68.7 | 66.0 | 67.0 | 66.5 | 67.8 | 68.8 | 68.8 | 66.5 | 67.5 |
| NV1799 | 68.5 | 69.7 | 68.5 | 68.5 | 68.5 | 69.3 | 46.6 | 47.9 | 68.6 | 68.6 | 68.6 | 69.5 |
| NV1800 | 68.5 | 69.7 | 68.5 | 68.5 | 68.5 | 69.3 | 46.6 | 47.9 | 68.6 | 68.6 | 68.6 | 69.5 |
| NV1801 | 66.0 | 67.3 | 68.7 | 68.7 | 66.0 | 67.0 | 66.5 | 67.8 | 68.8 | 68.8 | 66.5 | 67.5 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1802 | 66.0 | 67.3 | 68.7 | 68.7 | 66.0 | 67.0 | 66.5 | 67.8 | 68.8 | 68.8 | 66.5 | 67.5 |
| NV1803 | 68.5 | 69.7 | 68.5 | 68.5 | 68.5 | 69.3 | 46.6 | 47.9 | 68.6 | 68.6 | 68.6 | 69.5 |
| NV1804 | 68.5 | 69.7 | 68.5 | 68.5 | 68.5 | 69.3 | 46.6 | 47.9 | 68.6 | 68.6 | 68.6 | 69.5 |
| NV1805 | 43.3 | 44.7 | 67.1 | 67.1 | 67.2 | 68.4 | 50.1 | 51.5 | 66.9 | 66.9 | 67.7 | 68.9 |
| NV1806 | 65.2 | 66.5 | 62.5 | 62.5 | 62.5 | 63.7 | 66.0 | 67.3 | 63.5 | 63.5 | 61.7 | 63.0 |
| NV1807 | 63.9 | 65.2 | 58.6 | 58.6 | 60.7 | 61.9 | 64.9 | 66.2 | 61.6 | 61.6 | 59.4 | 60.7 |
| NV1808 | 63.8 | 65.6 | 72.0 | 72.1 | 71.0 | 71.9 | 65.3 | 67.1 | 72.2 | 72.3 | 72.0 | 72.9 |
| NV1809 | 72.9 | 74.5 | 74.3 | 74.8 | 74.3 | 74.6 | 73.0 | 74.6 | 72.3 | 72.8 | 72.3 | 72.6 |
| NV1810 | 47.3 | 48.7 | 55.6 | 55.5 | 55.8 | 56.7 | 49.9 | 51.4 | 56.9 | 56.7 | 57.1 | 57.9 |
| NV1811 | 47.3 | 48.7 | 55.6 | 55.5 | 55.8 | 56.7 | 49.9 | 51.4 | 56.9 | 56.7 | 57.1 | 57.9 |
| NV1812 | 47.3 | 48.7 | 55.6 | 55.5 | 55.8 | 56.7 | 49.9 | 51.4 | 56.9 | 56.7 | 57.1 | 57.9 |
| NV1813 | 47.3 | 48.7 | 55.6 | 55.5 | 55.8 | 56.7 | 49.9 | 51.4 | 56.9 | 56.7 | 57.1 | 57.9 |
| NV1814 | 56.1 | 57.4 | 56.1 | 55.9 | 55.8 | 56.7 | 44.4 | 45.8 | 57.4 | 57.1 | 57.4 | 58.1 |
| NV1815 | 56.1 | 57.4 | 56.1 | 55.9 | 55.8 | 56.7 | 44.4 | 45.8 | 57.4 | 57.1 | 57.4 | 58.1 |
| NV1816 | 56.1 | 57.4 | 56.1 | 55.9 | 55.8 | 56.7 | 44.4 | 45.8 | 57.4 | 57.1 | 57.4 | 58.1 |
| NV1817 | 56.1 | 57.4 | 56.1 | 55.9 | 55.8 | 56.7 | 44.4 | 45.8 | 57.4 | 57.1 | 57.4 | 58.1 |
| NV1818 | 65.4 | 66.7 | 61.3 | 61.3 | 61.3 | 62.5 | 66.5 | 67.8 | 59.2 | 59.2 | 62.4 | 63.6 |
| NV1819 | 55.4 | 56.9 | 71.4 | 71.5 | 65.3 | 66.3 | 56.5 | 58.0 | 71.7 | 71.8 | 66.1 | 67.1 |
| NV1820 | 63.5 | 64.8 | 68.4 | 68.4 | 63.4 | 64.7 | 64.2 | 65.5 | 64.0 | 64.0 | 64.0 | 65.3 |
| NV1821 | 63.5 | 64.8 | 68.4 | 68.4 | 63.4 | 64.7 | 64.2 | 65.5 | 64.0 | 64.0 | 64.0 | 65.3 |
| NV1822 | 60.1 | 60.6 | 44.5 | 44.9 | 44.5 | 45.5 | 60.7 | 61.3 | 47.2 | 47.6 | 53.9 | 54.8 |
| NV1823 | 62.4 | 63.0 | 62.5 | 62.7 | 62.4 | 63.1 | 64.2 | 64.8 | 64.2 | 64.4 | 64.2 | 64.9 |
| NV1824 | 57.5 | 58.1 | 55.7 | 55.9 | 57.5 | 58.4 | 57.6 | 58.2 | 56.4 | 56.6 | 58.2 | 59.1 |
| NV1825 | 51.3 | 51.8 | 51.3 | 51.5 | 51.1 | 51.8 | 53.8 | 54.3 | 53.8 | 54.0 | 52.3 | 53.1 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1826 | 53.2 | 53.8 | 53.9 | 54.1 | 53.2 | 54.0 | 54.8 | 55.4 | 54.8 | 55.0 | 54.3 | 55.1 |
| NV1827 | 54.7 | 55.3 | 57.6 | 57.8 | 54.7 | 55.6 | 58.4 | 58.9 | 58.2 | 58.4 | 55.6 | 56.5 |
| NV1828 | 58.6 | 59.1 | 55.9 | 56.1 | 57.0 | 57.9 | 57.7 | 58.3 | 57.7 | 57.9 | 57.7 | 58.6 |
| NV1829 | 51.1 | 51.7 | 43.5 | 45.1 | 43.5 | 45.9 | 57.1 | 57.6 | 45.7 | 46.9 | 45.7 | 47.7 |
| NV1830 | 48.3 | 48.9 | 48.7 | 49.0 | 48.7 | 49.7 | 55.8 | 56.3 | 55.7 | 55.9 | 51.0 | 51.9 |
| NV1831 | 62.5 | 63.1 | 62.5 | 62.7 | 62.5 | 63.2 | 63.8 | 64.4 | 64.0 | 64.2 | 64.0 | 64.7 |
| NV1832 | 57.3 | 57.8 | 55.3 | 55.6 | 55.3 | 56.2 | 58.2 | 58.8 | 55.2 | 55.5 | 55.2 | 56.1 |
| NV1833 | 53.9 | 54.5 | 53.9 | 54.1 | 51.9 | 52.7 | 55.0 | 55.5 | 55.0 | 55.2 | 52.5 | 53.3 |
| NV1834 | 59.3 | 59.9 | 59.7 | 59.9 | 54.3 | 55.1 | 60.1 | 60.7 | 60.6 | 60.8 | 55.5 | 56.3 |
| NV1835 | 54.4 | 55.0 | 54.5 | 54.7 | 54.5 | 55.2 | 55.5 | 56.0 | 55.5 | 55.7 | 55.5 | 56.2 |
| NV1836 | 55.2 | 55.8 | 55.2 | 55.4 | 42.0 | 42.8 | 56.0 | 56.6 | 56.0 | 56.2 | 56.0 | 56.7 |
| NV1837 | 50.0 | 50.6 | 56.9 | 57.1 | 43.9 | 44.7 | 57.6 | 58.1 | 57.6 | 57.8 | 51.8 | 52.6 |
| NV1838 | 72.1 | 74.1 | 70.5 | 71.2 | 70.5 | 73.5 | 73.4 | 75.1 | 62.4 | 62.8 | 74.1 | 76.2 |
| NV1839 | 69.1 | 71.7 | 68.5 | 69.8 | 68.5 | 72.8 | 69.4 | 71.8 | 68.9 | 70.1 | 68.9 | 72.9 |
| NV1840 | 60.0 | 61.6 | 60.0 | 60.3 | 53.7 | 55.8 | 62.1 | 63.7 | 57.4 | 57.7 | 61.3 | 63.3 |
| NV1841 | 36.9 | 38.1 | 36.9 | 39.7 | 36.9 | 40.8 | 38.8 | 39.9 | 38.8 | 41.7 | 38.8 | 42.8 |
| NV1842 | 36.3 | 37.7 | 36.4 | 39.0 | 36.4 | 40.1 | 38.4 | 39.7 | 38.4 | 41.2 | 38.4 | 42.3 |
| NV1843 | 36.2 | 37.6 | 36.2 | 38.7 | 36.2 | 39.8 | 38.2 | 39.5 | 38.3 | 40.9 | 38.3 | 42.0 |
| NV1844 | 36.0 | 37.4 | 35.7 | 38.3 | 35.7 | 39.5 | 38.0 | 39.3 | 38.0 | 40.7 | 37.8 | 41.7 |
| NV1845 | 34.7 | 35.9 | 35.3 | 38.6 | 35.3 | 39.7 | 37.0 | 38.2 | 37.0 | 40.2 | 37.0 | 41.3 |
| NV1846 | 34.7 | 36.0 | 34.7 | 37.3 | 34.7 | 38.4 | 37.0 | 38.2 | 37.0 | 39.6 | 37.0 | 40.7 |
| NV1847 | 34.8 | 36.1 | 34.8 | 37.2 | 34.8 | 38.3 | 37.2 | 38.4 | 37.2 | 39.7 | 37.2 | 40.8 |
| NV1848 | 34.6 | 35.9 | 34.7 | 36.7 | 34.7 | 37.8 | 37.0 | 38.2 | 37.0 | 39.2 | 37.0 | 40.3 |
| NV1849 | 34.8 | 36.1 | 34.6 | 36.5 | 34.6 | 37.5 | 37.1 | 38.3 | 36.9 | 38.9 | 37.1 | 40.1 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1850 | 35.1 | 36.5 | 35.0 | 36.6 | 35.0 | 37.7 | 37.3 | 38.6 | 37.1 | 39.0 | 37.1 | 40.1 |
| NV1851 | 35.1 | 36.5 | 44.9 | 46.1 | 35.2 | 37.5 | 37.3 | 38.6 | 37.4 | 38.7 | 37.4 | 39.8 |
| NV1852 | 35.0 | 36.4 | 44.7 | 45.9 | 44.7 | 46.7 | 37.4 | 38.6 | 47.4 | 48.5 | 37.4 | 39.5 |
| NV1853 | 42.7 | 43.3 | 44.4 | 45.7 | 44.4 | 46.5 | 45.4 | 46.0 | 47.3 | 48.6 | 47.3 | 49.4 |
| NV1854 | 51.1 | 51.9 | 56.4 | 55.2 | 56.4 | 55.8 | 52.5 | 53.3 | 57.6 | 56.4 | 57.6 | 57.1 |
| NV1855 | 49.9 | 50.8 | 49.9 | 49.3 | 49.9 | 50.2 | 52.1 | 53.0 | 52.1 | 51.4 | 52.1 | 52.3 |
| NV1856 | 50.6 | 51.4 | 57.8 | 56.8 | 57.8 | 57.5 | 52.0 | 52.8 | 58.9 | 58.0 | 58.9 | 58.7 |
| NV1857 | 60.4 | 61.3 | 60.7 | 60.5 | 60.7 | 61.5 | 61.9 | 62.8 | 61.9 | 61.7 | 61.9 | 62.7 |
| NV1858 | 51.3 | 52.2 | 63.0 | 62.8 | 63.0 | 63.8 | 49.1 | 50.1 | 63.8 | 63.7 | 64.1 | 64.9 |
| NV1859 | 62.6 | 63.4 | 62.6 | 62.4 | 62.6 | 63.3 | 63.3 | 64.1 | 63.3 | 63.1 | 63.3 | 64.1 |
| NV1860 | 65.9 | 66.8 | 65.9 | 65.8 | 65.8 | 66.7 | 66.4 | 67.3 | 66.7 | 66.6 | 66.7 | 67.5 |
| NV1861 | 45.9 | 46.9 | 65.6 | 65.5 | 65.6 | 66.4 | 48.5 | 49.6 | 66.1 | 66.0 | 66.1 | 66.9 |
| NV1862 | 60.2 | 61.1 | 68.3 | 68.3 | 68.3 | 69.1 | 67.2 | 68.1 | 66.6 | 66.6 | 67.2 | 68.1 |
| NV1863 | 58.4 | 59.4 | 65.7 | 65.6 | 65.7 | 66.5 | 59.0 | 60.0 | 66.2 | 66.1 | 66.3 | 67.1 |
| NV1864 | 51.6 | 52.6 | 66.4 | 66.3 | 51.6 | 52.5 | 52.9 | 53.9 | 67.0 | 66.9 | 67.0 | 67.8 |
| NV1865 | 51.4 | 52.5 | 66.6 | 66.6 | 63.7 | 64.8 | 52.8 | 53.9 | 67.1 | 67.1 | 67.1 | 68.1 |
| NV1866 | 49.6 | 50.8 | 66.1 | 66.1 | 49.6 | 50.7 | 51.7 | 52.8 | 66.7 | 66.7 | 66.7 | 67.7 |
| NV1867 | 49.3 | 50.4 | 66.0 | 66.0 | 66.0 | 67.0 | 51.5 | 52.6 | 66.6 | 66.6 | 66.6 | 67.7 |
| NV1868 | 48.6 | 49.7 | 66.5 | 66.5 | 66.4 | 67.5 | 67.0 | 68.0 | 67.0 | 67.0 | 67.0 | 68.1 |
| NV1869 | 52.1 | 53.3 | 57.8 | 58.0 | 57.8 | 59.1 | 53.4 | 54.6 | 59.1 | 59.2 | 59.1 | 60.4 |
| NV1870 | 51.8 | 52.6 | 58.1 | 57.2 | 58.5 | 58.2 | 53.1 | 53.9 | 59.2 | 58.3 | 59.2 | 59.0 |
| NV1871 | 57.7 | 58.8 | 59.4 | 59.2 | 57.7 | 58.6 | 58.8 | 59.9 | 60.5 | 60.3 | 58.8 | 59.7 |
| NV1872 | 50.2 | 52.2 | 50.8 | 50.0 | 51.3 | 51.3 | 56.5 | 58.3 | 56.1 | 55.2 | 56.1 | 56.1 |
| NV1873 | 50.2 | 52.2 | 50.8 | 50.0 | 51.3 | 51.3 | 56.5 | 58.3 | 56.1 | 55.2 | 56.1 | 56.1 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1874 | 50.2 | 52.2 | 50.8 | 50.0 | 51.3 | 51.3 | 56.5 | 58.3 | 56.1 | 55.2 | 56.1 | 56.1 |
| NV1875 | 50.2 | 52.2 | 50.8 | 50.0 | 51.3 | 51.3 | 56.5 | 58.3 | 56.1 | 55.2 | 56.1 | 56.1 |
| NV1876 | 50.2 | 52.2 | 50.8 | 50.0 | 51.3 | 51.3 | 56.5 | 58.3 | 56.1 | 55.2 | 56.1 | 56.1 |
| NV1877 | 50.2 | 52.2 | 50.8 | 50.0 | 51.3 | 51.3 | 56.5 | 58.3 | 56.1 | 55.2 | 56.1 | 56.1 |
| NV1878 | 50.2 | 52.2 | 50.8 | 50.0 | 51.3 | 51.3 | 56.5 | 58.3 | 56.1 | 55.2 | 56.1 | 56.1 |
| NV1879 | 47.0 | 48.1 | 64.0 | 63.9 | 64.1 | 64.9 | 49.3 | 50.3 | 65.4 | 65.3 | 65.4 | 66.2 |
| NV1880 | 45.5 | 46.6 | 65.9 | 65.8 | 65.9 | 66.7 | 48.1 | 49.2 | 66.2 | 66.1 | 66.2 | 67.0 |
| NV1881 | 63.9 | 64.8 | 63.9 | 63.8 | 64.6 | 65.4 | 65.8 | 66.7 | 65.8 | 65.7 | 65.8 | 66.6 |
| NV1882 | 46.8 | 47.9 | 65.6 | 66.0 | 65.6 | 66.8 | 48.8 | 49.9 | 67.4 | 67.8 | 67.4 | 68.6 |
| NV1883 | 50.2 | 52.2 | 50.8 | 50.0 | 51.3 | 51.3 | 56.5 | 58.3 | 56.1 | 55.2 | 56.1 | 56.1 |
| NV1884 | 50.2 | 52.2 | 50.8 | 50.0 | 51.3 | 51.3 | 56.5 | 58.3 | 56.1 | 55.2 | 56.1 | 56.1 |
| NV1885 | 50.2 | 52.2 | 50.8 | 50.0 | 51.3 | 51.3 | 56.5 | 58.3 | 56.1 | 55.2 | 56.1 | 56.1 |
| NV1886 | 51.9 | 53.7 | 46.4 | 47.4 | 46.4 | 48.3 | 53.3 | 55.1 | 48.5 | 49.2 | 48.5 | 50.2 |
| NV1887 | 48.6 | 50.2 | 47.3 | 48.1 | 47.8 | 49.5 | 49.9 | 51.5 | 49.2 | 50.1 | 48.8 | 50.7 |
| NV1888 | 44.8 | 46.4 | 46.6 | 48.6 | 46.6 | 49.6 | 45.3 | 46.9 | 48.2 | 49.9 | 48.2 | 50.9 |
| NV1889 | 45.0 | 46.6 | 45.4 | 46.9 | 45.4 | 47.8 | 45.1 | 46.7 | 47.1 | 48.6 | 47.0 | 49.5 |
| NV1890 | 51.7 | 53.4 | 45.5 | 46.4 | 45.5 | 47.3 | 53.7 | 55.5 | 47.3 | 48.1 | 47.3 | 49.1 |
| NV1891 | 58.8 | 60.6 | 58.8 | 58.6 | 59.0 | 60.6 | 56.2 | 58.0 | 58.7 | 58.5 | 59.1 | 60.7 |
| NV1892 | 36.3 | 37.4 | 43.8 | 44.7 | 43.8 | 45.5 | 38.8 | 39.9 | 45.3 | 46.1 | 45.3 | 46.9 |
| NV1893 | 39.2 | 40.6 | 44.4 | 44.7 | 39.2 | 40.4 | 41.0 | 42.3 | 45.6 | 46.0 | 41.0 | 42.3 |
| NV1894 | 36.0 | 37.2 | 45.6 | 46.2 | 45.6 | 47.1 | 38.6 | 39.7 | 47.1 | 47.7 | 47.1 | 48.6 |
| NV1895 | 40.0 | 41.4 | 44.7 | 45.5 | 40.1 | 42.0 | 41.9 | 43.2 | 45.7 | 46.5 | 41.9 | 43.8 |
| NV1896 | 36.8 | 38.1 | 37.6 | 39.1 | 37.6 | 40.0 | 39.4 | 40.5 | 40.2 | 41.6 | 40.2 | 42.5 |
| NV1897 | 37.7 | 38.8 | 44.0 | 44.4 | 37.7 | 39.1 | 40.4 | 41.4 | 45.6 | 46.0 | 40.4 | 41.9 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1898 | 38.0 | 39.4 | 45.4 | 46.0 | 45.4 | 46.9 | 40.1 | 41.4 | 43.5 | 44.2 | 47.0 | 48.5 |
| NV1899 | 39.1 | 40.4 | 39.1 | 41.3 | 39.1 | 42.5 | 41.3 | 42.5 | 41.3 | 43.2 | 41.3 | 44.4 |
| NV1900 | 38.4 | 39.7 | 45.6 | 46.1 | 45.6 | 47.0 | 40.5 | 41.8 | 47.1 | 47.7 | 47.1 | 48.6 |
| NV1901 | 37.4 | 38.7 | 39.3 | 39.7 | 37.7 | 39.1 | 40.0 | 41.2 | 41.6 | 42.0 | 40.0 | 41.4 |
| NV1902 | 39.4 | 40.8 | 42.4 | 43.3 | 42.4 | 44.2 | 40.7 | 42.0 | 44.2 | 45.2 | 44.2 | 46.2 |
| NV1903 | 38.9 | 40.3 | 38.8 | 41.3 | 38.9 | 42.6 | 41.1 | 42.3 | 41.1 | 43.3 | 41.1 | 44.5 |
| NV1904 | 37.8 | 39.1 | 44.4 | 45.1 | 44.4 | 46.0 | 40.6 | 41.8 | 45.7 | 46.5 | 45.7 | 47.4 |
| NV1905 | 38.0 | 39.1 | 44.1 | 44.5 | 38.0 | 39.4 | 40.6 | 41.7 | 45.5 | 45.9 | 40.6 | 42.1 |
| NV1906 | 38.2 | 39.5 | 44.1 | 44.6 | 44.1 | 45.6 | 40.4 | 41.7 | 45.8 | 46.4 | 45.8 | 47.3 |
| NV1907 | 39.0 | 40.1 | 39.0 | 42.8 | 39.0 | 44.0 | 41.3 | 42.4 | 41.3 | 44.4 | 41.3 | 45.6 |
| NV1908 | 39.4 | 40.7 | 44.0 | 44.5 | 44.0 | 45.5 | 41.5 | 42.7 | 45.6 | 46.1 | 43.6 | 45.1 |
| NV1909 | 37.3 | 38.5 | 44.0 | 44.3 | 37.3 | 38.7 | 39.5 | 40.7 | 45.3 | 45.7 | 39.8 | 41.2 |
| NV1910 | 41.9 | 42.9 | 41.9 | 42.5 | 41.9 | 43.5 | 45.1 | 46.0 | 45.1 | 45.7 | 44.4 | 46.0 |
| NV1911 | 37.7 | 38.9 | 39.5 | 43.0 | 39.5 | 44.2 | 40.1 | 41.3 | 41.6 | 44.5 | 41.6 | 45.7 |
| NV1912 | 39.9 | 41.3 | 41.9 | 42.5 | 41.9 | 43.6 | 42.0 | 43.3 | 44.3 | 44.9 | 44.3 | 46.0 |
| NV1913 | 45.7 | 46.3 | 45.7 | 47.4 | 45.7 | 48.3 | 46.8 | 47.4 | 46.8 | 48.4 | 46.8 | 49.3 |
| NV1914 | 42.2 | 43.1 | 42.4 | 43.0 | 42.2 | 43.8 | 43.8 | 44.8 | 43.8 | 44.6 | 43.8 | 45.6 |
| NV1915 | 46.4 | 47.0 | 46.4 | 47.9 | 46.4 | 48.8 | 47.4 | 48.0 | 47.2 | 48.7 | 47.3 | 49.7 |
| NV1916 | 39.0 | 40.3 | 41.8 | 42.4 | 41.8 | 43.4 | 41.1 | 42.4 | 43.8 | 44.5 | 43.8 | 45.5 |
| NV1917 | 40.0 | 41.4 | 44.2 | 45.0 | 44.2 | 45.9 | 42.0 | 43.3 | 45.3 | 46.1 | 45.3 | 47.0 |
| NV1918 | 40.4 | 41.8 | 41.6 | 42.1 | 42.7 | 44.1 | 41.8 | 43.1 | 44.2 | 44.7 | 44.2 | 45.8 |
| NV1919 | 44.3 | 45.0 | 44.6 | 45.4 | 44.6 | 46.3 | 45.7 | 46.4 | 45.7 | 46.5 | 45.7 | 47.5 |
| NV1920 | 42.0 | 43.2 | 41.6 | 42.1 | 42.9 | 44.2 | 43.7 | 44.8 | 43.8 | 44.3 | 44.5 | 46.0 |
| NV1921 | 39.1 | 40.3 | 45.1 | 45.9 | 44.8 | 46.5 | 41.5 | 42.7 | 45.9 | 46.8 | 45.9 | 47.7 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1922 | 40.7 | 42.1 | 41.4 | 41.8 | 41.4 | 42.7 | 42.1 | 43.4 | 43.8 | 44.3 | 44.0 | 45.4 |
| NV1923 | 39.3 | 40.5 | 45.2 | 46.0 | 45.2 | 46.9 | 41.8 | 42.9 | 46.4 | 47.2 | 46.4 | 48.1 |
| NV1924 | 42.4 | 43.6 | 41.8 | 42.4 | 41.8 | 43.2 | 44.0 | 45.1 | 44.4 | 45.0 | 44.4 | 45.8 |
| NV1925 | 45.6 | 46.3 | 45.6 | 46.5 | 45.6 | 47.4 | 46.5 | 47.2 | 46.5 | 47.4 | 46.5 | 48.3 |
| NV1926 | 40.5 | 41.9 | 41.9 | 42.3 | 41.9 | 43.1 | 42.1 | 43.4 | 44.0 | 44.5 | 44.0 | 45.3 |
| NV1927 | 48.1 | 48.7 | 48.0 | 49.1 | 48.0 | 50.0 | 48.7 | 49.4 | 48.8 | 50.0 | 48.8 | 50.9 |
| NV1928 | 41.5 | 42.7 | 42.1 | 42.5 | 43.2 | 44.4 | 43.4 | 44.5 | 44.1 | 44.6 | 44.1 | 45.4 |
| NV1929 | 39.1 | 40.5 | 46.2 | 46.6 | 46.2 | 47.4 | 41.2 | 42.5 | 47.1 | 47.5 | 47.1 | 48.3 |
| NV1930 | 38.2 | 39.6 | 41.3 | 42.0 | 41.3 | 42.8 | 40.5 | 41.8 | 43.3 | 44.0 | 45.1 | 46.6 |
| NV1931 | 39.7 | 41.0 | 40.1 | 42.4 | 40.1 | 43.5 | 41.7 | 43.0 | 43.2 | 44.9 | 43.2 | 45.9 |
| NV1932 | 38.3 | 39.7 | 44.4 | 45.0 | 44.4 | 45.9 | 40.5 | 41.8 | 45.8 | 46.4 | 45.8 | 47.3 |
| NV1933 | 47.1 | 47.8 | 46.7 | 47.1 | 46.7 | 47.9 | 48.2 | 48.9 | 47.6 | 48.1 | 47.6 | 48.9 |
| NV1934 | 39.5 | 40.9 | 44.4 | 44.9 | 44.4 | 45.8 | 41.4 | 42.7 | 45.8 | 46.4 | 45.8 | 47.3 |
| NV1935 | 44.5 | 45.3 | 41.7 | 43.6 | 41.7 | 44.6 | 43.9 | 44.8 | 43.9 | 45.5 | 43.9 | 46.5 |
| NV1936 | 39.8 | 41.2 | 41.3 | 41.9 | 43.6 | 45.0 | 41.5 | 42.9 | 45.5 | 46.0 | 45.5 | 46.9 |
| NV1937 | 38.8 | 40.2 | 43.6 | 43.9 | 43.6 | 44.6 | 41.0 | 42.3 | 45.2 | 45.5 | 44.2 | 45.3 |
| NV1938 | 39.8 | 41.2 | 43.9 | 44.3 | 43.9 | 45.2 | 41.7 | 43.0 | 45.8 | 46.2 | 45.8 | 47.1 |
| NV1939 | 39.3 | 40.7 | 43.8 | 44.8 | 43.8 | 45.7 | 41.6 | 42.8 | 45.4 | 46.4 | 45.0 | 46.9 |
| NV1940 | 39.8 | 41.2 | 39.7 | 40.2 | 39.7 | 41.1 | 41.8 | 43.1 | 41.7 | 42.2 | 41.7 | 43.0 |
| NV1941 | 45.7 | 46.4 | 44.2 | 45.8 | 44.2 | 46.6 | 47.0 | 47.7 | 45.7 | 47.1 | 45.9 | 48.1 |
| NV1942 | 39.7 | 41.1 | 39.7 | 40.3 | 39.7 | 41.1 | 41.5 | 42.9 | 41.7 | 42.2 | 41.7 | 43.1 |
| NV1943 | 46.3 | 47.0 | 46.0 | 47.2 | 46.0 | 48.1 | 47.6 | 48.3 | 47.3 | 48.3 | 47.3 | 49.3 |
| NV1944 | 39.5 | 40.9 | 38.5 | 39.0 | 42.4 | 43.7 | 41.6 | 42.9 | 41.2 | 41.6 | 44.7 | 46.0 |
| NV1945 | 39.6 | 40.9 | 43.7 | 44.3 | 43.7 | 45.1 | 41.7 | 43.0 | 44.9 | 45.5 | 44.9 | 46.3 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1946 | 39.3 | 40.7 | 43.1 | 43.5 | 43.1 | 44.4 | 41.4 | 42.7 | 45.4 | 45.8 | 45.4 | 46.7 |
| NV1947 | 40.1 | 41.4 | 44.4 | 45.1 | 43.6 | 45.2 | 42.3 | 43.5 | 45.9 | 46.6 | 45.9 | 47.5 |
| NV1948 | 39.9 | 41.2 | 44.3 | 44.9 | 44.3 | 45.8 | 41.4 | 42.7 | 46.5 | 47.0 | 46.5 | 47.9 |
| NV1949 | 47.7 | 48.3 | 45.4 | 46.3 | 45.4 | 47.1 | 48.6 | 49.2 | 46.4 | 47.3 | 46.4 | 48.1 |
| NV1950 | 47.6 | 48.3 | 47.6 | 48.2 | 45.2 | 46.7 | 48.7 | 49.4 | 48.7 | 49.3 | 46.5 | 48.0 |
| NV1951 | 39.7 | 41.1 | 46.0 | 46.5 | 46.0 | 47.3 | 41.9 | 43.2 | 47.0 | 47.5 | 45.4 | 46.8 |
| NV1952 | 39.9 | 41.3 | 42.3 | 43.1 | 42.3 | 44.0 | 41.9 | 43.3 | 44.1 | 44.9 | 44.1 | 45.8 |
| NV1953 | 39.9 | 41.3 | 42.4 | 43.2 | 42.4 | 44.0 | 42.2 | 43.5 | 44.2 | 44.9 | 44.2 | 45.8 |
| NV1954 | 40.0 | 41.4 | 47.6 | 48.1 | 47.6 | 48.9 | 42.3 | 43.6 | 48.8 | 49.3 | 48.8 | 50.1 |
| NV1955 | 40.5 | 41.8 | 47.2 | 47.7 | 44.9 | 46.4 | 42.6 | 43.9 | 48.5 | 49.0 | 46.7 | 48.2 |
| NV1956 | 41.8 | 43.2 | 44.6 | 45.2 | 44.6 | 46.0 | 43.2 | 44.5 | 46.3 | 47.0 | 46.3 | 47.9 |
| NV1957 | 41.9 | 43.2 | 44.8 | 45.4 | 44.8 | 46.2 | 43.3 | 44.6 | 47.1 | 47.6 | 47.1 | 48.5 |
| NV1958 | 42.2 | 43.5 | 43.7 | 44.1 | 43.7 | 44.9 | 43.6 | 44.9 | 45.8 | 46.3 | 45.8 | 47.1 |
| NV1959 | 42.2 | 43.5 | 43.1 | 43.5 | 43.6 | 44.8 | 43.6 | 44.9 | 45.4 | 45.9 | 45.4 | 46.7 |
| NV1960 | 39.0 | 40.4 | 45.7 | 46.1 | 45.7 | 47.1 | 43.8 | 45.1 | 47.1 | 47.6 | 47.0 | 48.5 |
| NV1961 | 39.0 | 40.4 | 45.7 | 46.1 | 45.7 | 47.1 | 43.8 | 45.1 | 47.1 | 47.6 | 47.0 | 48.5 |
| NV1962 | 34.7 | 35.8 | 46.1 | 46.5 | 46.0 | 47.4 | 38.0 | 39.0 | 47.5 | 48.0 | 47.4 | 48.9 |
| NV1963 | 34.8 | 35.9 | 46.2 | 46.6 | 46.4 | 47.7 | 38.0 | 39.0 | 47.6 | 48.1 | 47.8 | 49.2 |
| NV1964 | 34.8 | 35.9 | 46.2 | 46.6 | 46.4 | 47.7 | 38.0 | 39.0 | 47.6 | 48.1 | 47.8 | 49.2 |
| NV1965 | 34.8 | 35.9 | 46.2 | 46.6 | 46.4 | 47.7 | 38.0 | 39.0 | 47.6 | 48.1 | 47.8 | 49.2 |
| NV1966 | 34.8 | 35.9 | 46.7 | 47.1 | 46.7 | 48.0 | 38.2 | 39.2 | 48.2 | 48.7 | 48.2 | 49.6 |
| NV1967 | 35.6 | 36.7 | 45.3 | 46.0 | 45.3 | 46.8 | 38.5 | 39.6 | 47.4 | 48.1 | 47.9 | 49.4 |
| NV1968 | 35.6 | 36.7 | 45.3 | 46.0 | 45.3 | 46.8 | 38.5 | 39.6 | 47.4 | 48.1 | 47.9 | 49.4 |
| NV1969 | 35.6 | 36.7 | 45.3 | 46.0 | 45.3 | 46.8 | 38.5 | 39.6 | 47.4 | 48.1 | 47.9 | 49.4 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1970 | 35.5 | 36.6 | 47.1 | 47.8 | 47.9 | 49.4 | 38.4 | 39.4 | 48.2 | 49.1 | 49.0 | 50.7 |
| NV1971 | 35.5 | 36.6 | 47.1 | 47.8 | 47.9 | 49.4 | 38.4 | 39.4 | 48.2 | 49.1 | 49.0 | 50.7 |
| NV1972 | 35.8 | 37.0 | 47.9 | 48.4 | 34.0 | 35.5 | 38.6 | 39.7 | 49.0 | 49.7 | 49.0 | 50.6 |
| NV1973 | 35.8 | 37.0 | 47.9 | 48.4 | 34.0 | 35.5 | 38.6 | 39.7 | 49.0 | 49.7 | 49.0 | 50.6 |
| NV1974 | 36.0 | 37.1 | 34.1 | 34.7 | 34.1 | 35.6 | 38.8 | 39.9 | 48.8 | 49.5 | 48.8 | 50.4 |
| NV1975 | 36.0 | 37.1 | 34.1 | 34.7 | 34.1 | 35.6 | 38.8 | 39.9 | 48.8 | 49.5 | 48.8 | 50.4 |
| NV1976 | 36.2 | 37.3 | 34.3 | 34.9 | 34.3 | 35.8 | 39.0 | 40.1 | 48.7 | 49.4 | 48.7 | 50.3 |
| NV1977 | 36.2 | 37.3 | 34.3 | 34.9 | 34.3 | 35.8 | 39.0 | 40.1 | 48.7 | 49.4 | 48.7 | 50.3 |
| NV1978 | 35.9 | 37.0 | 47.1 | 47.7 | 34.1 | 35.6 | 38.8 | 39.8 | 48.7 | 49.5 | 48.7 | 50.4 |
| NV1979 | 35.9 | 37.0 | 47.1 | 47.7 | 34.1 | 35.6 | 38.8 | 39.8 | 48.7 | 49.5 | 48.7 | 50.4 |
| NV1980 | 41.0 | 42.4 | 43.1 | 43.9 | 43.1 | 45.0 | 42.5 | 43.8 | 44.8 | 45.9 | 44.8 | 47.0 |
| NV1981 | 41.0 | 42.4 | 43.1 | 43.9 | 43.1 | 45.0 | 42.5 | 43.8 | 44.8 | 45.9 | 44.8 | 47.0 |
| NV1982 | 35.9 | 37.1 | 45.6 | 46.4 | 45.6 | 47.2 | 38.7 | 39.8 | 47.5 | 48.4 | 48.4 | 50.1 |
| NV1983 | 35.9 | 37.1 | 45.6 | 46.4 | 45.6 | 47.2 | 38.7 | 39.8 | 47.5 | 48.4 | 48.4 | 50.1 |
| NV1984 | 36.4 | 37.5 | 46.6 | 47.2 | 46.6 | 48.1 | 39.2 | 40.3 | 48.6 | 49.4 | 48.6 | 50.3 |
| NV1985 | 36.4 | 37.5 | 46.6 | 47.2 | 46.6 | 48.1 | 39.2 | 40.3 | 48.6 | 49.4 | 48.6 | 50.3 |
| NV1986 | 36.5 | 37.6 | 46.5 | 47.1 | 46.5 | 48.0 | 39.3 | 40.4 | 48.6 | 49.4 | 48.6 | 50.2 |
| NV1987 | 36.5 | 37.6 | 46.5 | 47.1 | 46.5 | 48.0 | 39.3 | 40.4 | 48.6 | 49.4 | 48.6 | 50.2 |
| NV1988 | 36.4 | 37.6 | 46.4 | 47.1 | 46.4 | 48.0 | 39.2 | 40.3 | 48.6 | 49.4 | 48.6 | 50.2 |
| NV1989 | 36.4 | 37.6 | 46.4 | 47.1 | 46.4 | 48.0 | 39.2 | 40.3 | 48.6 | 49.4 | 48.6 | 50.2 |
| NV1990 | 40.8 | 42.2 | 43.2 | 44.0 | 43.2 | 45.1 | 42.5 | 43.9 | 44.9 | 45.9 | 44.9 | 46.9 |
| NV1991 | 40.8 | 42.2 | 43.2 | 44.0 | 43.2 | 45.1 | 42.5 | 43.9 | 44.9 | 45.9 | 44.9 | 46.9 |
| NV1992 | 41.9 | 43.2 | 43.9 | 44.7 | 43.9 | 45.5 | 43.0 | 44.3 | 45.8 | 46.6 | 45.8 | 47.5 |
| NV1993 | 41.5 | 42.9 | 43.8 | 44.7 | 43.8 | 45.5 | 42.9 | 44.2 | 45.8 | 46.7 | 45.8 | 47.5 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV1994 | 41.1 | 42.5 | 42.1 | 43.4 | 42.1 | 44.2 | 42.5 | 43.8 | 44.2 | 45.5 | 44.2 | 46.4 |
| NV1995 | 41.0 | 42.4 | 41.1 | 42.6 | 41.1 | 43.5 | 42.4 | 43.7 | 43.5 | 45.0 | 44.0 | 46.3 |
| NV1996 | 40.8 | 42.2 | 39.4 | 41.3 | 39.4 | 42.3 | 42.2 | 43.5 | 42.3 | 44.0 | 42.3 | 45.0 |
| NV1997 | 40.8 | 42.2 | 39.3 | 41.3 | 39.3 | 42.2 | 42.2 | 43.6 | 42.4 | 44.1 | 42.4 | 45.0 |
| NV1998 | 39.7 | 41.0 | 35.7 | 37.9 | 35.7 | 39.0 | 41.3 | 42.6 | 39.1 | 41.0 | 39.1 | 42.0 |
| NV1999 | 37.9 | 39.3 | 35.7 | 38.1 | 35.7 | 39.1 | 41.0 | 42.3 | 39.0 | 41.0 | 39.0 | 42.0 |
| NV2000 | 38.9 | 40.2 | 36.9 | 39.0 | 36.9 | 40.0 | 41.1 | 42.4 | 40.1 | 41.9 | 40.1 | 42.9 |
| NV2001 | 39.1 | 40.5 | 39.0 | 40.8 | 39.1 | 41.8 | 41.2 | 42.5 | 42.3 | 43.9 | 41.2 | 43.9 |
| NV2002 | 40.4 | 41.8 | 42.2 | 43.5 | 42.3 | 44.4 | 42.5 | 43.9 | 45.3 | 46.4 | 45.3 | 47.2 |
| NV2003 | 40.4 | 41.8 | 42.1 | 43.4 | 42.1 | 44.3 | 42.5 | 43.9 | 45.0 | 46.1 | 45.0 | 47.0 |
| NV2004 | 40.3 | 41.7 | 42.6 | 43.8 | 42.6 | 44.7 | 42.5 | 43.9 | 44.8 | 46.0 | 44.8 | 46.8 |
| NV2005 | 40.6 | 42.0 | 42.3 | 43.6 | 42.3 | 44.5 | 42.7 | 44.0 | 44.8 | 46.0 | 44.3 | 46.4 |
| NV2006 | 37.9 | 39.3 | 40.8 | 41.9 | 40.8 | 42.9 | 39.8 | 41.1 | 42.8 | 44.0 | 42.8 | 45.0 |
| NV2007 | 35.0 | 36.1 | 41.9 | 42.8 | 41.9 | 43.8 | 37.8 | 38.9 | 44.2 | 45.2 | 44.2 | 46.2 |
| NV2008 | 35.5 | 36.7 | 36.3 | 38.1 | 36.3 | 39.1 | 38.5 | 39.6 | 39.4 | 41.0 | 39.4 | 42.0 |
| NV2009 | 35.3 | 36.4 | 37.7 | 38.5 | 37.7 | 39.4 | 38.3 | 39.3 | 40.4 | 41.2 | 40.9 | 42.5 |
| NV2010 | 39.2 | 40.3 | 35.6 | 37.0 | 35.6 | 38.0 | 41.5 | 42.6 | 39.0 | 40.2 | 39.0 | 41.2 |
| NV2011 | 34.7 | 35.8 | 46.0 | 46.6 | 46.2 | 47.5 | 37.5 | 38.5 | 47.4 | 48.0 | 47.4 | 48.8 |
| NV2012 | 40.7 | 42.1 | 42.9 | 43.7 | 42.9 | 44.5 | 42.3 | 43.6 | 45.2 | 45.9 | 45.2 | 46.8 |
| NV2013 | 40.6 | 42.0 | 42.2 | 43.0 | 42.2 | 43.8 | 42.2 | 43.6 | 44.4 | 45.2 | 44.4 | 46.0 |
| NV2014 | 39.5 | 40.8 | 41.7 | 42.7 | 41.7 | 43.5 | 41.3 | 42.6 | 44.2 | 45.2 | 44.2 | 46.0 |
| NV2015 | 39.1 | 40.4 | 41.5 | 42.5 | 41.5 | 43.3 | 41.0 | 42.3 | 44.1 | 45.1 | 44.1 | 45.9 |
| NV2016 | 38.1 | 39.4 | 36.1 | 38.0 | 36.1 | 39.1 | 40.3 | 41.5 | 38.7 | 40.5 | 38.7 | 41.6 |
| NV2017 | 38.6 | 39.9 | 35.4 | 37.8 | 35.4 | 38.9 | 40.8 | 42.0 | 38.5 | 40.6 | 38.5 | 41.7 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2018 | 38.1 | 39.4 | 40.9 | 41.6 | 38.1 | 40.0 | 40.4 | 41.7 | 40.9 | 41.7 | 40.4 | 42.3 |
| NV2019 | 39.0 | 40.3 | 43.8 | 44.3 | 39.0 | 40.6 | 41.0 | 42.3 | 42.1 | 42.7 | 41.0 | 42.8 |
| NV2020 | 60.1 | 61.7 | 49.3 | 49.7 | 49.3 | 50.6 | 61.7 | 63.3 | 50.9 | 51.1 | 50.6 | 51.8 |
| NV2021 | 59.9 | 61.5 | 49.1 | 49.5 | 49.1 | 50.4 | 61.5 | 63.0 | 51.3 | 51.5 | 50.6 | 51.8 |
| NV2022 | 60.2 | 61.8 | 46.4 | 47.8 | 46.4 | 48.7 | 61.8 | 63.4 | 48.2 | 49.4 | 48.2 | 50.4 |
| NV2023 | 60.4 | 62.0 | 45.9 | 47.5 | 45.9 | 48.4 | 61.9 | 63.5 | 47.7 | 49.1 | 47.7 | 50.0 |
| NV2024 | 54.1 | 55.6 | 46.6 | 47.9 | 46.6 | 48.8 | 57.1 | 58.6 | 48.2 | 49.3 | 48.2 | 50.2 |
| NV2025 | 50.8 | 52.3 | 47.5 | 48.3 | 47.5 | 49.2 | 52.2 | 53.7 | 49.4 | 50.0 | 49.5 | 50.9 |
| NV2026 | 51.9 | 53.3 | 47.5 | 48.3 | 47.4 | 49.1 | 54.1 | 55.4 | 49.4 | 49.9 | 49.4 | 50.8 |
| NV2027 | 48.6 | 50.0 | 47.6 | 48.3 | 47.6 | 49.2 | 49.4 | 50.8 | 49.4 | 50.0 | 49.4 | 50.8 |
| NV2028 | 48.0 | 49.6 | 47.3 | 48.0 | 47.5 | 49.0 | 49.7 | 51.4 | 48.9 | 49.6 | 49.1 | 50.6 |
| NV2029 | 47.3 | 48.7 | 47.3 | 48.0 | 47.3 | 48.9 | 48.9 | 50.3 | 48.9 | 49.6 | 48.9 | 50.5 |
| NV2030 | 50.7 | 52.0 | 47.1 | 47.9 | 47.1 | 48.7 | 48.6 | 50.0 | 48.6 | 49.4 | 48.6 | 50.3 |
| NV2031 | 53.0 | 55.0 | 53.5 | 53.4 | 62.5 | 63.2 | 54.1 | 56.1 | 54.2 | 54.0 | 63.0 | 63.4 |
| NV2032 | 50.4 | 51.7 | 46.3 | 44.9 | 46.3 | 45.7 | 52.0 | 53.3 | 48.3 | 46.9 | 48.3 | 47.8 |
| NV2033 | 49.7 | 50.9 | 46.7 | 45.5 | 46.7 | 46.5 | 51.4 | 52.6 | 48.6 | 47.5 | 48.6 | 48.4 |
| NV2034 | 43.5 | 44.9 | 44.4 | 42.8 | 44.4 | 43.6 | 46.0 | 47.4 | 46.7 | 45.1 | 46.7 | 45.9 |
| NV2035 | 51.1 | 52.4 | 44.4 | 42.8 | 44.4 | 43.6 | 52.2 | 53.5 | 46.7 | 45.1 | 46.7 | 46.0 |
| NV2036 | 51.3 | 52.7 | 43.9 | 42.2 | 43.9 | 43.1 | 52.4 | 53.7 | 46.5 | 44.8 | 46.5 | 45.7 |
| NV2037 | 47.5 | 48.8 | 47.5 | 45.4 | 47.5 | 46.3 | 49.4 | 50.6 | 49.4 | 47.2 | 49.4 | 48.1 |
| NV2038 | 51.6 | 52.9 | 46.0 | 44.4 | 46.0 | 45.2 | 52.7 | 54.0 | 47.7 | 46.1 | 47.7 | 46.9 |
| NV2039 | 44.5 | 45.9 | 47.6 | 45.5 | 47.6 | 46.4 | 46.9 | 48.3 | 49.5 | 47.4 | 49.5 | 48.3 |
| NV2040 | 45.8 | 47.4 | 45.3 | 43.6 | 45.3 | 44.4 | 47.4 | 48.9 | 47.3 | 45.7 | 47.3 | 46.5 |
| NV2041 | 43.9 | 45.3 | 46.9 | 45.7 | 46.9 | 46.6 | 46.2 | 47.7 | 48.6 | 47.5 | 48.6 | 48.4 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2042 | 51.6 | 52.9 | 45.8 | 44.2 | 45.8 | 45.0 | 52.5 | 53.8 | 47.9 | 46.4 | 47.9 | 47.2 |
| NV2043 | 51.4 | 52.7 | 46.6 | 45.2 | 46.6 | 46.0 | 52.6 | 53.9 | 48.8 | 47.4 | 48.8 | 48.3 |
| NV2044 | 50.1 | 51.3 | 46.0 | 44.6 | 46.0 | 45.4 | 51.7 | 53.0 | 47.9 | 46.5 | 47.9 | 47.3 |
| NV2045 | 52.4 | 53.7 | 47.3 | 46.0 | 47.3 | 47.0 | 54.0 | 55.2 | 50.2 | 49.0 | 49.7 | 49.5 |
| NV2046 | 50.2 | 51.5 | 46.9 | 45.5 | 46.9 | 46.3 | 51.3 | 52.6 | 49.0 | 47.7 | 49.0 | 48.5 |
| NV2047 | 49.4 | 50.8 | 48.2 | 46.8 | 48.2 | 47.6 | 51.1 | 52.4 | 50.4 | 49.2 | 50.4 | 50.0 |
| NV2048 | 44.7 | 46.1 | 52.6 | 51.6 | 51.4 | 51.3 | 46.9 | 48.2 | 53.6 | 52.7 | 53.6 | 53.6 |
| NV2049 | 44.4 | 45.8 | 57.1 | 55.7 | 57.1 | 56.6 | 46.8 | 48.1 | 59.2 | 57.9 | 59.2 | 58.8 |
| NV2050 | 44.4 | 45.8 | 57.2 | 55.8 | 57.4 | 56.9 | 46.8 | 48.2 | 59.2 | 58.0 | 59.2 | 58.9 |
| NV2051 | 44.0 | 45.3 | 57.5 | 56.1 | 57.5 | 57.0 | 46.5 | 47.9 | 57.6 | 56.4 | 57.6 | 57.3 |
| NV2052 | 45.0 | 46.5 | 52.2 | 51.0 | 52.2 | 51.9 | 47.1 | 48.5 | 55.1 | 54.0 | 55.1 | 54.9 |
| NV2053 | 45.2 | 46.7 | 57.8 | 56.5 | 57.8 | 57.4 | 47.4 | 48.8 | 59.4 | 58.2 | 59.4 | 59.1 |
| NV2054 | 45.6 | 47.1 | 57.6 | 56.4 | 57.7 | 57.3 | 47.5 | 49.0 | 59.4 | 58.2 | 59.4 | 59.1 |
| NV2055 | 46.1 | 47.6 | 57.0 | 55.9 | 57.0 | 56.8 | 52.7 | 54.1 | 58.9 | 57.9 | 58.9 | 58.8 |
| NV2056 | 59.7 | 61.8 | 59.7 | 60.1 | 59.7 | 61.3 | 61.2 | 63.2 | 61.2 | 61.6 | 61.2 | 62.8 |
| NV2057 | 47.8 | 48.2 | 47.8 | 48.1 | 47.8 | 48.8 | 48.4 | 48.9 | 48.4 | 48.9 | 48.4 | 49.6 |
| NV2058 | 35.7 | 37.0 | 35.7 | 36.6 | 35.7 | 37.7 | 38.1 | 39.2 | 38.1 | 39.0 | 38.1 | 40.0 |
| NV2059 | 46.2 | 46.8 | 43.1 | 43.7 | 43.1 | 44.5 | 47.0 | 47.6 | 44.2 | 45.0 | 44.3 | 45.9 |
| NV2060 | 46.5 | 47.0 | 43.4 | 44.0 | 43.4 | 44.8 | 47.1 | 47.7 | 44.5 | 45.3 | 44.5 | 46.1 |
| NV2061 | 34.7 | 35.7 | 34.7 | 36.4 | 34.7 | 37.5 | 37.6 | 38.6 | 37.6 | 39.4 | 37.6 | 40.4 |
| NV2062 | 34.4 | 35.5 | 46.2 | 46.7 | 46.1 | 47.4 | 36.8 | 37.9 | 47.1 | 47.7 | 47.1 | 48.5 |
| NV2063 | 34.6 | 35.7 | 44.1 | 44.8 | 44.1 | 45.6 | 37.3 | 38.3 | 45.0 | 45.8 | 45.0 | 46.7 |
| NV2064 | 34.3 | 35.5 | 46.1 | 46.6 | 45.3 | 46.6 | 36.8 | 37.9 | 47.1 | 47.7 | 46.0 | 47.4 |
| NV2065 | 47.9 | 48.4 | 47.9 | 48.3 | 47.9 | 49.0 | 48.6 | 49.1 | 48.6 | 49.2 | 48.6 | 49.9 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2066 | 34.0 | 35.1 | 43.3 | 44.0 | 43.3 | 44.8 | 36.6 | 37.7 | 44.8 | 45.6 | 44.8 | 46.4 |
| NV2067 | 33.8 | 34.9 | 43.9 | 44.5 | 43.2 | 44.7 | 36.6 | 37.6 | 45.4 | 46.1 | 45.4 | 46.9 |
| NV2068 | 33.7 | 34.7 | 44.9 | 45.6 | 44.9 | 46.3 | 36.5 | 37.5 | 46.2 | 46.9 | 46.2 | 47.7 |
| NV2069 | 33.2 | 34.2 | 41.0 | 42.1 | 41.0 | 43.1 | 36.2 | 37.1 | 42.7 | 43.8 | 42.7 | 44.8 |
| NV2070 | 41.4 | 42.0 | 41.1 | 42.2 | 41.4 | 43.3 | 44.3 | 44.9 | 43.8 | 44.8 | 43.4 | 45.3 |
| NV2071 | 41.1 | 41.8 | 41.1 | 42.1 | 41.1 | 43.0 | 43.3 | 43.9 | 43.3 | 44.3 | 43.3 | 45.2 |
| NV2072 | 41.2 | 41.9 | 41.2 | 42.0 | 41.2 | 42.9 | 43.3 | 44.0 | 43.3 | 44.2 | 43.3 | 45.1 |
| NV2073 | 41.2 | 41.8 | 41.2 | 42.0 | 41.2 | 42.8 | 43.2 | 43.9 | 43.2 | 44.1 | 43.2 | 44.9 |
| NV2074 | 35.6 | 36.8 | 47.9 | 48.3 | 43.9 | 45.1 | 38.0 | 39.1 | 44.6 | 45.1 | 38.0 | 39.4 |
| NV2075 | 35.5 | 36.8 | 41.1 | 41.9 | 41.1 | 42.8 | 37.6 | 38.8 | 43.0 | 43.9 | 43.2 | 44.9 |
| NV2076 | 35.4 | 36.6 | 48.2 | 48.9 | 48.2 | 49.6 | 37.9 | 38.9 | 49.1 | 49.8 | 49.1 | 50.6 |
| NV2077 | 37.2 | 38.1 | 37.1 | 38.0 | 37.1 | 38.9 | 40.0 | 40.8 | 40.0 | 41.0 | 40.0 | 41.9 |
| NV2078 | 35.4 | 36.6 | 48.2 | 48.8 | 48.1 | 49.5 | 37.7 | 38.8 | 49.1 | 49.8 | 49.0 | 50.5 |
| NV2079 | 37.6 | 38.5 | 37.6 | 38.7 | 37.6 | 39.7 | 40.3 | 41.1 | 40.3 | 41.4 | 40.3 | 42.4 |
| NV2080 | 35.4 | 36.6 | 48.0 | 48.6 | 48.0 | 49.4 | 37.9 | 39.0 | 48.8 | 49.6 | 48.9 | 50.4 |
| NV2081 | 35.0 | 36.3 | 38.2 | 39.3 | 38.2 | 40.2 | 37.2 | 38.4 | 40.8 | 41.9 | 40.8 | 42.8 |
| NV2082 | 35.4 | 36.6 | 42.9 | 43.7 | 46.6 | 48.2 | 37.7 | 38.8 | 47.6 | 48.6 | 47.6 | 49.4 |
| NV2083 | 35.1 | 36.3 | 38.5 | 39.5 | 35.1 | 37.1 | 37.4 | 38.6 | 37.4 | 38.5 | 37.4 | 39.6 |
| NV2084 | 34.9 | 35.9 | 46.8 | 47.8 | 46.8 | 48.7 | 37.8 | 38.7 | 48.3 | 49.4 | 48.3 | 50.2 |
| NV2085 | 34.9 | 36.1 | 38.6 | 39.7 | 38.6 | 40.6 | 37.1 | 38.3 | 41.0 | 42.1 | 41.0 | 43.0 |
| NV2086 | 34.5 | 35.5 | 40.6 | 44.2 | 40.6 | 45.2 | 37.3 | 38.2 | 42.8 | 45.7 | 42.8 | 46.7 |
| NV2087 | 40.4 | 41.1 | 40.4 | 41.4 | 40.4 | 42.3 | 43.2 | 43.9 | 42.4 | 43.5 | 42.4 | 44.4 |
| NV2088 | 34.0 | 34.9 | 45.2 | 47.1 | 45.2 | 48.0 | 36.9 | 37.8 | 47.5 | 48.9 | 47.5 | 49.8 |
| NV2089 | 40.6 | 41.3 | 40.6 | 41.6 | 40.6 | 42.5 | 42.6 | 43.3 | 42.6 | 43.6 | 42.6 | 44.5 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2090 | 35.2 | 36.4 | 46.0 | 47.6 | 46.0 | 48.5 | 37.8 | 38.8 | 48.0 | 49.4 | 48.0 | 50.2 |
| NV2091 | 40.4 | 41.1 | 40.4 | 41.4 | 40.4 | 42.3 | 43.5 | 44.1 | 42.4 | 43.4 | 42.4 | 44.3 |
| NV2092 | 34.0 | 34.9 | 45.8 | 47.5 | 45.8 | 48.4 | 37.0 | 37.8 | 47.4 | 48.9 | 47.4 | 49.8 |
| NV2093 | 40.4 | 41.1 | 40.4 | 41.4 | 40.4 | 42.2 | 42.4 | 43.1 | 42.4 | 43.4 | 42.4 | 44.3 |
| NV2094 | 34.4 | 35.4 | 43.7 | 45.7 | 43.7 | 46.6 | 37.2 | 38.1 | 45.2 | 47.1 | 45.2 | 48.0 |
| NV2095 | 33.6 | 34.8 | 40.2 | 41.1 | 40.2 | 42.0 | 36.5 | 37.6 | 42.2 | 43.2 | 42.2 | 44.1 |
| NV2096 | 33.6 | 34.4 | 46.4 | 47.6 | 47.3 | 49.3 | 36.7 | 37.5 | 47.6 | 48.8 | 47.6 | 49.6 |
| NV2097 | 45.1 | 45.7 | 40.8 | 41.7 | 40.8 | 42.6 | 46.4 | 47.0 | 43.0 | 44.0 | 43.0 | 44.9 |
| NV2098 | 37.1 | 38.5 | 38.0 | 39.8 | 38.0 | 40.9 | 39.5 | 40.8 | 39.5 | 41.2 | 39.5 | 42.3 |
| NV2099 | 41.0 | 41.7 | 41.0 | 41.9 | 41.0 | 42.8 | 46.0 | 46.6 | 43.2 | 44.2 | 43.2 | 45.1 |
| NV2100 | 35.8 | 37.1 | 40.0 | 40.8 | 40.0 | 41.7 | 38.6 | 39.7 | 42.3 | 43.2 | 42.3 | 44.1 |
| NV2101 | 40.8 | 41.5 | 40.8 | 41.8 | 40.8 | 42.7 | 46.1 | 46.7 | 43.0 | 44.0 | 43.0 | 44.9 |
| NV2102 | 35.8 | 37.1 | 43.3 | 44.0 | 43.3 | 44.7 | 38.2 | 39.3 | 45.4 | 46.1 | 45.4 | 46.9 |
| NV2103 | 33.9 | 35.2 | 40.9 | 41.9 | 40.9 | 42.7 | 36.8 | 37.9 | 43.0 | 44.0 | 43.0 | 44.9 |
| NV2104 | 35.9 | 37.2 | 42.4 | 43.1 | 42.4 | 43.9 | 38.9 | 40.0 | 44.8 | 45.5 | 44.8 | 46.3 |
| NV2105 | 33.8 | 35.1 | 45.9 | 46.4 | 45.6 | 46.9 | 36.2 | 37.3 | 46.8 | 47.4 | 46.5 | 47.9 |
| NV2106 | 35.6 | 36.8 | 42.5 | 43.3 | 42.5 | 44.1 | 38.0 | 39.1 | 44.8 | 45.6 | 44.8 | 46.4 |
| NV2107 | 33.9 | 35.2 | 41.4 | 42.5 | 41.4 | 43.4 | 36.5 | 37.6 | 43.8 | 45.0 | 43.8 | 45.8 |
| NV2108 | 33.8 | 34.7 | 41.9 | 43.4 | 41.9 | 44.3 | 36.7 | 37.6 | 44.7 | 45.9 | 44.7 | 46.7 |
| NV2109 | 33.9 | 35.2 | 42.0 | 43.1 | 42.0 | 43.9 | 36.2 | 37.3 | 44.4 | 45.5 | 44.4 | 46.3 |
| NV2110 | 33.8 | 34.7 | 41.5 | 43.2 | 41.5 | 44.1 | 36.7 | 37.6 | 44.3 | 45.6 | 44.3 | 46.5 |
| NV2111 | 33.9 | 35.2 | 44.1 | 44.9 | 44.1 | 45.7 | 36.2 | 37.4 | 45.9 | 46.8 | 45.9 | 47.6 |
| NV2112 | 35.1 | 36.3 | 46.6 | 47.2 | 46.6 | 48.0 | 37.6 | 38.7 | 47.7 | 48.3 | 47.7 | 49.1 |
| NV2113 | 34.1 | 35.4 | 44.2 | 45.0 | 44.2 | 45.8 | 36.4 | 37.6 | 46.4 | 47.2 | 46.4 | 48.0 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2114 | 35.1 | 36.3 | 46.6 | 47.2 | 46.6 | 48.0 | 37.6 | 38.7 | 47.7 | 48.3 | 47.7 | 49.1 |
| NV2115 | 34.7 | 36.0 | 44.4 | 45.0 | 44.4 | 45.8 | 36.8 | 38.0 | 46.5 | 47.2 | 46.5 | 48.0 |
| NV2116 | 35.3 | 36.5 | 46.8 | 47.4 | 46.8 | 48.1 | 37.5 | 38.6 | 48.1 | 48.7 | 47.8 | 49.2 |
| NV2117 | 33.9 | 35.1 | 43.1 | 43.9 | 43.1 | 44.7 | 36.2 | 37.3 | 45.3 | 46.1 | 45.3 | 46.9 |
| NV2118 | 35.3 | 36.5 | 46.8 | 47.4 | 46.8 | 48.1 | 37.5 | 38.6 | 48.1 | 48.7 | 47.8 | 49.2 |
| NV2119 | 33.9 | 35.2 | 42.5 | 43.2 | 42.5 | 44.0 | 36.3 | 37.4 | 44.8 | 45.5 | 44.8 | 46.3 |
| NV2120 | 39.0 | 39.9 | 38.6 | 39.5 | 38.6 | 40.4 | 42.1 | 42.8 | 41.5 | 42.4 | 41.5 | 43.3 |
| NV2121 | 34.2 | 35.4 | 42.4 | 43.1 | 42.4 | 43.9 | 36.3 | 37.5 | 44.8 | 45.5 | 44.8 | 46.3 |
| NV2122 | 38.8 | 39.7 | 39.2 | 40.1 | 38.8 | 40.7 | 41.6 | 42.4 | 41.9 | 42.9 | 41.9 | 43.8 |
| NV2123 | 34.8 | 36.1 | 39.9 | 41.3 | 39.9 | 42.3 | 37.0 | 38.1 | 41.8 | 43.3 | 41.8 | 44.3 |
| NV2124 | 39.7 | 40.5 | 39.7 | 40.7 | 39.7 | 41.7 | 42.4 | 43.1 | 42.4 | 43.4 | 42.4 | 44.3 |
| NV2125 | 36.1 | 37.3 | 36.1 | 38.9 | 36.1 | 40.0 | 37.2 | 38.4 | 38.8 | 41.2 | 38.8 | 42.3 |
| NV2126 | 35.8 | 37.1 | 40.0 | 41.2 | 40.0 | 42.1 | 38.1 | 39.2 | 42.6 | 43.7 | 42.6 | 44.6 |
| NV2127 | 36.1 | 37.4 | 36.6 | 39.2 | 36.6 | 40.3 | 37.3 | 38.5 | 39.2 | 41.5 | 39.2 | 42.6 |
| NV2128 | 35.1 | 36.4 | 40.7 | 42.0 | 40.7 | 42.9 | 37.5 | 38.6 | 43.5 | 44.7 | 43.5 | 45.5 |
| NV2129 | 35.8 | 37.2 | 38.4 | 40.3 | 38.4 | 41.3 | 37.8 | 39.0 | 40.8 | 42.6 | 40.8 | 43.6 |
| NV2130 | 35.5 | 36.8 | 41.1 | 42.4 | 41.1 | 43.3 | 37.8 | 39.0 | 43.4 | 44.6 | 43.4 | 45.5 |
| NV2131 | 38.6 | 39.6 | 38.1 | 39.4 | 38.1 | 40.4 | 40.5 | 41.4 | 40.5 | 41.9 | 40.5 | 42.9 |
| NV2132 | 34.8 | 36.0 | 40.1 | 41.0 | 40.1 | 41.9 | 37.6 | 38.7 | 42.4 | 43.4 | 42.4 | 44.3 |
| NV2133 | 35.2 | 36.5 | 42.6 | 43.3 | 42.6 | 44.1 | 37.1 | 38.3 | 44.8 | 45.5 | 44.7 | 46.2 |
| NV2134 | 41.3 | 41.9 | 40.0 | 40.9 | 40.0 | 41.8 | 42.3 | 42.9 | 42.3 | 43.3 | 42.3 | 44.2 |
| NV2135 | 35.3 | 36.7 | 42.7 | 43.3 | 42.7 | 44.1 | 37.3 | 38.5 | 44.9 | 45.6 | 44.9 | 46.4 |
| NV2136 | 42.1 | 42.7 | 41.9 | 42.9 | 41.9 | 43.7 | 44.5 | 45.1 | 44.4 | 45.3 | 42.8 | 44.6 |
| NV2137 | 35.6 | 36.9 | 42.4 | 42.9 | 42.4 | 43.7 | 37.5 | 38.7 | 44.6 | 45.2 | 44.6 | 46.0 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2138 | 41.2 | 41.9 | 39.7 | 42.5 | 39.7 | 43.5 | 43.1 | 43.8 | 43.1 | 45.3 | 43.1 | 46.2 |
| NV2139 | 36.4 | 37.8 | 39.2 | 41.3 | 39.2 | 42.3 | 38.3 | 39.5 | 41.4 | 43.5 | 41.4 | 44.5 |
| NV2140 | 37.6 | 39.0 | 43.4 | 45.3 | 43.4 | 46.2 | 39.3 | 40.5 | 44.5 | 46.4 | 44.5 | 47.4 |
| NV2141 | 36.6 | 38.0 | 38.1 | 40.8 | 38.1 | 41.9 | 38.5 | 39.8 | 40.6 | 43.1 | 40.6 | 44.2 |
| NV2142 | 36.3 | 37.7 | 38.1 | 41.3 | 38.1 | 42.5 | 40.2 | 41.3 | 40.2 | 43.3 | 40.2 | 44.4 |
| NV2143 | 37.3 | 38.6 | 37.3 | 40.1 | 37.3 | 41.2 | 39.5 | 40.7 | 39.5 | 42.3 | 39.5 | 43.4 |
| NV2144 | 42.5 | 43.1 | 41.9 | 44.0 | 41.9 | 45.0 | 43.6 | 44.3 | 43.1 | 45.4 | 43.1 | 46.4 |
| NV2145 | 36.7 | 38.1 | 39.1 | 41.4 | 39.1 | 42.5 | 38.6 | 39.8 | 41.4 | 43.7 | 41.4 | 44.7 |
| NV2146 | 37.4 | 38.8 | 37.4 | 40.0 | 37.4 | 41.2 | 39.1 | 40.4 | 39.1 | 42.2 | 39.1 | 43.3 |
| NV2147 | 38.8 | 39.8 | 38.8 | 40.9 | 38.8 | 42.0 | 41.3 | 42.2 | 41.3 | 43.4 | 41.3 | 44.4 |
| NV2148 | 37.4 | 38.8 | 37.4 | 40.0 | 37.4 | 41.2 | 39.1 | 40.4 | 39.1 | 42.2 | 39.1 | 43.3 |
| NV2149 | 35.2 | 36.5 | 43.9 | 44.6 | 43.9 | 45.4 | 37.3 | 38.5 | 46.2 | 46.9 | 46.2 | 47.7 |
| NV2150 | 37.3 | 38.7 | 37.3 | 39.7 | 37.3 | 40.9 | 39.0 | 40.3 | 39.0 | 41.9 | 39.0 | 43.1 |
| NV2151 | 35.2 | 36.5 | 43.9 | 44.6 | 43.9 | 45.4 | 37.3 | 38.5 | 46.2 | 46.9 | 46.2 | 47.7 |
| NV2152 | 37.0 | 38.4 | 38.0 | 40.6 | 38.0 | 41.8 | 38.9 | 40.1 | 40.0 | 42.8 | 40.0 | 44.0 |
| NV2153 | 35.2 | 36.5 | 44.0 | 44.7 | 44.0 | 45.5 | 37.6 | 38.7 | 45.9 | 46.6 | 45.9 | 47.4 |
| NV2154 | 35.2 | 36.5 | 44.0 | 44.7 | 44.0 | 45.5 | 37.6 | 38.7 | 45.9 | 46.6 | 45.9 | 47.4 |
| NV2155 | 35.1 | 36.4 | 43.2 | 43.9 | 43.2 | 44.7 | 37.3 | 38.5 | 45.6 | 46.3 | 45.6 | 47.1 |
| NV2156 | 35.0 | 36.2 | 43.2 | 43.9 | 43.2 | 44.6 | 37.2 | 38.4 | 45.5 | 46.2 | 45.5 | 46.9 |
| NV2157 | 34.6 | 35.8 | 42.9 | 43.5 | 41.5 | 43.0 | 37.0 | 38.1 | 43.6 | 44.4 | 43.6 | 45.2 |
| NV2158 | 34.3 | 35.5 | 42.5 | 43.2 | 42.5 | 44.0 | 36.8 | 37.8 | 44.6 | 45.3 | 44.6 | 46.1 |
| NV2159 | 36.2 | 37.6 | 42.5 | 43.7 | 42.5 | 44.5 | 38.2 | 39.5 | 44.6 | 45.8 | 44.6 | 46.7 |
| NV2160 | 36.7 | 38.1 | 42.5 | 44.2 | 42.5 | 45.1 | 38.5 | 39.8 | 44.2 | 46.0 | 44.2 | 46.9 |
| NV2161 | 52.2 | 53.2 | 58.3 | 58.1 | 56.4 | 56.8 | 53.7 | 54.6 | 59.7 | 59.5 | 58.6 | 58.9 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2162 | 51.8 | 52.4 | 64.5 | 64.2 | 60.6 | 60.7 | 53.9 | 54.4 | 67.4 | 67.1 | 70.2 | 70.2 |
| NV2163 | 54.7 | 55.5 | 63.4 | 62.9 | 51.6 | 51.9 | 56.4 | 57.1 | 66.1 | 65.7 | 72.4 | 72.6 |
| NV2164 | 50.3 | 50.9 | 40.3 | 41.2 | 40.3 | 41.9 | 51.8 | 52.3 | 42.6 | 43.4 | 42.6 | 44.2 |
| NV2165 | 49.2 | 49.8 | 40.1 | 41.2 | 40.1 | 41.9 | 50.0 | 50.6 | 42.4 | 43.3 | 42.4 | 44.1 |
| NV2166 | 50.6 | 51.2 | 41.3 | 42.5 | 41.3 | 43.3 | 51.5 | 52.1 | 43.6 | 44.6 | 43.6 | 45.3 |
| NV2167 | 51.9 | 52.4 | 41.0 | 42.4 | 41.0 | 43.2 | 47.3 | 47.9 | 43.1 | 44.3 | 43.1 | 45.0 |
| NV2168 | 48.0 | 49.1 | 49.0 | 47.9 | 49.0 | 48.8 | 51.4 | 52.5 | 51.4 | 50.5 | 51.4 | 51.5 |
| NV2169 | 49.0 | 50.0 | 51.3 | 49.3 | 48.3 | 47.1 | 50.8 | 51.8 | 53.0 | 51.0 | 50.2 | 49.0 |
| NV2170 | 48.0 | 49.1 | 51.7 | 50.0 | 51.7 | 50.8 | 49.9 | 51.0 | 53.8 | 52.2 | 53.8 | 53.1 |
| NV2171 | 47.3 | 48.5 | 46.8 | 45.3 | 46.8 | 46.1 | 49.4 | 50.5 | 49.4 | 47.9 | 49.4 | 48.8 |
| NV2172 | 48.6 | 49.6 | 47.5 | 45.8 | 47.5 | 46.5 | 50.5 | 51.5 | 49.9 | 48.2 | 49.9 | 49.0 |
| NV2173 | 46.9 | 48.0 | 51.2 | 49.2 | 45.6 | 44.4 | 49.1 | 50.2 | 52.8 | 50.9 | 52.8 | 51.6 |
| NV2174 | 48.7 | 49.8 | 51.5 | 49.4 | 48.7 | 47.5 | 50.7 | 51.7 | 53.2 | 51.2 | 53.2 | 51.9 |
| NV2175 | 47.5 | 48.7 | 45.1 | 43.2 | 45.1 | 44.0 | 49.6 | 50.7 | 52.8 | 50.8 | 49.6 | 48.4 |
| NV2176 | 48.5 | 49.6 | 47.5 | 45.7 | 46.7 | 45.7 | 50.5 | 51.6 | 49.5 | 47.9 | 49.5 | 48.6 |
| NV2177 | 47.2 | 48.3 | 51.5 | 49.5 | 47.2 | 46.1 | 49.4 | 50.5 | 53.1 | 51.2 | 52.9 | 51.8 |
| NV2178 | 47.7 | 48.8 | 46.8 | 44.8 | 47.7 | 46.5 | 50.0 | 51.0 | 53.8 | 51.8 | 49.2 | 48.0 |
| NV2179 | 47.8 | 48.9 | 47.8 | 45.9 | 47.8 | 46.8 | 50.0 | 51.1 | 53.1 | 51.2 | 53.1 | 52.0 |
| NV2180 | 49.0 | 50.1 | 46.5 | 44.6 | 49.0 | 47.9 | 51.0 | 52.0 | 48.9 | 46.9 | 50.9 | 49.7 |
| NV2181 | 47.3 | 48.4 | 51.7 | 49.7 | 47.3 | 46.2 | 49.7 | 50.8 | 53.3 | 51.4 | 53.1 | 52.0 |
| NV2182 | 48.9 | 50.0 | 48.9 | 46.9 | 48.9 | 47.7 | 51.0 | 52.0 | 54.1 | 52.1 | 54.1 | 52.8 |
| NV2183 | 48.0 | 49.1 | 47.9 | 46.0 | 47.9 | 46.7 | 50.1 | 51.2 | 50.1 | 48.4 | 50.1 | 49.1 |
| NV2184 | 48.9 | 50.0 | 49.1 | 47.3 | 49.1 | 47.9 | 51.0 | 52.0 | 51.1 | 49.4 | 51.1 | 50.2 |
| NV2185 | 47.2 | 48.3 | 45.8 | 43.8 | 45.8 | 44.6 | 49.5 | 50.6 | 53.2 | 51.2 | 48.3 | 47.1 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2186 | 49.6 | 50.6 | 49.0 | 47.0 | 49.0 | 47.8 | 51.1 | 52.1 | 54.2 | 52.3 | 54.2 | 53.0 |
| NV2187 | 48.1 | 49.3 | 45.3 | 43.3 | 48.1 | 46.9 | 50.2 | 51.3 | 53.2 | 51.3 | 53.2 | 52.0 |
| NV2188 | 48.1 | 49.2 | 48.1 | 46.1 | 48.1 | 46.9 | 50.4 | 51.5 | 53.5 | 51.5 | 53.3 | 52.1 |
| NV2189 | 47.8 | 48.9 | 47.8 | 45.9 | 47.7 | 46.7 | 50.1 | 51.2 | 50.6 | 48.8 | 50.6 | 49.5 |
| NV2190 | 47.4 | 48.4 | 46.4 | 44.5 | 46.4 | 45.3 | 49.9 | 50.9 | 53.3 | 51.3 | 49.0 | 47.8 |
| NV2191 | 48.4 | 49.6 | 45.9 | 44.2 | 45.9 | 45.1 | 50.7 | 51.8 | 48.5 | 46.7 | 48.5 | 47.5 |
| NV2192 | 50.6 | 51.7 | 50.6 | 48.6 | 50.6 | 49.4 | 51.0 | 52.1 | 52.9 | 50.9 | 52.9 | 51.6 |
| NV2193 | 38.4 | 39.8 | 37.4 | 40.6 | 37.4 | 41.8 | 39.2 | 40.6 | 39.3 | 42.4 | 39.3 | 43.6 |
| NV2194 | 59.9 | 61.5 | 43.8 | 43.9 | 43.8 | 44.8 | 63.0 | 64.6 | 46.2 | 46.4 | 46.2 | 47.2 |
| NV2195 | 59.5 | 61.1 | 43.8 | 44.2 | 43.8 | 45.0 | 63.3 | 64.9 | 46.0 | 46.5 | 46.0 | 47.3 |
| NV2196 | 57.0 | 58.6 | 43.6 | 44.1 | 43.6 | 44.9 | 59.8 | 61.4 | 46.2 | 46.6 | 46.2 | 47.5 |
| NV2197 | 54.1 | 55.7 | 44.7 | 44.2 | 44.7 | 45.1 | 57.2 | 58.8 | 47.3 | 46.9 | 47.3 | 47.7 |
| NV2198 | 56.4 | 58.0 | 43.0 | 43.4 | 43.0 | 44.2 | 60.3 | 61.9 | 45.5 | 45.7 | 45.5 | 46.5 |
| NV2199 | 50.7 | 52.3 | 42.4 | 42.6 | 42.4 | 43.4 | 52.9 | 54.5 | 44.8 | 45.0 | 44.8 | 45.8 |
| NV2200 | 53.6 | 55.2 | 43.5 | 43.9 | 43.5 | 44.7 | 56.1 | 57.7 | 45.6 | 45.9 | 45.6 | 46.7 |
| NV2201 | 48.8 | 50.4 | 43.4 | 43.6 | 43.4 | 44.5 | 50.2 | 51.8 | 45.9 | 46.2 | 45.9 | 47.0 |
| NV2202 | 53.8 | 55.4 | 43.4 | 44.1 | 43.4 | 44.9 | 56.1 | 57.7 | 45.4 | 46.0 | 45.4 | 46.9 |
| NV2203 | 48.2 | 49.7 | 43.3 | 43.5 | 43.3 | 44.3 | 47.8 | 49.3 | 45.9 | 46.2 | 45.9 | 47.1 |
| NV2204 | 49.1 | 50.9 | 43.5 | 44.2 | 43.5 | 45.0 | 50.8 | 52.6 | 45.4 | 46.0 | 45.4 | 46.8 |
| NV2205 | 44.4 | 46.0 | 41.2 | 41.9 | 41.2 | 42.7 | 45.9 | 47.5 | 44.0 | 44.8 | 44.0 | 45.7 |
| NV2206 | 47.2 | 49.0 | 43.8 | 44.4 | 43.8 | 45.3 | 49.5 | 51.2 | 45.5 | 46.1 | 45.5 | 46.9 |
| NV2207 | 40.9 | 42.4 | 43.6 | 43.9 | 43.4 | 44.7 | 43.0 | 44.4 | 46.2 | 46.6 | 45.7 | 47.1 |
| NV2208 | 47.9 | 49.3 | 44.6 | 45.2 | 44.6 | 46.0 | 49.8 | 51.2 | 46.2 | 46.7 | 46.2 | 47.6 |
| NV2209 | 47.2 | 48.8 | 40.4 | 40.7 | 40.4 | 41.5 | 48.7 | 50.2 | 43.7 | 44.2 | 43.7 | 45.0 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2210 | 47.6 | 49.2 | 47.3 | 48.0 | 47.3 | 49.0 | 49.4 | 51.0 | 48.3 | 49.1 | 48.3 | 50.0 |
| NV2211 | 49.2 | 50.8 | 43.2 | 43.8 | 43.2 | 44.7 | 50.2 | 51.8 | 46.1 | 46.7 | 46.1 | 47.6 |
| NV2212 | 41.7 | 43.1 | 46.1 | 47.2 | 46.1 | 48.0 | 43.6 | 45.0 | 47.3 | 48.3 | 47.3 | 49.2 |
| NV2213 | 47.7 | 49.3 | 45.3 | 45.1 | 45.3 | 46.0 | 49.8 | 51.4 | 47.6 | 47.5 | 47.6 | 48.3 |
| NV2214 | 44.2 | 45.8 | 46.1 | 45.6 | 46.1 | 46.4 | 56.2 | 57.8 | 48.2 | 47.8 | 48.6 | 49.0 |
| NV2215 | 57.7 | 59.3 | 38.7 | 38.3 | 38.7 | 39.2 | 62.0 | 63.6 | 41.6 | 41.2 | 41.6 | 42.1 |
| NV2216 | 58.4 | 60.0 | 41.8 | 41.5 | 41.8 | 42.3 | 62.7 | 64.3 | 44.8 | 44.5 | 44.8 | 45.4 |
| NV2217 | 56.6 | 58.2 | 41.6 | 41.7 | 41.6 | 42.6 | 56.9 | 58.5 | 44.7 | 44.8 | 44.3 | 45.3 |
| NV2218 | 56.8 | 58.4 | 43.1 | 43.4 | 43.1 | 44.2 | 59.7 | 61.3 | 45.7 | 45.9 | 45.7 | 46.8 |
| NV2219 | 45.4 | 46.9 | 44.4 | 45.6 | 44.4 | 46.5 | 47.7 | 49.2 | 45.9 | 47.0 | 46.0 | 47.9 |
| NV2220 | 56.4 | 58.0 | 44.0 | 44.5 | 44.0 | 45.3 | 60.2 | 61.8 | 46.3 | 46.9 | 46.3 | 47.7 |
| NV2221 | 45.5 | 47.1 | 42.5 | 42.9 | 42.5 | 43.7 | 47.3 | 48.8 | 44.6 | 45.1 | 44.6 | 45.9 |
| NV2222 | 55.0 | 56.6 | 43.7 | 44.5 | 43.3 | 45.0 | 58.7 | 60.3 | 46.1 | 46.9 | 46.1 | 47.8 |
| NV2223 | 45.5 | 47.2 | 42.8 | 43.2 | 42.8 | 44.0 | 48.1 | 49.8 | 45.1 | 45.5 | 45.1 | 46.3 |
| NV2224 | 47.8 | 49.2 | 41.6 | 42.7 | 41.6 | 43.6 | 51.3 | 52.7 | 44.1 | 45.5 | 44.1 | 46.4 |
| NV2225 | 46.6 | 48.2 | 43.6 | 44.1 | 43.6 | 44.9 | 48.9 | 50.5 | 46.0 | 46.5 | 46.0 | 47.3 |
| NV2226 | 46.5 | 47.9 | 42.4 | 42.8 | 42.4 | 43.6 | 47.1 | 48.6 | 45.1 | 45.5 | 45.1 | 46.3 |
| NV2227 | 48.7 | 50.3 | 43.4 | 43.9 | 43.4 | 44.6 | 50.3 | 51.9 | 46.1 | 46.6 | 46.1 | 47.4 |
| NV2228 | 44.3 | 46.0 | 41.5 | 41.9 | 41.5 | 42.7 | 48.8 | 50.4 | 44.0 | 44.3 | 44.0 | 45.2 |
| NV2229 | 49.8 | 51.4 | 44.0 | 44.9 | 44.0 | 45.7 | 51.3 | 52.9 | 47.2 | 47.9 | 47.2 | 48.7 |
| NV2230 | 46.8 | 48.4 | 42.4 | 43.1 | 42.4 | 43.9 | 48.1 | 49.6 | 44.7 | 45.5 | 44.7 | 46.4 |
| NV2231 | 49.1 | 50.7 | 46.5 | 47.0 | 46.5 | 47.9 | 50.8 | 52.4 | 47.8 | 48.3 | 48.9 | 50.2 |
| NV2232 | 44.7 | 46.2 | 44.1 | 44.5 | 44.1 | 45.4 | 46.3 | 47.8 | 46.5 | 47.0 | 46.5 | 47.9 |
| NV2233 | 47.2 | 48.8 | 45.5 | 46.5 | 45.5 | 47.4 | 48.2 | 49.8 | 48.4 | 49.2 | 48.4 | 50.1 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2234 | 40.3 | 42.0 | 40.4 | 40.7 | 43.8 | 45.0 | 43.6 | 45.2 | 45.9 | 46.3 | 45.9 | 47.3 |
| NV2235 | 46.1 | 47.7 | 45.2 | 45.8 | 45.2 | 46.6 | 44.8 | 46.4 | 48.0 | 48.7 | 47.9 | 49.5 |
| NV2236 | 41.6 | 43.2 | 41.6 | 42.0 | 41.6 | 43.2 | 43.7 | 45.2 | 43.7 | 44.3 | 43.7 | 45.4 |
| NV2237 | 44.6 | 46.2 | 44.1 | 44.8 | 44.1 | 45.6 | 46.1 | 47.6 | 47.7 | 48.5 | 47.7 | 49.3 |
| NV2238 | 42.2 | 43.7 | 41.2 | 41.4 | 41.2 | 42.2 | 43.9 | 45.4 | 43.2 | 43.5 | 43.2 | 44.3 |
| NV2239 | 44.4 | 45.9 | 45.2 | 45.8 | 45.2 | 46.6 | 45.8 | 47.3 | 47.9 | 48.7 | 48.2 | 49.8 |
| NV2240 | 42.9 | 44.5 | 42.4 | 42.7 | 42.5 | 43.5 | 44.5 | 46.0 | 45.2 | 45.5 | 45.7 | 46.9 |
| NV2241 | 43.7 | 45.2 | 45.7 | 46.4 | 45.7 | 47.3 | 44.8 | 46.3 | 48.6 | 49.5 | 48.6 | 50.4 |
| NV2242 | 42.4 | 43.9 | 42.9 | 43.2 | 42.9 | 44.0 | 44.3 | 45.7 | 45.3 | 45.7 | 44.3 | 45.6 |
| NV2243 | 42.9 | 44.4 | 45.4 | 46.2 | 45.4 | 47.1 | 44.5 | 46.0 | 48.6 | 49.5 | 48.6 | 50.4 |
| NV2244 | 44.1 | 45.5 | 41.7 | 42.0 | 41.7 | 42.9 | 46.3 | 47.7 | 43.5 | 43.9 | 43.5 | 44.7 |
| NV2245 | 43.1 | 44.6 | 45.8 | 46.7 | 45.8 | 47.6 | 44.6 | 46.1 | 48.7 | 49.8 | 48.7 | 50.7 |
| NV2246 | 42.8 | 44.3 | 39.6 | 40.6 | 39.6 | 41.4 | 44.4 | 45.9 | 42.0 | 43.0 | 42.0 | 43.9 |
| NV2247 | 41.7 | 43.2 | 45.8 | 46.8 | 45.8 | 47.7 | 43.8 | 45.2 | 48.3 | 49.5 | 48.3 | 50.4 |
| NV2248 | 38.1 | 39.5 | 39.4 | 40.6 | 39.4 | 41.5 | 40.5 | 41.9 | 41.8 | 43.1 | 41.8 | 44.0 |
| NV2249 | 42.5 | 44.0 | 45.0 | 46.1 | 45.0 | 47.0 | 44.1 | 45.6 | 47.6 | 48.9 | 47.6 | 49.9 |
| NV2250 | 39.2 | 40.6 | 39.2 | 40.3 | 40.7 | 42.7 | 41.1 | 42.5 | 43.1 | 44.2 | 43.1 | 45.2 |
| NV2251 | 42.5 | 44.0 | 44.0 | 45.2 | 43.2 | 45.4 | 43.9 | 45.4 | 46.4 | 47.9 | 46.4 | 48.8 |
| NV2252 | 37.7 | 39.1 | 38.8 | 39.4 | 41.7 | 43.2 | 40.0 | 41.4 | 44.3 | 44.9 | 44.3 | 45.9 |
| NV2253 | 39.7 | 41.2 | 42.4 | 42.9 | 44.0 | 45.3 | 42.0 | 43.4 | 45.3 | 45.8 | 46.5 | 47.9 |
| NV2254 | 39.8 | 41.3 | 40.8 | 41.4 | 39.0 | 40.5 | 42.2 | 43.6 | 43.4 | 44.0 | 45.1 | 46.6 |
| NV2255 | 39.5 | 40.9 | 38.9 | 39.6 | 38.9 | 40.6 | 41.1 | 42.6 | 42.0 | 42.8 | 42.0 | 43.7 |
| NV2256 | 40.2 | 41.7 | 41.2 | 41.5 | 42.1 | 43.3 | 42.7 | 44.1 | 44.1 | 44.5 | 44.5 | 45.8 |
| NV2257 | 38.9 | 40.3 | 35.2 | 37.0 | 35.2 | 38.0 | 41.1 | 42.4 | 38.5 | 40.2 | 38.5 | 41.2 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2258 | 39.6 | 41.1 | 42.5 | 43.2 | 42.5 | 44.1 | 42.1 | 43.6 | 45.9 | 46.7 | 45.9 | 47.6 |
| NV2259 | 39.5 | 41.0 | 36.4 | 37.6 | 36.4 | 38.6 | 41.3 | 42.8 | 39.6 | 40.8 | 39.6 | 41.9 |
| NV2260 | 39.5 | 41.0 | 40.1 | 41.2 | 40.1 | 42.1 | 41.6 | 43.0 | 43.7 | 44.7 | 43.7 | 45.6 |
| NV2261 | 38.9 | 40.3 | 42.1 | 42.7 | 42.1 | 43.6 | 41.0 | 42.4 | 44.6 | 45.3 | 44.6 | 46.2 |
| NV2262 | 39.3 | 40.8 | 39.4 | 40.7 | 39.4 | 41.6 | 41.3 | 42.8 | 42.8 | 44.2 | 42.8 | 45.1 |
| NV2263 | 41.4 | 42.4 | 38.0 | 40.5 | 38.0 | 41.5 | 44.1 | 45.0 | 41.5 | 43.6 | 41.5 | 44.6 |
| NV2264 | 38.4 | 39.9 | 38.1 | 39.6 | 38.1 | 40.5 | 40.4 | 41.8 | 40.9 | 42.4 | 42.0 | 44.4 |
| NV2265 | 37.5 | 38.9 | 39.4 | 40.9 | 39.4 | 42.0 | 39.8 | 41.1 | 41.7 | 43.2 | 41.7 | 44.3 |
| NV2266 | 40.2 | 41.6 | 40.2 | 40.7 | 40.2 | 41.9 | 42.2 | 43.6 | 42.2 | 42.9 | 42.2 | 44.1 |
| NV2267 | 40.2 | 41.6 | 46.8 | 47.9 | 46.8 | 48.7 | 42.1 | 43.5 | 47.8 | 49.0 | 48.1 | 50.1 |
| NV2268 | 38.0 | 39.2 | 36.7 | 38.2 | 36.7 | 39.3 | 40.8 | 41.9 | 39.6 | 41.3 | 39.6 | 42.3 |
| NV2269 | 41.1 | 42.5 | 46.7 | 48.0 | 46.7 | 48.8 | 42.8 | 44.2 | 48.1 | 49.4 | 48.1 | 50.3 |
| NV2270 | 39.9 | 41.3 | 39.6 | 41.5 | 39.6 | 42.5 | 42.1 | 43.5 | 42.5 | 44.4 | 42.5 | 45.3 |
| NV2271 | 41.3 | 42.7 | 45.7 | 47.2 | 46.0 | 48.3 | 43.0 | 44.4 | 48.0 | 49.3 | 48.1 | 50.2 |
| NV2272 | 43.7 | 44.6 | 40.9 | 42.5 | 40.9 | 43.5 | 45.5 | 46.5 | 43.8 | 45.5 | 43.8 | 46.4 |
| NV2273 | 41.5 | 43.0 | 46.5 | 47.7 | 46.5 | 48.6 | 43.3 | 44.7 | 48.0 | 49.3 | 48.1 | 50.2 |
| NV2274 | 41.4 | 42.8 | 43.8 | 44.4 | 43.8 | 45.4 | 42.9 | 44.3 | 45.7 | 46.6 | 45.7 | 47.5 |
| NV2275 | 41.7 | 43.2 | 45.5 | 46.9 | 45.5 | 47.8 | 43.4 | 44.8 | 47.9 | 49.2 | 47.7 | 49.9 |
| NV2276 | 34.9 | 36.1 | 34.3 | 37.9 | 34.3 | 39.0 | 38.1 | 39.3 | 37.3 | 40.8 | 37.3 | 41.9 |
| NV2277 | 41.6 | 43.0 | 45.6 | 46.9 | 45.5 | 47.7 | 43.2 | 44.6 | 47.8 | 49.0 | 47.8 | 49.9 |
| NV2278 | 41.8 | 43.2 | 44.6 | 46.0 | 44.7 | 46.9 | 43.4 | 44.8 | 47.3 | 48.6 | 47.3 | 49.4 |
| NV2279 | 37.2 | 38.6 | 42.0 | 42.8 | 42.0 | 43.7 | 39.7 | 41.0 | 44.6 | 45.6 | 44.6 | 46.4 |
| NV2280 | 40.2 | 41.7 | 44.8 | 46.2 | 44.8 | 47.0 | 43.4 | 44.8 | 47.4 | 48.6 | 47.4 | 49.5 |
| NV2281 | 40.9 | 42.3 | 40.9 | 42.4 | 40.9 | 43.3 | 42.4 | 43.8 | 43.8 | 45.4 | 43.8 | 46.3 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2282 | 41.7 | 43.1 | 44.9 | 46.1 | 44.9 | 46.9 | 43.1 | 44.5 | 47.2 | 48.3 | 47.5 | 49.4 |
| NV2283 | 40.9 | 42.3 | 41.6 | 42.7 | 41.6 | 43.5 | 42.5 | 43.9 | 44.5 | 45.6 | 44.5 | 46.5 |
| NV2284 | 41.7 | 43.2 | 46.1 | 47.0 | 45.9 | 47.7 | 43.4 | 44.8 | 47.8 | 48.8 | 48.0 | 49.8 |
| NV2285 | 40.8 | 42.2 | 42.1 | 43.2 | 42.1 | 44.1 | 42.2 | 43.6 | 44.8 | 46.0 | 44.8 | 46.9 |
| NV2286 | 41.7 | 43.1 | 45.4 | 46.4 | 45.4 | 47.2 | 43.4 | 44.8 | 47.1 | 48.0 | 47.1 | 48.8 |
| NV2287 | 40.9 | 42.3 | 42.0 | 42.9 | 42.0 | 43.8 | 42.4 | 43.8 | 44.1 | 45.1 | 44.1 | 46.0 |
| NV2288 | 41.1 | 42.5 | 43.4 | 43.9 | 43.4 | 44.8 | 43.0 | 44.3 | 45.3 | 45.9 | 45.3 | 46.9 |
| NV2289 | 40.9 | 42.3 | 42.2 | 42.6 | 42.2 | 43.5 | 42.7 | 44.1 | 44.4 | 44.9 | 44.4 | 45.8 |
| NV2290 | 37.0 | 38.4 | 36.9 | 39.4 | 36.9 | 40.4 | 39.7 | 41.1 | 39.9 | 42.4 | 39.9 | 43.4 |
| NV2291 | 40.6 | 42.0 | 40.2 | 40.7 | 40.2 | 41.8 | 42.7 | 44.2 | 42.7 | 43.2 | 42.7 | 44.3 |
| NV2292 | 46.7 | 48.6 | 43.3 | 44.0 | 43.3 | 44.8 | 48.0 | 49.8 | 45.2 | 46.1 | 45.2 | 47.0 |
| NV2293 | 46.9 | 48.8 | 42.8 | 42.8 | 46.9 | 48.2 | 48.3 | 50.2 | 44.8 | 45.0 | 50.2 | 51.4 |
| NV2294 | 47.4 | 49.4 | 41.3 | 41.3 | 49.6 | 50.8 | 48.3 | 50.4 | 43.5 | 43.7 | 51.0 | 52.4 |
| NV2295 | 46.7 | 48.6 | 42.5 | 42.8 | 46.7 | 47.9 | 48.1 | 50.1 | 44.7 | 45.1 | 50.7 | 52.0 |
| NV2296 | 57.2 | 58.5 | 39.5 | 38.8 | 39.5 | 39.6 | 58.3 | 59.6 | 42.3 | 41.7 | 42.3 | 42.5 |
| NV2297 | 62.8 | 64.2 | 61.2 | 57.0 | 61.2 | 57.8 | 63.4 | 64.8 | 63.4 | 59.2 | 63.4 | 60.1 |
| NV2298 | 50.1 | 51.5 | 39.3 | 38.7 | 39.3 | 39.5 | 53.8 | 55.2 | 42.3 | 41.7 | 42.3 | 42.5 |
| NV2299 | 62.5 | 63.9 | 61.4 | 57.3 | 62.5 | 59.1 | 63.2 | 64.6 | 61.9 | 58.0 | 62.2 | 59.0 |
| NV2300 | 54.4 | 55.8 | 41.8 | 43.2 | 41.8 | 44.2 | 56.4 | 57.8 | 43.9 | 45.5 | 43.9 | 46.4 |
| NV2301 | 60.9 | 62.3 | 60.9 | 57.1 | 60.9 | 57.9 | 62.2 | 63.6 | 62.2 | 58.6 | 62.2 | 59.3 |
| NV2302 | 54.4 | 55.8 | 41.8 | 43.2 | 41.8 | 44.2 | 56.4 | 57.8 | 43.9 | 45.5 | 43.9 | 46.4 |
| NV2303 | 60.9 | 62.3 | 55.2 | 53.0 | 55.2 | 53.7 | 62.0 | 63.4 | 57.3 | 55.0 | 57.3 | 55.8 |
| NV2304 | 55.9 | 57.4 | 54.6 | 51.9 | 54.6 | 52.7 | 57.3 | 58.7 | 56.3 | 53.5 | 56.3 | 54.3 |
| NV2305 | 57.6 | 59.1 | 57.7 | 54.9 | 57.7 | 55.6 | 58.5 | 60.0 | 58.6 | 56.0 | 58.6 | 56.8 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2306 | 38.3 | 39.6 | 36.4 | 39.5 | 36.4 | 40.7 | 39.5 | 40.8 | 39.3 | 42.6 | 39.3 | 43.7 |
| NV2307 | 47.5 | 49.1 | 47.5 | 46.4 | 47.5 | 47.2 | 55.3 | 56.8 | 48.1 | 47.5 | 48.1 | 48.4 |
| NV2308 | 42.4 | 43.2 | 44.9 | 46.1 | 44.9 | 46.9 | 45.4 | 46.2 | 47.6 | 48.8 | 47.6 | 49.7 |
| NV2309 | 47.6 | 49.2 | 50.3 | 48.9 | 50.3 | 49.7 | 48.1 | 49.7 | 48.1 | 47.3 | 48.1 | 48.1 |
| NV2310 | 42.4 | 43.2 | 44.9 | 46.1 | 44.9 | 46.9 | 45.4 | 46.2 | 47.6 | 48.8 | 47.6 | 49.7 |
| NV2311 | 54.6 | 56.0 | 45.2 | 46.4 | 45.2 | 47.2 | 55.7 | 57.1 | 47.8 | 49.1 | 47.8 | 50.0 |
| NV2312 | 38.6 | 40.0 | 43.4 | 44.6 | 43.4 | 45.5 | 41.1 | 42.4 | 45.3 | 46.8 | 45.3 | 47.8 |
| NV2313 | 38.4 | 39.8 | 44.3 | 45.6 | 44.3 | 46.5 | 40.8 | 42.2 | 47.1 | 48.5 | 47.1 | 49.4 |
| NV2314 | 38.9 | 40.3 | 44.2 | 45.5 | 44.2 | 46.4 | 41.2 | 42.6 | 47.0 | 48.4 | 47.0 | 49.3 |
| NV2315 | 39.1 | 40.5 | 43.9 | 45.1 | 43.9 | 45.9 | 41.3 | 42.8 | 47.0 | 48.4 | 47.0 | 49.3 |
| NV2316 | 38.6 | 40.0 | 44.9 | 45.8 | 44.9 | 46.7 | 40.8 | 42.2 | 48.0 | 49.2 | 48.0 | 50.1 |
| NV2317 | 38.6 | 40.1 | 43.7 | 44.9 | 44.1 | 46.1 | 40.8 | 42.2 | 47.4 | 48.8 | 47.4 | 49.7 |
| NV2318 | 35.3 | 36.6 | 44.4 | 45.4 | 44.4 | 46.3 | 37.8 | 39.1 | 47.6 | 48.9 | 47.6 | 49.8 |
| NV2319 | 38.9 | 40.3 | 44.1 | 45.2 | 44.1 | 46.1 | 41.0 | 42.4 | 47.3 | 48.6 | 47.3 | 49.5 |
| NV2320 | 40.1 | 41.5 | 45.2 | 46.1 | 40.1 | 42.2 | 40.8 | 42.3 | 42.2 | 44.1 | 42.2 | 45.3 |
| NV2321 | 40.1 | 41.5 | 45.2 | 46.1 | 40.1 | 42.2 | 40.8 | 42.3 | 42.2 | 44.1 | 42.2 | 45.3 |
| NV2322 | 44.6 | 45.2 | 44.6 | 45.7 | 44.6 | 46.6 | 47.7 | 48.3 | 47.7 | 49.1 | 47.7 | 50.0 |
| NV2323 | 44.6 | 45.2 | 44.6 | 45.7 | 44.6 | 46.6 | 47.7 | 48.3 | 47.7 | 49.1 | 47.7 | 50.0 |
| NV2324 | 44.8 | 46.4 | 47.6 | 48.4 | 48.2 | 49.9 | 46.3 | 47.8 | 48.4 | 49.3 | 48.7 | 50.5 |
| NV2325 | 44.2 | 45.5 | 45.4 | 46.1 | 45.4 | 47.0 | 45.8 | 47.0 | 47.4 | 47.9 | 47.4 | 48.9 |
| NV2326 | 45.4 | 46.9 | 46.3 | 47.3 | 46.3 | 48.2 | 46.6 | 48.1 | 47.7 | 48.7 | 47.8 | 49.6 |
| NV2327 | 43.7 | 44.9 | 43.7 | 44.1 | 43.7 | 44.9 | 45.4 | 46.6 | 45.8 | 46.2 | 45.8 | 47.0 |
| NV2328 | 45.8 | 47.1 | 43.7 | 45.2 | 43.7 | 46.1 | 47.2 | 48.5 | 45.8 | 47.0 | 45.8 | 47.9 |
| NV2329 | 42.0 | 43.4 | 43.3 | 43.8 | 43.3 | 44.6 | 44.2 | 45.5 | 45.3 | 45.8 | 45.3 | 46.6 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2330 | 43.0 | 44.5 | 44.7 | 45.9 | 44.7 | 46.8 | 44.7 | 46.2 | 46.4 | 47.5 | 46.4 | 48.3 |
| NV2331 | 41.2 | 42.7 | 43.2 | 43.6 | 43.2 | 44.4 | 43.4 | 44.9 | 45.1 | 45.6 | 45.1 | 46.4 |
| NV2332 | 43.7 | 45.1 | 44.3 | 45.6 | 44.3 | 46.5 | 45.3 | 46.7 | 47.2 | 48.2 | 47.2 | 49.1 |
| NV2333 | 42.4 | 43.8 | 43.9 | 44.3 | 43.9 | 45.1 | 44.5 | 45.9 | 45.8 | 46.2 | 45.5 | 46.8 |
| NV2334 | 44.7 | 45.8 | 44.2 | 45.4 | 44.2 | 46.2 | 46.3 | 47.5 | 46.4 | 47.4 | 47.0 | 48.8 |
| NV2335 | 42.3 | 43.8 | 42.1 | 42.8 | 42.5 | 44.0 | 44.5 | 45.9 | 44.6 | 45.3 | 44.6 | 46.1 |
| NV2336 | 44.0 | 45.3 | 45.7 | 46.5 | 45.1 | 46.8 | 45.6 | 46.9 | 47.4 | 48.2 | 47.4 | 49.1 |
| NV2337 | 40.9 | 42.4 | 40.9 | 41.5 | 40.9 | 42.4 | 42.9 | 44.3 | 43.7 | 44.2 | 43.7 | 45.2 |
| NV2338 | 38.4 | 39.8 | 46.0 | 46.7 | 46.0 | 47.5 | 45.3 | 46.6 | 47.7 | 48.4 | 47.7 | 49.2 |
| NV2339 | 42.9 | 44.3 | 46.1 | 46.7 | 46.1 | 47.5 | 44.7 | 46.1 | 47.8 | 48.4 | 47.8 | 49.2 |
| NV2340 | 41.1 | 42.5 | 40.5 | 41.0 | 40.5 | 41.9 | 43.0 | 44.4 | 43.1 | 43.6 | 43.1 | 44.5 |
| NV2341 | 41.9 | 43.4 | 45.2 | 45.8 | 45.2 | 46.6 | 43.5 | 45.0 | 47.1 | 47.6 | 47.1 | 48.4 |
| NV2342 | 41.1 | 42.5 | 42.6 | 43.1 | 42.6 | 44.0 | 42.9 | 44.3 | 45.0 | 45.5 | 45.0 | 46.4 |
| NV2343 | 42.0 | 43.5 | 46.1 | 46.9 | 46.1 | 47.7 | 43.7 | 45.1 | 47.8 | 48.5 | 47.8 | 49.3 |
| NV2344 | 40.2 | 41.6 | 43.2 | 43.5 | 43.2 | 44.4 | 41.4 | 42.8 | 45.1 | 45.6 | 45.1 | 46.5 |
| NV2345 | 41.9 | 43.3 | 46.6 | 47.2 | 46.6 | 48.0 | 43.7 | 45.1 | 48.2 | 48.8 | 48.2 | 49.6 |
| NV2346 | 41.8 | 43.3 | 46.7 | 47.3 | 46.7 | 48.1 | 43.6 | 45.0 | 48.2 | 48.8 | 48.2 | 49.7 |
| NV2347 | 41.9 | 43.3 | 46.7 | 47.3 | 46.7 | 48.2 | 43.5 | 44.9 | 48.1 | 48.8 | 47.9 | 49.5 |
| NV2348 | 40.8 | 42.3 | 43.3 | 43.5 | 43.3 | 44.4 | 42.7 | 44.1 | 45.4 | 45.6 | 45.4 | 46.5 |
| NV2349 | 39.8 | 41.5 | 39.8 | 39.4 | 39.8 | 40.8 | 41.9 | 43.5 | 41.9 | 41.5 | 41.9 | 42.8 |
| NV2350 | 51.7 | 53.2 | 46.3 | 46.7 | 46.3 | 47.7 | 53.2 | 54.6 | 49.3 | 49.5 | 48.5 | 49.7 |
| NV2351 | 39.1 | 40.7 | 40.8 | 41.4 | 40.8 | 42.4 | 41.4 | 43.0 | 43.3 | 43.7 | 43.3 | 44.8 |
| NV2352 | 51.7 | 53.2 | 46.3 | 46.7 | 46.3 | 47.7 | 53.2 | 54.6 | 49.3 | 49.5 | 48.5 | 49.7 |
| NV2353 | 39.5 | 41.1 | 43.1 | 43.1 | 39.1 | 40.0 | 41.4 | 43.0 | 44.8 | 44.6 | 41.4 | 42.3 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2354 | 43.5 | 45.2 | 50.4 | 49.9 | 51.5 | 51.8 | 46.6 | 48.2 | 52.8 | 52.1 | 52.8 | 53.0 |
| NV2355 | 39.0 | 40.6 | 40.4 | 40.8 | 40.4 | 41.8 | 41.5 | 43.1 | 42.7 | 43.1 | 42.7 | 44.1 |
| NV2356 | 40.0 | 41.6 | 43.0 | 43.8 | 43.0 | 44.8 | 42.0 | 43.6 | 44.9 | 45.8 | 44.9 | 46.8 |
| NV2357 | 39.1 | 40.8 | 42.4 | 42.6 | 42.4 | 43.4 | 41.4 | 43.0 | 44.2 | 44.2 | 41.3 | 42.2 |
| NV2358 | 40.2 | 41.9 | 48.1 | 47.8 | 48.1 | 48.6 | 42.4 | 44.0 | 50.7 | 50.2 | 52.2 | 52.5 |
| NV2359 | 38.7 | 40.4 | 40.1 | 40.3 | 43.6 | 44.8 | 41.1 | 42.7 | 42.8 | 43.0 | 42.8 | 44.1 |
| NV2360 | 40.6 | 42.2 | 42.9 | 43.3 | 42.9 | 44.3 | 43.2 | 44.7 | 44.7 | 45.2 | 44.7 | 46.2 |
| NV2361 | 39.4 | 41.1 | 40.8 | 40.6 | 39.4 | 40.5 | 41.7 | 43.3 | 43.1 | 43.0 | 41.7 | 42.7 |
| NV2362 | 40.3 | 41.9 | 47.1 | 47.2 | 47.1 | 48.0 | 42.1 | 43.7 | 48.3 | 48.3 | 48.3 | 49.1 |
| NV2363 | 40.3 | 41.9 | 43.8 | 43.8 | 43.8 | 44.9 | 42.5 | 44.1 | 45.6 | 45.7 | 45.6 | 46.8 |
| NV2364 | 41.2 | 42.8 | 40.8 | 41.2 | 40.8 | 42.4 | 43.2 | 44.8 | 43.5 | 44.0 | 43.5 | 45.1 |
| NV2365 | 42.7 | 44.2 | 44.2 | 44.2 | 44.2 | 45.3 | 44.8 | 46.3 | 46.4 | 46.5 | 46.4 | 47.6 |
| NV2366 | 39.7 | 41.4 | 45.9 | 45.5 | 39.7 | 40.2 | 41.8 | 43.4 | 47.4 | 47.1 | 41.7 | 42.3 |
| NV2367 | 42.7 | 44.2 | 44.2 | 44.2 | 44.2 | 45.3 | 44.8 | 46.3 | 46.4 | 46.5 | 46.4 | 47.6 |
| NV2368 | 40.7 | 42.3 | 40.9 | 41.5 | 40.9 | 42.6 | 42.1 | 43.7 | 43.5 | 44.1 | 43.5 | 45.3 |
| NV2369 | 40.2 | 41.8 | 43.5 | 43.6 | 43.5 | 44.7 | 42.4 | 44.0 | 45.6 | 45.7 | 45.6 | 46.9 |
| NV2370 | 40.2 | 41.8 | 43.5 | 43.6 | 43.5 | 44.7 | 42.4 | 44.0 | 45.6 | 45.7 | 45.6 | 46.9 |
| NV2371 | 40.1 | 41.8 | 41.1 | 41.4 | 41.1 | 42.5 | 42.6 | 44.2 | 43.5 | 44.0 | 43.5 | 45.1 |
| NV2372 | 37.0 | 38.3 | 43.5 | 43.9 | 43.9 | 45.3 | 39.5 | 40.8 | 45.8 | 46.2 | 45.8 | 47.3 |
| NV2373 | 39.1 | 40.8 | 42.2 | 42.5 | 42.2 | 43.4 | 41.7 | 43.3 | 44.7 | 45.1 | 44.7 | 46.0 |
| NV2374 | 40.1 | 41.5 | 42.9 | 43.3 | 43.2 | 44.6 | 42.6 | 44.0 | 45.5 | 45.9 | 45.5 | 47.0 |
| NV2375 | 40.4 | 42.0 | 41.0 | 41.3 | 41.0 | 42.5 | 41.9 | 43.6 | 45.7 | 46.0 | 43.7 | 45.1 |
| NV2376 | 42.9 | 44.3 | 42.0 | 42.3 | 42.0 | 43.1 | 44.8 | 46.2 | 44.3 | 44.7 | 44.3 | 45.6 |
| NV2377 | 40.3 | 42.0 | 41.4 | 41.6 | 45.9 | 47.1 | 42.3 | 44.0 | 44.0 | 44.4 | 44.0 | 45.3 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2378 | 42.9 | 44.3 | 42.0 | 42.3 | 42.0 | 43.1 | 44.8 | 46.2 | 44.3 | 44.7 | 44.3 | 45.6 |
| NV2379 | 39.9 | 41.7 | 43.3 | 44.0 | 43.6 | 45.2 | 43.6 | 45.3 | 45.3 | 46.2 | 45.3 | 47.1 |
| NV2380 | 42.8 | 44.1 | 42.8 | 42.8 | 42.8 | 44.0 | 44.7 | 46.1 | 45.6 | 45.7 | 44.9 | 46.1 |
| NV2381 | 41.3 | 43.2 | 43.2 | 43.7 | 43.2 | 44.9 | 43.3 | 45.1 | 45.2 | 45.7 | 45.2 | 46.9 |
| NV2382 | 42.8 | 44.1 | 42.8 | 42.8 | 42.8 | 44.0 | 44.7 | 46.1 | 45.6 | 45.7 | 44.9 | 46.1 |
| NV2383 | 44.0 | 46.0 | 44.5 | 44.7 | 45.0 | 46.5 | 45.4 | 47.5 | 44.0 | 44.3 | 46.4 | 47.9 |
| NV2384 | 40.3 | 42.0 | 43.2 | 43.4 | 43.2 | 44.7 | 42.9 | 44.5 | 44.9 | 45.2 | 44.9 | 46.4 |
| NV2385 | 44.6 | 46.6 | 41.8 | 42.1 | 46.5 | 47.9 | 46.5 | 48.5 | 44.0 | 44.4 | 48.4 | 49.8 |
| NV2386 | 45.3 | 46.6 | 42.2 | 42.5 | 42.2 | 43.7 | 47.1 | 48.4 | 44.4 | 44.7 | 44.4 | 45.9 |
| NV2387 | 42.6 | 44.6 | 41.1 | 41.3 | 46.4 | 47.9 | 44.9 | 46.8 | 43.4 | 43.7 | 48.3 | 49.9 |
| NV2388 | 38.3 | 39.9 | 44.2 | 44.2 | 44.2 | 45.4 | 41.2 | 42.8 | 43.0 | 43.1 | 45.8 | 47.0 |
| NV2389 | 45.2 | 47.2 | 41.0 | 41.8 | 41.0 | 42.9 | 47.1 | 49.1 | 43.6 | 44.4 | 43.6 | 45.5 |
| NV2390 | 38.5 | 40.2 | 40.7 | 41.0 | 40.7 | 41.9 | 42.2 | 43.8 | 43.0 | 43.4 | 43.0 | 44.3 |
| NV2391 | 48.1 | 49.8 | 42.5 | 42.9 | 48.1 | 49.3 | 49.4 | 51.2 | 44.6 | 45.1 | 44.6 | 46.0 |
| NV2392 | 40.9 | 42.6 | 40.6 | 41.2 | 44.4 | 46.0 | 43.1 | 44.8 | 43.0 | 43.7 | 46.5 | 48.1 |
| NV2393 | 42.6 | 44.4 | 44.6 | 44.8 | 44.6 | 46.1 | 44.3 | 46.1 | 46.8 | 47.0 | 46.8 | 48.3 |
| NV2394 | 40.8 | 42.6 | 42.7 | 43.1 | 42.7 | 44.3 | 42.8 | 44.6 | 44.9 | 45.3 | 44.9 | 46.5 |
| NV2395 | 44.7 | 46.6 | 41.4 | 41.9 | 44.0 | 45.4 | 46.5 | 48.4 | 43.7 | 44.4 | 46.2 | 47.8 |
| NV2396 | 45.0 | 46.6 | 40.7 | 41.2 | 44.4 | 46.0 | 46.9 | 48.4 | 43.3 | 43.7 | 46.9 | 48.4 |
| NV2397 | 39.3 | 41.0 | 41.9 | 42.0 | 41.9 | 42.8 | 41.9 | 43.5 | 44.5 | 44.7 | 44.5 | 45.5 |
| NV2398 | 58.2 | 59.7 | 44.4 | 44.3 | 44.4 | 45.4 | 54.9 | 56.5 | 46.4 | 46.4 | 46.4 | 47.4 |
| NV2399 | 40.4 | 41.7 | 40.4 | 40.4 | 40.4 | 41.5 | 42.9 | 44.3 | 42.9 | 43.0 | 42.9 | 44.1 |
| NV2400 | 61.6 | 63.0 | 42.6 | 42.2 | 42.6 | 43.4 | 62.1 | 63.5 | 44.6 | 44.3 | 44.6 | 45.4 |
| NV2401 | 61.3 | 62.7 | 42.3 | 42.3 | 42.3 | 43.4 | 61.6 | 63.0 | 44.7 | 44.7 | 44.7 | 45.8 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2402 | 60.5 | 61.9 | 41.8 | 42.0 | 41.8 | 43.2 | 61.1 | 62.5 | 44.2 | 44.4 | 44.2 | 45.6 |
| NV2403 | 42.2 | 43.6 | 42.2 | 42.5 | 42.2 | 43.7 | 44.5 | 45.9 | 44.5 | 44.8 | 44.5 | 46.0 |
| NV2404 | 52.4 | 53.8 | 50.6 | 49.5 | 50.6 | 50.3 | 53.0 | 54.5 | 53.0 | 51.6 | 53.0 | 52.4 |
| NV2405 | 56.3 | 58.0 | 47.0 | 46.5 | 47.0 | 47.4 | 57.3 | 58.9 | 48.8 | 48.3 | 48.8 | 49.2 |
| NV2406 | 42.2 | 43.7 | 42.8 | 43.8 | 42.8 | 45.0 | 53.0 | 54.4 | 44.8 | 45.6 | 44.8 | 46.8 |
| NV2407 | 51.9 | 53.4 | 51.9 | 50.9 | 51.9 | 51.7 | 52.4 | 53.9 | 53.3 | 52.4 | 53.3 | 53.2 |
| NV2408 | 43.5 | 44.9 | 46.3 | 46.6 | 46.3 | 47.6 | 49.1 | 50.4 | 48.3 | 48.3 | 48.3 | 49.3 |
| NV2409 | 51.9 | 53.4 | 51.9 | 50.9 | 51.9 | 51.7 | 52.4 | 53.9 | 53.3 | 52.4 | 53.3 | 53.2 |
| NV2410 | 43.5 | 44.9 | 41.2 | 41.5 | 41.2 | 42.7 | 46.4 | 47.8 | 43.6 | 43.8 | 43.6 | 45.0 |
| NV2411 | 44.0 | 45.5 | 46.3 | 45.8 | 46.3 | 46.9 | 46.5 | 48.0 | 48.4 | 48.1 | 48.4 | 49.2 |
| NV2412 | 44.0 | 45.5 | 44.0 | 44.0 | 44.0 | 45.3 | 45.5 | 47.0 | 45.9 | 46.1 | 45.9 | 47.4 |
| NV2413 | 42.5 | 44.0 | 41.9 | 42.1 | 45.6 | 46.9 | 45.4 | 46.9 | 44.3 | 44.7 | 47.8 | 49.2 |
| NV2414 | 42.5 | 44.0 | 45.8 | 46.0 | 43.9 | 45.3 | 43.8 | 45.3 | 48.5 | 48.8 | 46.0 | 47.5 |
| NV2415 | 41.8 | 43.2 | 42.7 | 43.4 | 42.7 | 44.3 | 43.7 | 45.1 | 42.7 | 43.6 | 42.7 | 44.6 |
| NV2416 | 44.2 | 45.6 | 46.5 | 46.8 | 44.2 | 45.7 | 46.4 | 47.8 | 49.0 | 49.4 | 46.4 | 48.0 |
| NV2417 | 47.1 | 48.2 | 39.5 | 40.9 | 39.5 | 41.9 | 49.1 | 50.3 | 42.3 | 43.9 | 42.3 | 44.9 |
| NV2418 | 44.6 | 46.0 | 47.3 | 47.7 | 44.6 | 46.2 | 46.7 | 48.1 | 49.1 | 49.8 | 46.7 | 48.6 |
| NV2419 | 47.2 | 48.4 | 45.1 | 45.4 | 47.1 | 48.4 | 49.2 | 50.3 | 47.4 | 48.3 | 47.4 | 49.2 |
| NV2420 | 47.1 | 48.3 | 47.2 | 47.4 | 47.2 | 48.5 | 49.3 | 50.4 | 49.3 | 49.9 | 49.3 | 51.0 |
| NV2421 | 40.7 | 42.1 | 52.6 | 51.9 | 52.6 | 53.0 | 49.0 | 50.4 | 54.0 | 53.1 | 54.0 | 54.2 |
| NV2422 | 40.8 | 42.2 | 53.2 | 52.4 | 53.2 | 53.5 | 54.4 | 55.8 | 54.2 | 53.3 | 54.2 | 54.4 |
| NV2423 | 53.2 | 54.5 | 53.2 | 52.3 | 53.0 | 53.3 | 54.6 | 56.0 | 54.6 | 53.6 | 54.6 | 54.8 |
| NV2424 | 48.6 | 50.1 | 52.6 | 51.7 | 52.6 | 52.8 | 53.4 | 54.8 | 54.3 | 53.2 | 54.3 | 54.4 |
| NV2425 | 49.9 | 51.1 | 49.9 | 48.0 | 49.9 | 48.9 | 51.1 | 52.4 | 51.1 | 49.3 | 51.1 | 50.2 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2426 | 44.5 | 46.0 | 49.6 | 47.7 | 49.6 | 48.7 | 46.3 | 47.8 | 50.9 | 49.1 | 50.9 | 50.0 |
| NV2427 | 46.6 | 48.2 | 49.3 | 47.2 | 49.3 | 48.1 | 47.8 | 49.3 | 50.6 | 48.5 | 50.6 | 49.5 |
| NV2428 | 45.7 | 47.1 | 45.7 | 45.6 | 48.2 | 49.3 | 48.2 | 49.6 | 48.2 | 48.1 | 48.2 | 49.4 |
| NV2429 | 44.8 | 46.1 | 44.8 | 44.6 | 44.8 | 45.9 | 51.0 | 52.3 | 47.7 | 47.5 | 47.7 | 48.8 |
| NV2430 | 43.9 | 45.2 | 43.9 | 43.7 | 43.9 | 45.0 | 46.9 | 48.2 | 46.9 | 46.7 | 46.9 | 48.0 |
| NV2431 | 45.5 | 46.9 | 45.5 | 45.4 | 45.5 | 46.7 | 48.2 | 49.6 | 48.4 | 48.2 | 48.2 | 49.4 |
| NV2432 | 49.0 | 50.3 | 49.0 | 48.7 | 49.0 | 50.0 | 51.5 | 52.8 | 50.3 | 50.1 | 50.3 | 51.4 |
| NV2433 | 49.2 | 50.5 | 49.2 | 48.9 | 49.2 | 50.1 | 51.7 | 52.9 | 51.7 | 51.4 | 51.7 | 52.6 |
| NV2434 | 47.8 | 49.2 | 48.6 | 48.4 | 48.6 | 49.7 | 50.9 | 52.3 | 50.9 | 50.8 | 50.9 | 52.0 |
| NV2435 | 48.0 | 49.4 | 48.0 | 47.9 | 48.0 | 49.2 | 50.3 | 51.7 | 50.3 | 50.2 | 50.3 | 51.5 |
| NV2436 | 48.4 | 49.8 | 48.4 | 48.3 | 48.4 | 49.6 | 50.7 | 52.1 | 50.7 | 50.6 | 50.7 | 51.9 |
| NV2437 | 45.5 | 46.9 | 45.5 | 45.4 | 48.2 | 49.4 | 50.3 | 51.7 | 50.3 | 50.2 | 50.3 | 51.5 |
| NV2438 | 55.6 | 57.4 | 55.6 | 55.9 | 55.6 | 57.0 | 56.9 | 58.7 | 60.5 | 60.8 | 56.9 | 58.3 |
| NV2439 | 50.2 | 51.6 | 50.2 | 50.1 | 50.2 | 51.4 | 51.8 | 53.2 | 51.7 | 51.6 | 51.8 | 53.0 |
| NV2440 | 54.0 | 55.8 | 59.0 | 59.3 | 54.0 | 55.4 | 56.3 | 58.1 | 60.3 | 60.6 | 56.3 | 57.7 |
| NV2441 | 50.1 | 51.5 | 51.4 | 51.3 | 50.2 | 51.4 | 51.7 | 53.1 | 55.0 | 54.9 | 51.7 | 52.9 |
| NV2442 | 55.3 | 57.1 | 55.3 | 55.6 | 55.3 | 56.7 | 56.6 | 58.4 | 56.6 | 56.9 | 56.6 | 58.0 |
| NV2443 | 48.2 | 49.6 | 48.2 | 48.1 | 48.2 | 49.4 | 49.7 | 51.1 | 56.6 | 56.5 | 49.7 | 50.9 |
| NV2444 | 60.3 | 62.0 | 60.3 | 60.5 | 60.3 | 61.6 | 61.4 | 63.1 | 61.4 | 61.6 | 61.4 | 62.7 |
| NV2445 | 50.6 | 51.9 | 55.8 | 55.7 | 55.8 | 56.8 | 57.1 | 58.3 | 57.1 | 57.0 | 57.1 | 58.1 |
| NV2446 | 53.7 | 55.4 | 53.7 | 53.9 | 53.7 | 55.0 | 56.3 | 58.1 | 56.3 | 56.6 | 56.3 | 57.7 |
| NV2447 | 52.7 | 54.0 | 52.7 | 52.5 | 52.7 | 53.7 | 54.4 | 55.7 | 54.4 | 54.2 | 54.4 | 55.4 |
| NV2448 | 58.8 | 60.2 | 58.8 | 58.9 | 58.8 | 60.0 | 60.3 | 61.8 | 60.3 | 60.4 | 60.3 | 61.5 |
| NV2449 | 53.6 | 55.0 | 53.6 | 53.5 | 53.4 | 54.7 | 54.7 | 56.1 | 54.4 | 54.3 | 54.7 | 55.9 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2450 | 53.1 | 54.5 | 53.1 | 53.0 | 52.2 | 53.5 | 54.0 | 55.4 | 54.0 | 53.9 | 54.0 | 55.3 |
| NV2451 | 56.3 | 57.9 | 56.3 | 56.4 | 56.3 | 57.5 | 54.9 | 56.6 | 54.9 | 55.1 | 54.9 | 56.2 |
| NV2452 | 55.6 | 57.0 | 55.6 | 55.5 | 55.6 | 56.8 | 56.5 | 57.9 | 56.5 | 56.4 | 56.5 | 57.8 |
| NV2453 | 51.4 | 52.8 | 51.4 | 51.5 | 51.4 | 52.8 | 60.4 | 61.8 | 60.4 | 60.5 | 53.1 | 54.4 |
| NV2454 | 51.8 | 53.2 | 56.5 | 56.5 | 51.8 | 53.1 | 53.4 | 54.7 | 59.5 | 59.5 | 53.4 | 54.6 |
| NV2455 | 49.4 | 50.8 | 58.4 | 58.4 | 49.4 | 50.6 | 51.0 | 52.3 | 59.4 | 59.3 | 59.4 | 60.5 |
| NV2456 | 49.2 | 50.6 | 58.1 | 58.1 | 49.2 | 50.4 | 50.8 | 52.1 | 58.5 | 58.5 | 59.1 | 60.2 |
| NV2457 | 48.5 | 49.9 | 57.1 | 57.0 | 50.5 | 51.7 | 50.5 | 51.9 | 58.2 | 58.1 | 50.5 | 51.7 |
| NV2458 | 57.2 | 58.5 | 58.7 | 58.7 | 58.7 | 59.8 | 58.2 | 59.5 | 58.0 | 57.9 | 57.4 | 58.5 |
| NV2459 | 55.9 | 57.3 | 55.9 | 55.9 | 55.9 | 57.2 | 56.9 | 58.3 | 56.9 | 56.8 | 56.9 | 58.1 |
| NV2460 | 47.6 | 49.1 | 47.9 | 47.9 | 48.3 | 49.4 | 50.2 | 51.6 | 50.2 | 50.2 | 50.2 | 51.3 |
| NV2461 | 52.4 | 53.8 | 52.4 | 52.3 | 52.4 | 53.5 | 54.3 | 55.7 | 54.3 | 54.2 | 54.3 | 55.4 |
| NV2462 | 50.2 | 51.7 | 50.2 | 50.3 | 50.2 | 51.4 | 51.7 | 53.2 | 51.7 | 51.8 | 51.4 | 52.6 |
| NV2463 | 52.4 | 53.8 | 52.4 | 52.3 | 52.4 | 53.5 | 54.3 | 55.7 | 54.3 | 54.2 | 54.3 | 55.4 |
| NV2464 | 51.1 | 52.6 | 51.1 | 51.2 | 50.6 | 51.8 | 52.5 | 54.0 | 52.5 | 52.6 | 52.5 | 53.7 |
| NV2465 | 52.4 | 53.8 | 52.4 | 52.3 | 52.4 | 53.5 | 54.3 | 55.7 | 54.3 | 54.2 | 54.3 | 55.4 |
| NV2466 | 55.3 | 57.0 | 55.3 | 55.5 | 55.3 | 56.5 | 56.7 | 58.4 | 56.7 | 56.9 | 56.7 | 57.9 |
| NV2467 | 57.9 | 59.7 | 57.9 | 58.1 | 57.9 | 59.2 | 59.1 | 60.9 | 59.1 | 59.3 | 59.1 | 60.4 |
| NV2468 | 58.8 | 60.6 | 57.7 | 58.0 | 58.8 | 60.2 | 59.9 | 61.7 | 59.9 | 60.2 | 59.9 | 61.3 |
| NV2469 | 55.2 | 57.1 | 58.7 | 59.0 | 58.7 | 60.1 | 56.5 | 58.4 | 56.5 | 56.8 | 56.5 | 57.9 |
| NV2470 | 58.7 | 60.5 | 58.7 | 58.9 | 58.7 | 60.0 | 60.0 | 61.7 | 60.0 | 60.2 | 60.0 | 61.3 |
| NV2471 | 54.9 | 56.8 | 54.9 | 55.3 | 54.9 | 56.4 | 59.9 | 61.7 | 59.9 | 60.2 | 59.9 | 61.3 |
| NV2472 | 58.5 | 60.3 | 58.6 | 58.8 | 58.6 | 59.9 | 59.9 | 61.7 | 59.9 | 60.2 | 59.9 | 61.2 |
| NV2473 | 47.6 | 49.0 | 47.6 | 47.5 | 47.6 | 48.8 | 50.0 | 51.4 | 49.4 | 49.3 | 50.0 | 51.2 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2474 | 58.4 | 60.2 | 58.4 | 58.7 | 55.7 | 57.1 | 56.9 | 58.7 | 56.9 | 57.2 | 56.9 | 58.3 |
| NV2475 | 47.3 | 48.7 | 47.3 | 47.2 | 45.7 | 46.9 | 49.4 | 50.7 | 49.3 | 49.1 | 48.6 | 49.7 |
| NV2476 | 58.2 | 60.0 | 58.2 | 58.5 | 58.2 | 59.6 | 59.4 | 61.2 | 59.4 | 59.7 | 55.8 | 57.2 |
| NV2477 | 46.8 | 48.2 | 46.8 | 46.7 | 46.8 | 48.0 | 49.4 | 50.7 | 48.8 | 48.6 | 48.8 | 49.9 |
| NV2478 | 45.1 | 46.5 | 45.1 | 45.0 | 45.1 | 46.2 | 53.7 | 55.0 | 47.6 | 47.4 | 47.6 | 48.6 |
| NV2479 | 47.5 | 49.0 | 47.5 | 47.5 | 45.9 | 47.1 | 50.4 | 51.9 | 50.4 | 50.4 | 50.4 | 51.5 |
| NV2480 | 51.9 | 53.3 | 51.9 | 51.8 | 51.9 | 53.0 | 53.4 | 54.8 | 53.6 | 53.4 | 53.4 | 54.5 |
| NV2481 | 46.4 | 47.9 | 46.4 | 46.4 | 46.4 | 47.5 | 49.5 | 51.0 | 49.5 | 49.5 | 49.5 | 50.6 |
| NV2482 | 46.9 | 48.3 | 46.9 | 46.8 | 46.9 | 48.1 | 49.4 | 50.8 | 49.4 | 49.3 | 49.4 | 50.5 |
| NV2483 | 50.0 | 51.3 | 45.8 | 45.6 | 45.8 | 46.8 | 52.2 | 53.6 | 52.2 | 52.0 | 52.2 | 53.1 |
| NV2484 | 49.9 | 51.3 | 49.9 | 49.8 | 49.9 | 51.2 | 51.7 | 53.1 | 51.7 | 51.6 | 51.7 | 52.9 |
| NV2485 | 50.8 | 52.2 | 50.8 | 50.7 | 50.8 | 52.0 | 52.2 | 53.6 | 52.2 | 52.1 | 52.2 | 53.4 |
| NV2486 | 52.3 | 53.7 | 52.3 | 52.2 | 50.3 | 51.6 | 53.8 | 55.2 | 54.6 | 54.4 | 53.8 | 55.0 |
| NV2487 | 51.9 | 53.2 | 44.4 | 44.3 | 50.9 | 52.0 | 53.4 | 54.7 | 52.4 | 52.2 | 52.4 | 53.5 |
| NV2488 | 54.1 | 55.5 | 54.1 | 54.0 | 54.1 | 55.3 | 55.3 | 56.7 | 55.3 | 55.2 | 55.3 | 56.5 |
| NV2489 | 44.5 | 45.9 | 44.5 | 44.4 | 48.1 | 49.2 | 52.6 | 53.9 | 50.2 | 50.0 | 50.2 | 51.3 |
| NV2490 | 54.0 | 55.4 | 54.0 | 53.9 | 54.0 | 55.2 | 55.2 | 56.6 | 55.2 | 55.1 | 55.2 | 56.4 |
| NV2491 | 54.1 | 55.5 | 54.8 | 54.7 | 54.8 | 56.0 | 55.7 | 57.1 | 56.2 | 56.1 | 55.7 | 56.9 |
| NV2492 | 52.4 | 53.8 | 52.4 | 52.3 | 52.4 | 53.5 | 54.3 | 55.7 | 54.3 | 54.2 | 54.3 | 55.4 |
| NV2493 | 52.4 | 53.8 | 52.4 | 52.3 | 52.4 | 53.5 | 54.3 | 55.7 | 54.3 | 54.2 | 54.3 | 55.4 |
| NV2494 | 52.4 | 53.8 | 52.4 | 52.3 | 52.4 | 53.5 | 54.3 | 55.7 | 54.3 | 54.2 | 54.3 | 55.4 |
| NV2495 | 52.4 | 53.8 | 52.4 | 52.3 | 52.4 | 53.5 | 54.3 | 55.7 | 54.3 | 54.2 | 54.3 | 55.4 |
| NV2496 | 52.4 | 53.8 | 52.4 | 52.3 | 52.4 | 53.5 | 54.3 | 55.7 | 54.3 | 54.2 | 54.3 | 55.4 |
| NV2497 | 53.1 | 54.5 | 53.1 | 53.0 | 53.1 | 54.3 | 54.3 | 55.7 | 54.3 | 54.2 | 54.3 | 55.5 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2498 | 49.9 | 51.3 | 49.9 | 49.8 | 49.9 | 51.2 | 51.8 | 53.2 | 51.8 | 51.7 | 51.8 | 53.0 |
| NV2499 | 51.2 | 52.6 | 51.2 | 51.1 | 51.2 | 52.4 | 52.5 | 53.9 | 52.5 | 52.4 | 52.9 | 54.1 |
| NV2500 | 49.9 | 51.3 | 49.9 | 49.8 | 49.9 | 51.2 | 51.8 | 53.2 | 51.8 | 51.7 | 51.8 | 53.1 |
| NV2501 | 51.2 | 52.6 | 50.9 | 50.9 | 50.9 | 52.2 | 53.0 | 54.3 | 53.0 | 52.9 | 53.0 | 54.2 |
| NV2502 | 49.3 | 50.7 | 49.3 | 49.2 | 49.3 | 50.5 | 51.4 | 52.8 | 50.6 | 50.5 | 50.6 | 51.8 |
| NV2503 | 51.2 | 52.6 | 50.9 | 50.9 | 50.9 | 52.2 | 52.4 | 53.8 | 52.4 | 52.4 | 52.4 | 53.7 |
| NV2504 | 44.8 | 46.2 | 48.5 | 48.3 | 48.5 | 49.6 | 48.6 | 50.0 | 50.7 | 50.5 | 48.6 | 49.8 |
| NV2505 | 50.7 | 52.1 | 50.1 | 50.2 | 50.1 | 51.5 | 52.2 | 53.6 | 51.6 | 51.7 | 51.6 | 53.0 |
| NV2506 | 49.0 | 50.4 | 49.9 | 50.0 | 49.9 | 51.3 | 51.5 | 52.9 | 51.5 | 51.7 | 51.5 | 53.0 |
| NV2507 | 49.4 | 50.8 | 49.4 | 49.3 | 49.2 | 50.5 | 51.1 | 52.5 | 51.1 | 51.0 | 51.1 | 52.3 |
| NV2508 | 49.4 | 50.8 | 49.4 | 49.3 | 49.4 | 50.6 | 51.1 | 52.5 | 51.1 | 51.0 | 51.1 | 52.3 |
| NV2509 | 52.3 | 53.6 | 52.3 | 52.1 | 52.3 | 53.4 | 54.0 | 55.3 | 54.0 | 53.7 | 54.0 | 55.0 |
| NV2510 | 47.6 | 49.0 | 47.6 | 47.5 | 47.6 | 48.7 | 49.7 | 51.0 | 49.7 | 49.5 | 49.7 | 50.7 |
| NV2511 | 51.4 | 52.8 | 51.4 | 51.3 | 51.4 | 52.7 | 53.0 | 54.4 | 53.0 | 52.9 | 53.0 | 54.3 |
| NV2512 | 48.1 | 49.5 | 48.1 | 48.0 | 48.9 | 50.1 | 51.2 | 52.6 | 51.2 | 51.1 | 51.2 | 52.4 |
| NV2513 | 52.3 | 53.6 | 48.9 | 48.8 | 49.4 | 50.5 | 53.9 | 55.2 | 52.2 | 52.0 | 50.6 | 51.7 |
| NV2514 | 51.3 | 52.6 | 51.3 | 51.1 | 51.3 | 52.4 | 52.6 | 54.0 | 53.1 | 52.9 | 53.1 | 54.2 |
| NV2515 | 50.5 | 51.9 | 50.5 | 50.4 | 50.5 | 51.8 | 52.3 | 53.7 | 52.3 | 52.2 | 52.3 | 53.5 |
| NV2516 | 50.8 | 52.1 | 50.8 | 50.5 | 50.9 | 51.8 | 52.8 | 54.1 | 52.8 | 52.5 | 52.0 | 53.0 |
| NV2517 | 50.2 | 51.5 | 45.7 | 45.5 | 45.7 | 46.8 | 52.0 | 53.3 | 52.0 | 51.8 | 48.6 | 49.7 |
| NV2518 | 41.3 | 43.0 | 41.3 | 41.5 | 41.3 | 42.9 | 43.7 | 45.4 | 43.7 | 44.0 | 43.7 | 45.3 |
| NV2519 | 43.0 | 44.7 | 43.0 | 43.6 | 43.0 | 44.9 | 45.3 | 46.9 | 45.3 | 45.8 | 45.3 | 47.2 |
| NV2520 | 41.3 | 43.0 | 41.3 | 41.5 | 41.3 | 42.9 | 43.7 | 45.4 | 43.7 | 44.0 | 43.7 | 45.3 |
| NV2521 | 43.0 | 44.7 | 43.0 | 43.6 | 43.0 | 44.9 | 45.3 | 46.9 | 45.3 | 45.8 | 45.3 | 47.2 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2522 | 46.4 | 47.9 | 46.4 | 46.4 | 46.4 | 47.8 | 50.6 | 52.0 | 48.6 | 48.6 | 48.6 | 50.0 |
| NV2523 | 42.5 | 44.2 | 42.5 | 43.1 | 42.5 | 44.4 | 44.9 | 46.5 | 44.9 | 45.4 | 44.9 | 46.7 |
| NV2524 | 46.4 | 47.9 | 46.4 | 46.4 | 46.4 | 47.8 | 50.6 | 52.0 | 48.6 | 48.6 | 48.6 | 50.0 |
| NV2525 | 51.9 | 53.4 | 51.9 | 52.0 | 51.9 | 53.5 | 53.4 | 54.9 | 53.4 | 53.5 | 53.4 | 54.9 |
| NV2526 | 40.3 | 41.9 | 40.3 | 40.7 | 40.3 | 42.1 | 50.5 | 52.0 | 43.0 | 43.4 | 43.0 | 44.7 |
| NV2527 | 51.9 | 53.4 | 51.9 | 52.0 | 51.9 | 53.5 | 53.4 | 54.9 | 53.4 | 53.5 | 53.4 | 54.9 |
| NV2528 | 40.3 | 41.9 | 40.3 | 40.7 | 40.3 | 42.1 | 50.5 | 52.0 | 43.0 | 43.4 | 43.0 | 44.7 |
| NV2529 | 41.5 | 43.0 | 53.4 | 53.4 | 53.4 | 54.9 | 53.3 | 54.8 | 54.6 | 54.6 | 54.6 | 56.0 |
| NV2530 | 40.9 | 42.5 | 40.9 | 41.0 | 46.5 | 48.0 | 43.8 | 45.4 | 43.8 | 43.9 | 43.8 | 45.3 |
| NV2531 | 50.9 | 52.4 | 51.5 | 51.5 | 43.2 | 44.7 | 46.2 | 47.7 | 46.2 | 46.2 | 46.2 | 47.7 |
| NV2532 | 41.3 | 43.0 | 45.0 | 45.1 | 45.0 | 46.5 | 45.8 | 47.4 | 47.5 | 47.6 | 49.2 | 50.7 |
| NV2533 | 50.9 | 52.4 | 51.5 | 51.5 | 43.2 | 44.7 | 46.2 | 47.7 | 46.2 | 46.2 | 46.2 | 47.7 |
| NV2534 | 40.8 | 42.5 | 47.0 | 47.0 | 44.8 | 46.3 | 43.4 | 45.0 | 49.5 | 49.5 | 49.5 | 50.9 |
| NV2535 | 41.2 | 42.8 | 47.3 | 47.3 | 45.3 | 46.8 | 44.0 | 45.6 | 47.6 | 47.7 | 49.0 | 50.5 |
| NV2536 | 40.8 | 42.5 | 47.0 | 47.0 | 44.8 | 46.3 | 43.4 | 45.0 | 49.5 | 49.5 | 49.5 | 50.9 |
| NV2537 | 41.2 | 42.8 | 47.3 | 47.3 | 45.3 | 46.8 | 44.0 | 45.6 | 47.6 | 47.7 | 49.0 | 50.5 |
| NV2538 | 54.4 | 55.9 | 54.4 | 54.5 | 54.4 | 55.9 | 43.9 | 45.4 | 55.5 | 55.5 | 55.5 | 56.9 |
| NV2539 | 54.8 | 56.3 | 54.5 | 54.6 | 43.2 | 44.8 | 55.7 | 57.2 | 55.7 | 55.8 | 55.7 | 57.2 |
| NV2540 | 53.7 | 55.2 | 54.2 | 54.2 | 54.2 | 55.7 | 55.0 | 56.5 | 55.0 | 55.1 | 55.0 | 56.5 |
| NV2541 | 52.8 | 54.3 | 53.2 | 53.2 | 52.8 | 54.3 | 53.6 | 55.1 | 53.6 | 53.7 | 54.0 | 55.5 |
| NV2542 | 41.3 | 42.9 | 41.3 | 41.4 | 48.9 | 50.4 | 44.1 | 45.7 | 44.1 | 44.3 | 49.9 | 51.5 |
| NV2543 | 50.5 | 52.0 | 50.5 | 50.6 | 50.5 | 52.0 | 53.0 | 54.5 | 48.1 | 48.3 | 51.5 | 53.1 |
| NV2544 | 50.5 | 52.0 | 50.5 | 50.6 | 50.5 | 52.0 | 53.0 | 54.5 | 48.1 | 48.3 | 51.5 | 53.1 |
| NV2545 | 45.8 | 47.3 | 45.2 | 45.3 | 48.9 | 50.4 | 45.9 | 47.4 | 45.9 | 46.0 | 50.0 | 51.5 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2546 | 45.8 | 47.3 | 45.2 | 45.3 | 48.9 | 50.4 | 45.9 | 47.4 | 45.9 | 46.0 | 50.0 | 51.5 |
| NV2547 | 42.8 | 44.7 | 42.8 | 43.1 | 42.8 | 44.5 | 44.6 | 46.5 | 44.6 | 45.2 | 44.6 | 46.6 |
| NV2548 | 44.3 | 46.3 | 44.0 | 44.6 | 44.0 | 46.0 | 46.5 | 48.4 | 46.5 | 47.0 | 46.5 | 48.4 |
| NV2549 | 40.2 | 42.0 | 40.2 | 40.7 | 40.2 | 42.0 | 43.0 | 44.8 | 42.9 | 43.4 | 42.9 | 44.7 |
| NV2550 | 44.2 | 46.2 | 43.9 | 44.7 | 43.9 | 46.1 | 46.2 | 48.2 | 46.2 | 47.1 | 46.2 | 48.4 |
| NV2551 | 45.3 | 46.9 | 45.6 | 45.5 | 43.0 | 44.4 | 45.3 | 46.9 | 45.3 | 45.3 | 45.3 | 46.7 |
| NV2552 | 45.7 | 47.7 | 45.7 | 46.0 | 45.7 | 47.4 | 47.6 | 49.5 | 47.6 | 47.8 | 47.6 | 49.2 |
| NV2553 | 44.1 | 45.9 | 43.5 | 43.5 | 43.5 | 44.9 | 46.5 | 48.2 | 46.2 | 46.2 | 46.2 | 47.6 |
| NV2554 | 46.6 | 48.6 | 44.8 | 45.4 | 44.8 | 46.8 | 48.1 | 50.1 | 46.5 | 47.3 | 46.5 | 48.7 |
| NV2555 | 42.4 | 44.3 | 43.1 | 43.1 | 43.1 | 44.5 | 44.8 | 46.6 | 46.0 | 46.0 | 46.0 | 47.4 |
| NV2556 | 53.2 | 55.0 | 43.3 | 43.3 | 43.3 | 44.7 | 54.7 | 56.5 | 45.5 | 45.4 | 45.5 | 46.9 |
| NV2557 | 41.8 | 43.7 | 41.8 | 42.1 | 41.8 | 43.4 | 44.3 | 46.1 | 44.3 | 44.5 | 44.3 | 45.9 |
| NV2558 | 53.7 | 55.5 | 41.7 | 41.6 | 41.7 | 43.0 | 54.9 | 56.7 | 44.5 | 44.4 | 44.5 | 45.8 |
| NV2559 | 43.6 | 45.5 | 42.0 | 42.2 | 42.0 | 43.6 | 45.7 | 47.5 | 44.4 | 44.6 | 45.4 | 46.9 |
| NV2560 | 51.4 | 53.2 | 48.6 | 48.6 | 48.6 | 50.0 | 50.3 | 52.1 | 50.3 | 50.3 | 50.3 | 51.7 |
| NV2561 | 41.1 | 42.9 | 41.1 | 41.3 | 41.1 | 42.7 | 43.6 | 45.4 | 43.6 | 43.9 | 43.6 | 45.3 |
| NV2562 | 49.1 | 51.2 | 49.1 | 49.2 | 49.1 | 50.6 | 50.5 | 52.5 | 49.2 | 49.4 | 49.2 | 50.8 |
| NV2563 | 40.2 | 41.9 | 45.4 | 45.4 | 45.4 | 46.8 | 43.0 | 44.7 | 47.1 | 47.1 | 47.1 | 48.5 |
| NV2564 | 54.4 | 56.2 | 44.4 | 44.4 | 44.4 | 45.8 | 55.9 | 57.7 | 46.6 | 46.5 | 46.6 | 48.0 |
| NV2565 | 42.3 | 44.1 | 41.9 | 42.1 | 41.9 | 43.5 | 44.1 | 45.9 | 44.1 | 44.5 | 44.1 | 45.8 |
| NV2566 | 49.1 | 51.1 | 49.1 | 49.2 | 49.1 | 50.6 | 50.7 | 52.8 | 50.7 | 50.9 | 50.7 | 52.4 |
| NV2567 | 39.1 | 40.7 | 43.3 | 43.3 | 43.3 | 44.7 | 42.3 | 43.9 | 45.7 | 45.6 | 45.7 | 47.0 |
| NV2568 | 54.4 | 56.2 | 43.7 | 43.6 | 43.7 | 45.0 | 55.7 | 57.5 | 46.1 | 46.0 | 45.9 | 47.3 |
| NV2569 | 44.9 | 46.6 | 47.9 | 47.9 | 47.9 | 49.2 | 47.2 | 48.8 | 45.3 | 45.3 | 45.3 | 46.7 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2570 | 53.7 | 55.5 | 43.1 | 43.0 | 43.1 | 44.4 | 53.8 | 55.6 | 45.6 | 45.5 | 45.6 | 46.9 |
| NV2571 | 42.4 | 44.4 | 42.4 | 43.1 | 42.4 | 44.5 | 44.5 | 46.4 | 44.5 | 45.2 | 44.5 | 46.6 |
| NV2572 | 53.1 | 54.9 | 53.1 | 53.0 | 41.3 | 42.6 | 54.8 | 56.5 | 44.4 | 44.3 | 44.4 | 45.7 |
| NV2573 | 47.1 | 48.6 | 43.5 | 43.5 | 43.6 | 45.0 | 49.0 | 50.5 | 49.2 | 49.1 | 45.7 | 47.1 |
| NV2574 | 52.5 | 54.2 | 52.5 | 52.4 | 52.5 | 53.7 | 54.5 | 56.1 | 44.1 | 44.0 | 44.1 | 45.4 |
| NV2575 | 46.4 | 47.9 | 43.8 | 43.8 | 44.4 | 45.8 | 48.6 | 50.1 | 46.6 | 46.6 | 46.6 | 48.0 |
| NV2576 | 51.2 | 53.0 | 47.0 | 47.1 | 50.6 | 52.1 | 52.5 | 54.3 | 49.3 | 49.4 | 52.5 | 53.9 |
| NV2577 | 44.4 | 46.1 | 47.4 | 47.4 | 42.5 | 43.9 | 49.5 | 51.0 | 45.2 | 45.2 | 45.2 | 46.6 |
| NV2578 | 45.0 | 46.8 | 44.9 | 45.8 | 45.0 | 47.1 | 46.7 | 48.5 | 46.7 | 47.5 | 46.7 | 48.8 |
| NV2579 | 44.6 | 46.4 | 44.1 | 44.8 | 44.1 | 46.1 | 46.0 | 47.7 | 46.0 | 46.7 | 46.0 | 48.0 |
| NV2580 | 44.7 | 46.5 | 44.7 | 45.4 | 44.7 | 46.7 | 46.9 | 48.6 | 46.9 | 47.5 | 46.9 | 48.8 |
| NV2581 | 42.3 | 43.9 | 42.3 | 42.6 | 42.3 | 43.9 | 45.1 | 46.7 | 45.1 | 45.3 | 45.1 | 46.7 |
| NV2582 | 44.9 | 46.8 | 44.9 | 45.5 | 44.9 | 46.9 | 47.0 | 48.8 | 47.0 | 47.6 | 47.0 | 49.0 |
| NV2583 | 49.8 | 51.3 | 49.8 | 49.9 | 49.8 | 51.3 | 50.1 | 51.6 | 51.5 | 51.5 | 48.5 | 50.0 |
| NV2584 | 53.6 | 55.1 | 53.6 | 53.7 | 53.2 | 54.8 | 55.4 | 56.9 | 54.8 | 54.9 | 55.4 | 56.9 |
| NV2585 | 41.5 | 43.1 | 45.9 | 46.0 | 45.9 | 47.4 | 50.3 | 51.8 | 48.0 | 48.1 | 48.0 | 49.6 |
| NV2586 | 43.8 | 45.5 | 43.8 | 44.0 | 43.8 | 45.4 | 46.4 | 48.0 | 46.4 | 46.6 | 46.4 | 48.0 |
| NV2587 | 50.7 | 52.2 | 50.9 | 51.0 | 50.7 | 52.3 | 52.1 | 53.6 | 52.0 | 52.2 | 52.0 | 53.6 |
| NV2588 | 43.0 | 44.6 | 42.9 | 43.1 | 42.9 | 44.5 | 45.9 | 47.5 | 45.9 | 46.1 | 45.8 | 47.4 |
| NV2589 | 49.7 | 51.2 | 49.7 | 49.8 | 49.7 | 51.3 | 51.8 | 53.3 | 51.8 | 51.9 | 51.8 | 53.4 |
| NV2590 | 43.9 | 45.6 | 54.6 | 54.7 | 54.6 | 56.2 | 46.9 | 48.5 | 55.4 | 55.5 | 55.4 | 57.0 |
| NV2591 | 53.9 | 55.4 | 53.9 | 54.0 | 51.6 | 53.2 | 55.9 | 57.4 | 55.9 | 56.0 | 54.8 | 56.4 |
| NV2592 | 43.3 | 44.9 | 54.7 | 54.8 | 54.1 | 55.7 | 46.1 | 47.7 | 46.0 | 46.2 | 54.9 | 56.5 |
| NV2593 | 42.4 | 44.0 | 54.2 | 54.2 | 52.0 | 53.6 | 45.3 | 46.9 | 52.7 | 52.8 | 52.7 | 54.3 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2594 | 43.2 | 44.9 | 43.2 | 43.4 | 54.4 | 56.0 | 45.7 | 47.4 | 45.7 | 46.0 | 45.7 | 47.4 |
| NV2595 | 42.7 | 44.4 | 42.7 | 42.9 | 55.3 | 56.9 | 45.5 | 47.1 | 45.5 | 45.6 | 56.5 | 58.0 |
| NV2596 | 43.2 | 44.9 | 43.2 | 43.5 | 43.2 | 44.9 | 45.8 | 47.4 | 45.8 | 46.0 | 50.7 | 52.3 |
| NV2597 | 41.2 | 43.0 | 41.2 | 42.0 | 41.2 | 43.3 | 43.4 | 45.1 | 43.4 | 44.3 | 43.4 | 45.7 |
| NV2598 | 46.9 | 48.4 | 47.0 | 47.0 | 47.0 | 48.5 | 51.0 | 52.4 | 48.9 | 48.9 | 48.9 | 50.3 |
| NV2599 | 50.0 | 51.4 | 47.8 | 47.8 | 47.8 | 49.2 | 49.8 | 51.3 | 49.8 | 49.8 | 49.8 | 51.3 |
| NV2600 | 49.9 | 51.4 | 49.9 | 50.0 | 49.9 | 51.4 | 51.5 | 53.0 | 51.6 | 51.6 | 50.5 | 52.0 |
| NV2601 | 48.4 | 49.9 | 48.4 | 48.4 | 48.4 | 49.9 | 49.5 | 51.0 | 49.5 | 49.6 | 49.6 | 51.1 |
| NV2602 | 40.1 | 41.8 | 40.1 | 40.3 | 40.1 | 41.7 | 42.7 | 44.3 | 42.7 | 42.9 | 42.7 | 44.3 |
| NV2603 | 48.5 | 50.0 | 48.5 | 48.5 | 48.5 | 50.0 | 49.6 | 51.1 | 49.6 | 49.7 | 49.6 | 51.1 |
| NV2604 | 40.2 | 41.9 | 40.2 | 40.9 | 40.1 | 42.2 | 42.7 | 44.3 | 42.7 | 43.4 | 42.7 | 44.8 |
| NV2605 | 49.0 | 50.5 | 46.0 | 46.2 | 46.0 | 47.6 | 47.5 | 49.0 | 47.5 | 47.8 | 47.5 | 49.2 |
| NV2606 | 49.0 | 50.5 | 46.0 | 46.2 | 46.0 | 47.6 | 47.5 | 49.0 | 47.5 | 47.8 | 47.5 | 49.2 |
| NV2607 | 48.1 | 49.6 | 48.1 | 48.1 | 48.1 | 49.6 | 49.3 | 50.7 | 49.3 | 49.3 | 49.3 | 50.8 |
| NV2608 | 48.1 | 49.6 | 48.1 | 48.1 | 48.1 | 49.6 | 49.3 | 50.7 | 49.3 | 49.3 | 49.3 | 50.8 |
| NV2609 | 47.8 | 49.3 | 48.0 | 48.0 | 48.0 | 49.5 | 48.9 | 50.4 | 49.1 | 49.1 | 48.9 | 50.4 |
| NV2610 | 47.8 | 49.3 | 48.0 | 48.0 | 48.0 | 49.5 | 48.9 | 50.4 | 49.1 | 49.1 | 48.9 | 50.4 |
| NV2611 | 39.9 | 41.6 | 39.9 | 40.3 | 39.9 | 41.6 | 42.4 | 44.0 | 42.4 | 42.8 | 42.4 | 44.2 |
| NV2612 | 39.9 | 41.6 | 39.9 | 40.3 | 39.9 | 41.6 | 42.4 | 44.0 | 42.4 | 42.8 | 42.4 | 44.2 |
| NV2613 | 40.5 | 42.2 | 40.5 | 41.0 | 40.5 | 42.3 | 42.9 | 44.6 | 42.9 | 43.5 | 42.9 | 44.9 |
| NV2614 | 46.9 | 48.4 | 46.9 | 46.9 | 46.9 | 48.4 | 48.4 | 49.9 | 48.4 | 48.4 | 48.4 | 49.9 |
| NV2615 | 47.5 | 49.0 | 47.5 | 47.5 | 47.5 | 49.0 | 49.0 | 50.4 | 49.0 | 49.0 | 49.0 | 50.4 |
| NV2616 | 48.6 | 50.1 | 48.6 | 48.7 | 48.6 | 50.1 | 50.6 | 52.0 | 50.4 | 50.4 | 49.7 | 51.2 |
| NV2617 | 40.8 | 42.4 | 40.8 | 41.0 | 46.8 | 48.3 | 48.3 | 49.8 | 48.7 | 48.8 | 43.6 | 45.1 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2618 | 40.8 | 42.4 | 40.8 | 41.0 | 46.8 | 48.3 | 48.3 | 49.8 | 48.7 | 48.8 | 43.6 | 45.1 |
| NV2619 | 46.5 | 48.0 | 46.5 | 46.6 | 46.5 | 48.0 | 46.4 | 47.9 | 48.4 | 48.5 | 46.4 | 47.9 |
| NV2620 | 46.5 | 48.0 | 46.5 | 46.6 | 46.5 | 48.0 | 46.4 | 47.9 | 48.4 | 48.5 | 46.4 | 47.9 |
| NV2621 | 46.8 | 48.2 | 44.8 | 44.8 | 45.0 | 46.4 | 46.5 | 48.0 | 46.5 | 46.5 | 46.5 | 47.9 |
| NV2622 | 46.8 | 48.2 | 44.8 | 44.8 | 45.0 | 46.4 | 46.5 | 48.0 | 46.5 | 46.5 | 46.5 | 47.9 |
| NV2623 | 39.7 | 41.4 | 39.7 | 40.0 | 39.5 | 41.2 | 42.3 | 44.0 | 42.3 | 42.7 | 42.3 | 44.0 |
| NV2624 | 39.7 | 41.4 | 39.7 | 40.0 | 39.5 | 41.2 | 42.3 | 44.0 | 42.3 | 42.7 | 42.3 | 44.0 |
| NV2625 | 39.4 | 41.0 | 47.2 | 47.2 | 41.3 | 42.7 | 42.1 | 43.7 | 49.0 | 49.0 | 49.0 | 50.3 |
| NV2626 | 39.9 | 41.7 | 39.9 | 40.4 | 39.9 | 41.8 | 42.2 | 43.9 | 42.2 | 42.8 | 42.2 | 44.1 |
| NV2627 | 40.8 | 42.6 | 40.8 | 41.5 | 40.8 | 42.9 | 42.8 | 44.6 | 42.8 | 43.7 | 42.8 | 45.0 |
| NV2628 | 40.2 | 42.0 | 40.2 | 41.0 | 40.2 | 42.4 | 42.5 | 44.2 | 42.5 | 43.4 | 42.5 | 44.7 |
| NV2629 | 46.8 | 48.2 | 46.8 | 46.8 | 45.9 | 47.3 | 47.4 | 48.9 | 47.4 | 47.4 | 47.4 | 48.9 |
| NV2630 | 46.8 | 48.3 | 45.4 | 45.8 | 45.4 | 47.2 | 48.2 | 49.7 | 47.2 | 47.7 | 47.2 | 49.1 |
| NV2631 | 40.8 | 42.6 | 40.8 | 41.7 | 40.8 | 43.1 | 42.9 | 44.6 | 42.9 | 44.0 | 42.9 | 45.3 |
| NV2632 | 48.3 | 49.8 | 46.2 | 46.2 | 46.2 | 47.6 | 47.7 | 49.2 | 47.7 | 47.7 | 47.7 | 49.1 |
| NV2633 | 49.3 | 50.8 | 47.7 | 47.7 | 47.7 | 49.1 | 51.1 | 52.5 | 49.2 | 49.2 | 49.2 | 50.6 |
| NV2634 | 40.3 | 42.1 | 40.3 | 41.2 | 40.3 | 42.6 | 42.8 | 44.5 | 42.8 | 43.7 | 42.8 | 45.0 |
| NV2635 | 48.4 | 49.8 | 47.9 | 47.9 | 46.2 | 47.6 | 49.9 | 51.3 | 50.3 | 50.2 | 48.0 | 49.4 |
| NV2636 | 49.4 | 50.9 | 49.4 | 49.4 | 49.4 | 50.8 | 51.1 | 52.5 | 51.1 | 51.1 | 49.4 | 50.8 |
| NV2637 | 45.9 | 47.1 | 47.1 | 46.4 | 47.1 | 47.5 | 50.3 | 51.5 | 50.3 | 49.6 | 50.3 | 50.8 |
| NV2638 | 45.9 | 47.1 | 47.1 | 46.4 | 47.1 | 47.5 | 50.3 | 51.5 | 50.3 | 49.6 | 50.3 | 50.8 |
| NV2639 | 45.9 | 47.1 | 47.1 | 46.4 | 47.1 | 47.5 | 50.3 | 51.5 | 50.3 | 49.6 | 50.3 | 50.8 |
| NV2640 | 45.9 | 47.1 | 47.1 | 46.4 | 47.1 | 47.5 | 50.3 | 51.5 | 50.3 | 49.6 | 50.3 | 50.8 |
| NV2641 | 45.9 | 47.1 | 47.1 | 46.4 | 47.1 | 47.5 | 50.3 | 51.5 | 50.3 | 49.6 | 50.3 | 50.8 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2642 | 45.9 | 47.1 | 47.1 | 46.4 | 47.1 | 47.5 | 50.3 | 51.5 | 50.3 | 49.6 | 50.3 | 50.8 |
| NV2643 | 45.9 | 47.1 | 47.1 | 46.4 | 47.1 | 47.5 | 50.3 | 51.5 | 50.3 | 49.6 | 50.3 | 50.8 |
| NV2644 | 45.9 | 47.1 | 47.1 | 46.4 | 47.1 | 47.5 | 50.3 | 51.5 | 50.3 | 49.6 | 50.3 | 50.8 |
| NV2645 | 59.4 | 61.2 | 59.4 | 59.3 | 59.4 | 61.1 | 60.4 | 62.1 | 60.4 | 60.3 | 59.9 | 61.6 |
| NV2646 | 56.6 | 58.2 | 56.6 | 56.4 | 56.6 | 58.1 | 57.6 | 59.2 | 57.6 | 57.4 | 57.6 | 59.0 |
| NV2647 | 55.5 | 57.0 | 55.5 | 55.2 | 55.5 | 56.9 | 56.6 | 58.1 | 56.6 | 56.3 | 56.6 | 57.9 |
| NV2648 | 54.1 | 55.5 | 54.1 | 53.7 | 54.1 | 55.3 | 55.3 | 56.8 | 55.3 | 54.9 | 55.3 | 56.5 |
| NV2649 | 53.3 | 54.7 | 53.3 | 52.8 | 53.3 | 54.3 | 54.5 | 55.9 | 54.5 | 54.1 | 54.5 | 55.6 |
| NV2650 | 52.3 | 53.7 | 52.3 | 51.8 | 52.3 | 53.3 | 53.7 | 55.1 | 53.7 | 53.2 | 53.7 | 54.6 |
| NV2651 | 52.2 | 53.5 | 52.2 | 51.7 | 51.9 | 52.8 | 54.2 | 55.5 | 54.2 | 53.6 | 53.4 | 54.3 |
| NV2652 | 52.0 | 53.3 | 52.0 | 51.5 | 52.0 | 52.9 | 54.0 | 55.3 | 54.0 | 53.5 | 54.0 | 54.8 |
| NV2653 | 60.3 | 62.0 | 60.2 | 60.1 | 60.2 | 61.9 | 60.8 | 62.5 | 60.8 | 60.7 | 60.9 | 62.5 |
| NV2654 | 55.2 | 56.8 | 55.2 | 55.1 | 55.2 | 56.8 | 56.0 | 57.6 | 56.0 | 55.8 | 56.0 | 57.5 |
| NV2655 | 52.6 | 54.2 | 52.6 | 52.4 | 52.6 | 54.1 | 53.9 | 55.5 | 54.5 | 54.2 | 54.5 | 55.9 |
| NV2656 | 50.0 | 51.6 | 50.0 | 49.7 | 50.0 | 51.3 | 51.5 | 53.1 | 51.5 | 51.1 | 51.5 | 52.7 |
| NV2657 | 50.1 | 51.7 | 50.1 | 49.8 | 50.1 | 51.4 | 51.6 | 53.1 | 51.6 | 51.2 | 51.6 | 52.8 |
| NV2658 | 48.7 | 50.2 | 48.7 | 48.3 | 48.7 | 49.9 | 50.2 | 51.7 | 54.6 | 54.1 | 50.2 | 51.3 |
| NV2659 | 48.6 | 50.1 | 48.6 | 48.2 | 48.6 | 49.8 | 50.2 | 51.6 | 50.2 | 49.7 | 50.2 | 51.2 |
| NV2660 | 48.4 | 49.8 | 48.2 | 47.7 | 48.2 | 49.2 | 50.0 | 51.4 | 49.9 | 49.2 | 49.9 | 50.7 |
| NV2661 | 60.2 | 61.9 | 60.0 | 59.9 | 60.2 | 61.8 | 60.6 | 62.2 | 60.6 | 60.4 | 60.6 | 62.2 |
| NV2662 | 55.4 | 56.9 | 55.4 | 55.2 | 55.4 | 56.8 | 56.1 | 57.6 | 56.1 | 55.9 | 56.1 | 57.5 |
| NV2663 | 52.6 | 54.1 | 52.6 | 52.4 | 52.6 | 54.0 | 56.1 | 57.5 | 53.6 | 53.3 | 53.6 | 54.8 |
| NV2664 | 51.8 | 53.2 | 51.8 | 51.6 | 51.8 | 53.1 | 52.8 | 54.2 | 52.8 | 52.5 | 52.8 | 54.0 |
| NV2665 | 50.2 | 51.6 | 50.2 | 49.9 | 50.2 | 51.4 | 51.3 | 52.7 | 51.3 | 50.9 | 51.3 | 52.4 |

A9/A96 Inshes to Smithton
DMRB Stage 3: Environmental Impact Assessment Report
Appendix A8.3: Predicted Noise Levels at Noise Sensitive Receptors



| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2666 | 49.5 | 50.9 | 49.5 | 49.2 | 49.5 | 50.6 | 50.7 | 52.1 | 50.7 | 50.3 | 50.7 | 51.7 |
| NV2667 | 48.7 | 50.0 | 48.7 | 48.3 | 48.5 | 49.5 | 50.1 | 51.4 | 50.1 | 49.5 | 50.1 | 50.8 |
| NV2668 | 48.3 | 49.6 | 48.3 | 47.8 | 48.3 | 49.0 | 50.0 | 51.3 | 50.0 | 49.4 | 50.0 | 50.6 |
| NV2669 | 60.7 | 62.5 | 60.7 | 60.5 | 60.7 | 62.5 | 61.1 | 62.8 | 60.3 | 60.2 | 61.1 | 62.8 |
| NV2670 | 54.1 | 55.7 | 54.1 | 53.9 | 54.1 | 55.6 | 53.3 | 54.9 | 55.1 | 54.8 | 55.1 | 56.5 |
| NV2671 | 51.8 | 53.3 | 51.8 | 51.6 | 51.8 | 53.1 | 53.1 | 54.5 | 53.1 | 52.8 | 53.1 | 54.3 |
| NV2672 | 49.6 | 51.0 | 49.6 | 49.2 | 49.6 | 50.8 | 51.0 | 52.4 | 51.0 | 50.5 | 51.0 | 52.0 |
| NV2673 | 48.3 | 49.7 | 48.3 | 47.9 | 48.3 | 49.3 | 50.1 | 51.4 | 50.1 | 49.6 | 50.1 | 50.9 |
| NV2674 | 45.9 | 47.3 | 47.7 | 47.2 | 47.7 | 48.6 | 47.9 | 49.2 | 49.5 | 48.9 | 49.5 | 50.2 |
| NV2675 | 46.9 | 48.1 | 46.9 | 46.4 | 46.9 | 47.6 | 48.8 | 50.0 | 48.8 | 48.1 | 48.8 | 49.4 |
| NV2676 | 47.9 | 49.1 | 46.8 | 46.3 | 46.8 | 47.5 | 49.6 | 50.8 | 48.6 | 48.0 | 48.6 | 49.1 |
| NV2677 | 49.2 | 50.2 | 45.5 | 44.5 | 45.8 | 45.7 | 50.8 | 51.8 | 47.6 | 46.6 | 47.8 | 47.7 |
| NV2678 | 49.2 | 50.2 | 45.5 | 44.5 | 45.8 | 45.7 | 50.8 | 51.8 | 47.6 | 46.6 | 47.8 | 47.7 |
| NV2679 | 49.2 | 50.2 | 45.5 | 44.5 | 45.8 | 45.7 | 50.8 | 51.8 | 47.6 | 46.6 | 47.8 | 47.7 |
| NV2680 | 49.2 | 50.2 | 45.5 | 44.5 | 45.8 | 45.7 | 50.8 | 51.8 | 47.6 | 46.6 | 47.8 | 47.7 |
| NV2681 | 49.2 | 50.2 | 45.5 | 44.5 | 45.8 | 45.7 | 50.8 | 51.8 | 47.6 | 46.6 | 47.8 | 47.7 |
| NV2682 | 49.2 | 50.2 | 45.5 | 44.5 | 45.8 | 45.7 | 50.8 | 51.8 | 47.6 | 46.6 | 47.8 | 47.7 |
| NV2683 | 49.2 | 50.2 | 45.5 | 44.5 | 45.8 | 45.7 | 50.8 | 51.8 | 47.6 | 46.6 | 47.8 | 47.7 |
| NV2684 | 49.2 | 50.2 | 45.5 | 44.5 | 45.8 | 45.7 | 50.8 | 51.8 | 47.6 | 46.6 | 47.8 | 47.7 |
| NV2685 | 49.2 | 50.2 | 45.5 | 44.5 | 45.8 | 45.7 | 50.8 | 51.8 | 47.6 | 46.6 | 47.8 | 47.7 |
| NV2686 | 50.3 | 51.3 | 52.4 | 51.5 | 52.0 | 52.1 | 50.4 | 51.4 | 54.4 | 53.5 | 54.0 | 54.0 |
| NV2687 | 50.3 | 51.3 | 52.4 | 51.5 | 52.0 | 52.1 | 50.4 | 51.4 | 54.4 | 53.5 | 54.0 | 54.0 |
| NV2688 | 50.3 | 51.3 | 52.4 | 51.5 | 52.0 | 52.1 | 50.4 | 51.4 | 54.4 | 53.5 | 54.0 | 54.0 |
| NV2689 | 50.3 | 51.3 | 52.4 | 51.5 | 52.0 | 52.1 | 50.4 | 51.4 | 54.4 | 53.5 | 54.0 | 54.0 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2690 | 50.3 | 51.3 | 52.4 | 51.5 | 52.0 | 52.1 | 50.4 | 51.4 | 54.4 | 53.5 | 54.0 | 54.0 |
| NV2691 | 50.3 | 51.3 | 52.4 | 51.5 | 52.0 | 52.1 | 50.4 | 51.4 | 54.4 | 53.5 | 54.0 | 54.0 |
| NV2692 | 50.3 | 51.3 | 52.4 | 51.5 | 52.0 | 52.1 | 50.4 | 51.4 | 54.4 | 53.5 | 54.0 | 54.0 |
| NV2693 | 50.3 | 51.3 | 52.4 | 51.5 | 52.0 | 52.1 | 50.4 | 51.4 | 54.4 | 53.5 | 54.0 | 54.0 |
| NV2694 | 45.2 | 46.5 | 48.9 | 48.2 | 48.9 | 49.5 | 50.7 | 51.9 | 50.7 | 49.9 | 50.7 | 51.2 |
| NV2695 | 45.2 | 46.5 | 48.9 | 48.2 | 48.9 | 49.5 | 50.7 | 51.9 | 50.7 | 49.9 | 50.7 | 51.2 |
| NV2696 | 45.2 | 46.5 | 48.9 | 48.2 | 48.9 | 49.5 | 50.7 | 51.9 | 50.7 | 49.9 | 50.7 | 51.2 |
| NV2697 | 45.2 | 46.5 | 48.9 | 48.2 | 48.9 | 49.5 | 50.7 | 51.9 | 50.7 | 49.9 | 50.7 | 51.2 |
| NV2698 | 45.2 | 46.5 | 48.9 | 48.2 | 48.9 | 49.5 | 50.7 | 51.9 | 50.7 | 49.9 | 50.7 | 51.2 |
| NV2699 | 45.2 | 46.5 | 48.9 | 48.2 | 48.9 | 49.5 | 50.7 | 51.9 | 50.7 | 49.9 | 50.7 | 51.2 |
| NV2700 | 45.2 | 46.5 | 48.9 | 48.2 | 48.9 | 49.5 | 50.7 | 51.9 | 50.7 | 49.9 | 50.7 | 51.2 |
| NV2701 | 45.2 | 46.5 | 48.9 | 48.2 | 48.9 | 49.5 | 50.7 | 51.9 | 50.7 | 49.9 | 50.7 | 51.2 |
| NV2702 | 46.3 | 47.6 | 44.0 | 43.0 | 44.0 | 44.0 | 48.0 | 49.2 | 46.5 | 45.4 | 46.5 | 46.4 |
| NV2703 | 46.3 | 47.6 | 44.0 | 43.0 | 44.0 | 44.0 | 48.0 | 49.2 | 46.5 | 45.4 | 46.5 | 46.4 |
| NV2704 | 46.3 | 47.6 | 44.0 | 43.0 | 44.0 | 44.0 | 48.0 | 49.2 | 46.5 | 45.4 | 46.5 | 46.4 |
| NV2705 | 46.3 | 47.6 | 44.0 | 43.0 | 44.0 | 44.0 | 48.0 | 49.2 | 46.5 | 45.4 | 46.5 | 46.4 |
| NV2706 | 46.3 | 47.6 | 44.0 | 43.0 | 44.0 | 44.0 | 48.0 | 49.2 | 46.5 | 45.4 | 46.5 | 46.4 |
| NV2707 | 46.3 | 47.6 | 44.0 | 43.0 | 44.0 | 44.0 | 48.0 | 49.2 | 46.5 | 45.4 | 46.5 | 46.4 |
| NV2708 | 46.3 | 47.6 | 44.0 | 43.0 | 44.0 | 44.0 | 48.0 | 49.2 | 46.5 | 45.4 | 46.5 | 46.4 |
| NV2709 | 46.3 | 47.6 | 44.0 | 43.0 | 44.0 | 44.0 | 48.0 | 49.2 | 46.5 | 45.4 | 46.5 | 46.4 |
| NV2710 | 46.3 | 47.6 | 44.0 | 43.0 | 44.0 | 44.0 | 48.0 | 49.2 | 46.5 | 45.4 | 46.5 | 46.4 |
| NV2711 | 45.5 | 46.7 | 48.7 | 47.8 | 45.1 | 45.2 | 47.1 | 48.3 | 53.4 | 52.6 | 53.4 | 53.6 |
| NV2712 | 45.5 | 46.7 | 48.7 | 47.8 | 45.1 | 45.2 | 47.1 | 48.3 | 53.4 | 52.6 | 53.4 | 53.6 |
| NV2713 | 45.5 | 46.7 | 48.7 | 47.8 | 45.1 | 45.2 | 47.1 | 48.3 | 53.4 | 52.6 | 53.4 | 53.6 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2714 | 45.5 | 46.7 | 48.7 | 47.8 | 45.1 | 45.2 | 47.1 | 48.3 | 53.4 | 52.6 | 53.4 | 53.6 |
| NV2715 | 45.5 | 46.7 | 48.7 | 47.8 | 45.1 | 45.2 | 47.1 | 48.3 | 53.4 | 52.6 | 53.4 | 53.6 |
| NV2716 | 45.5 | 46.7 | 48.7 | 47.8 | 45.1 | 45.2 | 47.1 | 48.3 | 53.4 | 52.6 | 53.4 | 53.6 |
| NV2717 | 45.5 | 46.7 | 48.7 | 47.8 | 45.1 | 45.2 | 47.1 | 48.3 | 53.4 | 52.6 | 53.4 | 53.6 |
| NV2718 | 45.5 | 46.7 | 48.7 | 47.8 | 45.1 | 45.2 | 47.1 | 48.3 | 53.4 | 52.6 | 53.4 | 53.6 |
| NV2719 | 47.7 | 48.9 | 47.7 | 47.1 | 47.7 | 48.3 | 50.8 | 52.1 | 50.8 | 50.3 | 50.8 | 51.5 |
| NV2720 | 47.7 | 48.9 | 47.7 | 47.1 | 47.7 | 48.3 | 50.8 | 52.1 | 50.8 | 50.3 | 50.8 | 51.5 |
| NV2721 | 47.7 | 48.9 | 47.7 | 47.1 | 47.7 | 48.3 | 50.8 | 52.1 | 50.8 | 50.3 | 50.8 | 51.5 |
| NV2722 | 47.7 | 48.9 | 47.7 | 47.1 | 47.7 | 48.3 | 50.8 | 52.1 | 50.8 | 50.3 | 50.8 | 51.5 |
| NV2723 | 47.7 | 48.9 | 47.7 | 47.1 | 47.7 | 48.3 | 50.8 | 52.1 | 50.8 | 50.3 | 50.8 | 51.5 |
| NV2724 | 47.7 | 48.9 | 47.7 | 47.1 | 47.7 | 48.3 | 50.8 | 52.1 | 50.8 | 50.3 | 50.8 | 51.5 |
| NV2725 | 47.7 | 48.9 | 47.7 | 47.1 | 47.7 | 48.3 | 50.8 | 52.1 | 50.8 | 50.3 | 50.8 | 51.5 |
| NV2726 | 47.7 | 48.9 | 47.7 | 47.1 | 47.7 | 48.3 | 50.8 | 52.1 | 50.8 | 50.3 | 50.8 | 51.5 |
| NV2727 | 46.2 | 47.4 | 45.7 | 45.0 | 45.7 | 46.0 | 48.2 | 49.4 | 48.0 | 47.1 | 48.0 | 48.1 |
| NV2728 | 46.2 | 47.4 | 45.7 | 45.0 | 45.7 | 46.0 | 48.2 | 49.4 | 48.0 | 47.1 | 48.0 | 48.1 |
| NV2729 | 46.2 | 47.4 | 45.7 | 45.0 | 45.7 | 46.0 | 48.2 | 49.4 | 48.0 | 47.1 | 48.0 | 48.1 |
| NV2730 | 46.2 | 47.4 | 45.7 | 45.0 | 45.7 | 46.0 | 48.2 | 49.4 | 48.0 | 47.1 | 48.0 | 48.1 |
| NV2731 | 46.2 | 47.4 | 45.7 | 45.0 | 45.7 | 46.0 | 48.2 | 49.4 | 48.0 | 47.1 | 48.0 | 48.1 |
| NV2732 | 46.2 | 47.4 | 45.7 | 45.0 | 45.7 | 46.0 | 48.2 | 49.4 | 48.0 | 47.1 | 48.0 | 48.1 |
| NV2733 | 46.2 | 47.4 | 45.7 | 45.0 | 45.7 | 46.0 | 48.2 | 49.4 | 48.0 | 47.1 | 48.0 | 48.1 |
| NV2734 | 46.2 | 47.4 | 45.7 | 45.0 | 45.7 | 46.0 | 48.2 | 49.4 | 48.0 | 47.1 | 48.0 | 48.1 |
| NV2735 | 45.0 | 46.2 | 48.0 | 47.6 | 48.0 | 48.7 | 47.3 | 48.5 | 49.7 | 49.2 | 49.7 | 50.3 |
| NV2736 | 45.0 | 46.2 | 48.0 | 47.6 | 48.0 | 48.7 | 47.3 | 48.5 | 49.7 | 49.2 | 49.7 | 50.3 |
| NV2737 | 45.0 | 46.2 | 48.0 | 47.6 | 48.0 | 48.7 | 47.3 | 48.5 | 49.7 | 49.2 | 49.7 | 50.3 |

| Receptor ID | Predicted Noise Levels at the Least Beneficial Façade (L _{A10,18h}) (dB) | | | | | | | | | | | |
|-------------|--|------|--|------|---|------|--|------|--|------|---|------|
| | Ground Floor | | | | | | First Floor | | | | | |
| | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | | Long-term Assessment without Proposed Scheme | | Short-term Assessment with Proposed Scheme | | Long-term Assessment with Proposed Scheme | |
| | DMB | DMF | DMB | DSB | DMB | DSF | DMB | DMF | DMB | DSB | DMB | DSF |
| NV2738 | 45.0 | 46.2 | 48.0 | 47.6 | 48.0 | 48.7 | 47.3 | 48.5 | 49.7 | 49.2 | 49.7 | 50.3 |
| NV2739 | 45.0 | 46.2 | 48.0 | 47.6 | 48.0 | 48.7 | 47.3 | 48.5 | 49.7 | 49.2 | 49.7 | 50.3 |
| NV2740 | 45.0 | 46.2 | 48.0 | 47.6 | 48.0 | 48.7 | 47.3 | 48.5 | 49.7 | 49.2 | 49.7 | 50.3 |
| NV2741 | 45.0 | 46.2 | 48.0 | 47.6 | 48.0 | 48.7 | 47.3 | 48.5 | 49.7 | 49.2 | 49.7 | 50.3 |
| NV2742 | 45.0 | 46.2 | 48.0 | 47.6 | 48.0 | 48.7 | 47.3 | 48.5 | 49.7 | 49.2 | 49.7 | 50.3 |
| NV2743 | 51.5 | 52.9 | 52.1 | 51.8 | 52.1 | 53.2 | 53.7 | 55.0 | 53.7 | 53.3 | 53.7 | 54.7 |
| NV2744 | 51.5 | 52.9 | 52.1 | 51.8 | 52.1 | 53.2 | 53.7 | 55.0 | 53.7 | 53.3 | 53.7 | 54.7 |
| NV2745 | 51.5 | 52.9 | 52.1 | 51.8 | 52.1 | 53.2 | 53.7 | 55.0 | 53.7 | 53.3 | 53.7 | 54.7 |
| NV2746 | 51.5 | 52.9 | 52.1 | 51.8 | 52.1 | 53.2 | 53.7 | 55.0 | 53.7 | 53.3 | 53.7 | 54.7 |
| NV2747 | 51.5 | 52.9 | 52.1 | 51.8 | 52.1 | 53.2 | 53.7 | 55.0 | 53.7 | 53.3 | 53.7 | 54.7 |
| NV2748 | 51.5 | 52.9 | 52.1 | 51.8 | 52.1 | 53.2 | 53.7 | 55.0 | 53.7 | 53.3 | 53.7 | 54.7 |
| NV2749 | 51.5 | 52.9 | 52.1 | 51.8 | 52.1 | 53.2 | 53.7 | 55.0 | 53.7 | 53.3 | 53.7 | 54.7 |
| NV2750 | 51.5 | 52.9 | 52.1 | 51.8 | 52.1 | 53.2 | 53.7 | 55.0 | 53.7 | 53.3 | 53.7 | 54.7 |
| NV2751 | 51.5 | 52.9 | 52.1 | 51.8 | 52.1 | 53.2 | 53.7 | 55.0 | 53.7 | 53.3 | 53.7 | 54.7 |
| NV2752 | 51.5 | 52.9 | 52.1 | 51.8 | 52.1 | 53.2 | 53.7 | 55.0 | 53.7 | 53.3 | 53.7 | 54.7 |
| NV2753 | 51.5 | 52.9 | 52.1 | 51.8 | 52.1 | 53.2 | 53.7 | 55.0 | 53.7 | 53.3 | 53.7 | 54.7 |
| NV2754 | 51.5 | 52.9 | 52.1 | 51.8 | 52.1 | 53.2 | 53.7 | 55.0 | 53.7 | 53.3 | 53.7 | 54.7 |
| NV2755 | 47.0 | 48.3 | 54.6 | 53.6 | 54.6 | 54.5 | 48.8 | 50.0 | 57.0 | 56.1 | 57.0 | 57.0 |